




PL^{EN}

PROGRAM

From 2023





NEN 2608	LGAM Typen geprüft	BS 6180 APPROVED	ETB BALAJART GEPRÜFT	AbZ BALAJART GEPRÜFT	EN 12600
CE	GOEDKEURING VOLGENS BOUWBESLUIT EN1991	GOEDKEURING VOLGENS BOUWBESLUIT EN1990	NBN B03-004	CTE CONFORME TECHNIQUE	STATISCHE BERECHNUNG GEMÄß DIN18008
SIA 261 : 2014	SIA 358 : 2010	AbP BALAJART GEPRÜFT	AppPlus® laboratoire	ICC ES	D
Tested at WTCB & CSTC	NTC UNI 11678-2017	GEPRÜFT GEMÄß DIN18008	V	CSTB	AVIS TECHNIQUE

WWW.Q-RAILING.COM



WELCOME TO THE PREMIUM BRAND IN RAILING SYSTEMS

We will not rest until we have achieved the perfection you expect.

PREMIUM IN EVERY WAY

Nothing but the best

- Highest quality
- High-grade materials
- Flawless surface finishes
- Highly accurate dimensions and minimal tolerances

Unbelievably quick

- Extensive worldwide stock at branch and at Head Office
- Rapid delivery
- Detailed and personal technical advice

Options for every situation

- Huge range of products
- Countless different design styles
- Everything you need to create a complete railing or handrail
- Mix and match to achieve a custom design

100% safe

- Thorough internal testing procedures
- Extensive testing carried out by certified independent testing institutions and leading authorities
- Testing procedures and official approvals that comply with the main international building codes and standards

Beauty and brains

- Many innovations and product improvements every year
- Visual designs to suit every taste
- Features that make for quick and easy mounting

Online resources : www.q-railing.com

- Assembly videos, BIM objects, CAD drawings and other technical specifications
- Q-PAC (Professional Anchor Calculation) software that lets you easily identify the correct Q-railing anchor
- Catalogues, brochures, reference projects and more





1

GLASS RAILING SYSTEMS

OVERVIEW SYSTEMS

6 - 7

HOW TO EASILY FIND A PRODUCT

8 - 9

COMPONENTS FOR RAILING BASES

GLASS AND GLASS CONNECTORS

U-PROFILES AND COMPONENTS FOR CAP RAILS

26 - 189



2

JULIET BALCONY SYSTEMS

OVERVIEW SYSTEMS

10 - 11

HOW TO EASILY FIND A PRODUCT

10 - 11

EASY GLASS® VIEW

EASY GLASS® MOD 6507-6508

WITH GLASS CLAMPS

WITH GLASS ADAPTERS

CHEST RAILS

190 - 235



3

Q-LIGHTS SYSTEMS

OVERVIEW SYSTEMS

12 - 13

HOW TO EASILY FIND A PRODUCT

12 - 13

SPOTLIGHT FOR HANDRAILS

LINEAR LIGHT FOR CAP RAILS

LINEAR LIGHT FOR HANDRAILS

236 - 269



4

BALUSTER RAILING SYSTEMS

OVERVIEW SYSTEMS	14 - 15
HOW TO EASILY FIND A PRODUCT	16 - 17
COMPONENTS FOR BALUSTER POSTS	
COMPONENTS FOR HANDRAILS	
COMPONENTS FOR INFILLS	

270 - 423



5

GLASS INFILL HOLDERS

HOW TO FIND YOUR GLASS INFILL HOLDER	427 - 434
GLASS CLAMPS	434 - 446
GLASS HOLDERS	448 - 449
GLASS CONNECTORS	450 - 452
HINGES AND DOOR LOCKS	452 - 453
GLASS ADAPTERS	455 - 457

424 - 457



6

ACCESSORIES

Q-SCREWS OVERVIEW	460
FIND THE RIGHT ANCHOR	461 - 467
ANCHORS	468 - 471
SCREWS AND FIXING MATERIALS	472 - 478
SPARE MATERIALS FOR GLASS CLAMPS AND ADAPTERS	479
DRILLING AND TAPPING	480 - 481
MOUNTING ACCESSORIES	482 - 485
CARE AND MAINTENANCE	486
TOOLS	487 - 489
SYMBOL INDEX	491

458 - 491



1

GLASS RAILING SYSTEMS

26 - 189




EASY GLASS® SMART

≡ 12 - 21,52 mm ▲ ● H | H | H



EASY GLASS® SMART+

≡ 16,76 - 21,52 mm ▲ H | H | H



EASY GLASS® PRIME

≡ 16,76 - 25,52 mm ▲ H | H | H



EASY GLASS® MAX

≡ 19 - 31,52 mm ● H | H | H | H



EASY GLASS® UP

≡ 12 - 17,52 mm ● H | H | H



EASY GLASS® HYBRID

≡ 8 - 13,52 mm ● H | H | H

Choose from a huge range of components to create your ideal indoor or outdoor glass railing. Top and fascia-mount options are available, as well as solutions for Juliet balconies and parapet walls.



EASY GLASS® STRONG
 = 21,52 - 33,04 mm ▲ | H | H | H



EASY GLASS® SLIM
 = 12 - 21,52 mm ● H



EASY GLASS® PRO
 = 12 - 21,52 mm ▲ ● H | H



EASY GLASS® BASE GLASS CLAMPS
 = 12 - 21,52 mm ● H | H



EASY GLASS® AIR
 = 15 - 21,52 mm ● H | H



EASY GLASS® GLASS ADAPTERS
 = 8 - 25,52 mm ▲ ● H | H



= Glass thickness ▲ = Adjustable ● = Non-adjustable
 H = Light use | H | H = Medium use | H | H | H = Heavy use | H | H | H | H = Extra heavy use



1

GLASS RAILING SYSTEMS

26 - 189




A

RAILING BASES

BASE CHANNELS

GLASS FIXING SYSTEMS




EASY GLASS® SMART	33, 34, 37, 39, 40, 46	31-32
EASY GLASS® SMART+	56, 57	55
EASY GLASS® PRIME	68, 70, 72, 78	67
EASY GLASS® STRONG	88, 90	87
EASY GLASS® SLIM	99, 100, 102, 103, 104	98
EASY GLASS® PRO	112, 114, 116, 118	110-111
EASY GLASS® MAX	123, 125, 126, 128	122
EASY GLASS® UP	134, 135	132
EASY GLASS® HYBRID	140	140
EASY GLASS® BASE GLASS CLAMPS		
EASY GLASS® AIR		
EASY GLASS® GLASS ADAPTERS		

B

GLASS

Q-GLASS

GLASS CONNECTORS



BESPOKE MADE GLASS	164	166-168
GLASS FROM STOCK	165	




C



TOP RAILS

EDGE PROTECTION

U-PROFILES





EASY GLASS® SMART	170	171
EASY GLASS® SMART+		
EASY GLASS® PRIME		
EASY GLASS® STRONG		
EASY GLASS® SLIM		
EASY GLASS® PRO		
EASY GLASS® MAX		
EASY GLASS® UP		
EASY GLASS® HYBRID		
EASY GLASS® BASE GLASS CLAMPS		
EASY GLASS® AIR		
EASY GLASS® GLASS ADAPTERS		




HOW TO EASILY FIND A PRODUCT

Our railing systems usually consist of three sections: railing bases **A**, glass **B** and top rails **C**. Each section is divided into various product groups. Identify the section and group to which your product belongs and you should find your product straightaway.



CORNERS **CLADDINGS** **DRAINAGE PROFILES** **TRIMS** **BASE GLASS CLAMPS** **GLASS ADAPTERS** **FIXING MATERIALS**

35, 38, 39, 47	44, 49	36, 43	38, 50-51			468-477
56-57	59	58	61-62			
68, 71, 72, 79	76, 81	69, 75	82-83			
88, 90	93	89, 92	94-95			
99, 100, 102, 103, 104	106	101				
113, 114, 116, 119	117, 119	113, 116				
123, 125, 126, 128	127, 129					
134, 135	136	137				
				146-149		
				152		
					156-163	



CAP RAILS **CONNECTORS** **CORNERS** **WALL FLANGES** **END FITTINGS** **HANDRAIL BRACKETS** **TUBES**

173-174, 178, 180, 182, 184, 186, 188	173, 175 - 178, 179, 181, 183, 185, 187, 189	170, 172, 178, 182	177, 181, 185, 186, 188	172, 173, 177, 178, 181, 182, 185, 186, 189	292, 303, 346-347, 371	291, 306, 357, 373
141-142			141-142			
173-174, 178, 180, 182, 184, 186, 188	173, 175 - 178, 179, 181, 183, 185, 187, 189 152	170, 172, 178, 182	177, 181, 185, 186, 188 153	172, 173, 177, 178, 181, 182, 185, 186, 189 153	292, 303, 346-347, 371	291, 306, 357, 373 153
	173, 175 - 178, 179, 181, 183, 185, 187, 189	170, 172, 178, 182	177, 181, 185, 186, 188	172, 173, 177, 178, 181, 182, 185, 186, 189	292, 303, 346-347, 371	291, 306, 357, 373



2

JULIET BALCONY SYSTEMS

190 - 235




EASY GLASS® VIEW

12 - 21,52 mm



EASY GLASS® MOD 6507 / 6508

8 - 21,52 mm



WALL PROFILES

WALL FLANGES

JULIET BALCONIES

EASY GLASS® VIEW	196-197, 199	
EASY GLASS® MOD 6507 / 6508		204-212
WITH GLASS CLAMPS		
WITH GLASS ADAPTERS		
CHEST RAILS		224-225, 227-234

A Juliet balcony significantly influences the appearance of a facade. To ensure that you can maintain a consistent style in all your projects, we offer a wide range of approaches and looks for Juliet balconies



WITH GLASS CLAMPS

≡ 9,52 - 21,52 mm

● H | HH



WITH GLASS ADAPTERS


≡ 8 - 31,52 mm

▲ H | HH



CHEST RAILS


● H




CAP RAILS




GLASS CLAMPS




GLASS ADAPTERS



BAR HOLDERS



TUBE BRACKETS



BAR AND TUBE



END FITTINGS

						201
204-211, 213						
	215					
		217-221				
			223, 226	225	223-225, 227-234	223, 225-226, 229

≡ = Glass thickness ▲ = Adjustable ● = Non-adjustable

H = Light use HH = Medium use




3


Q-LIGHTS SYSTEMS 236 - 269



Q-LIGHTS **SPOTLIGHT**



Q-LIGHTS **LINEAR LIGHT**




LED STRIPS /
LED SPOTLIGHTS

TRANSFORMERS


PRODUCT SECTION

Q-LIGHTS SPOTLIGHT	240	241
Q-LIGHTS LINEAR LIGHT	242, 249	243, 250


Create atmosphere and a safer environment by adding LED spotlights or strips to your railing.




CONNECTORS




CONTROLLERS




POWER SUPPLIES




CAP RAILS /
HANDRAILS



WALL FLANGES



HANDRAIL BRACKETS
/ ADAPTERS



CONNECTORS

			357	269	264-266	356-359
244-246, 251-254	256	256-257	258, 261, 263	258, 269	260, 262, 264-266	259, 267-268



4

BALUSTER RAILING SYSTEMS

270 - 423



EASY ALU



SQUARE LINE® 40x10



SQUARE LINE® 40x20



BARRIER LINE



Q-LINE MIRROR POLISHED



WELDING PARTS

Give a staircase, balcony or atrium a designer look by adding a Q-railing baluster railing. In our broad range of products, there are solutions for every application and design requirement.



292
SQUARE LINE® 40x40

H



306
SQUARE LINE® 60x30

H | H-H



312
Q-LINE

H | H-H



386
BENDYWOOD



388
NATURAIL




390
INFILLS



4

BALUSTER RAILING SYSTEMS

270 - 423




A


BALUSTER POSTS

BALUSTER POSTS

CONNECTORS / ADAPTERS



EASY ALU	274, 277	
SQUARE LINE® 40x40	294-295	300, 305
SQUARE LINE® 60x30	308	309
Q-LINE	314-318, 320, 324-326	336-337, 358, 360
BARRIER LINE	365	
Q-LINE MIRROR POLISHED	367	369, 372




B


HANDRAILS / WALL RAILINGS

TUBES

WOODEN HANDRAILS




EASY ALU	279-280	
SQUARE LINE® 40x10	286	
SQUARE LINE® 40x20	289	
SQUARE LINE® 40x40	304	
SQUARE LINE® 60x30	309, 311	
Q-LINE	355	387-388
Q-LINE MIRROR POLISHED	371	
BENDYWOOD		387
NATURAIL		388



C

INFILLS





GLASS INFILL HOLDERS



EASY ALU	
SQUARE LINE® 40x40	
SQUARE LINE® 60x30	435-457
Q-LINE	
Q-LINE MIRROR POLISHED	436-438, 442 456-457

HOW TO EASILY FIND A PRODUCT

Our railing systems usually consist of three sections: baluster posts **A**, handrails **B** and infills **C**. Each section is divided into various product groups. Identify the section and group to which your product belongs and you should find your product straightaway.



BASE FLANGES

COVER CAPS





STAIR FLANGES

BALUSTER BRACKETS

WELDING PARTS

FIXING MATERIALS

275	278		278		468-477
294, 296	294-296		297	378	
308	308-309		309	378	
314-316, 319-320	314-316, 319	326-327	321-323	377-378	
316	365				
			367		



HANDRAIL BRACKETS

TUBE BRACKETS







CONNECTORS / END FITTINGS

WALL FLANGES

HANDRAIL PARTS

WELDING PARTS

		281-283	282		
286		287			
290-291		289	289		
301-303	298-299	304-305	305	300	379-383
	310	309, 311	311	309	
342-353	328-331, 332-336, 353	356-362	363	332-333, 338-341	
369-370	368	371-372	372		
349-350, 353	328-330, 342	389			



GLASS FRAME TUBE

GLASS

BAR AND TUBE

CABLE

WEB


PLATE ADAPTERS

392-394	390-391	396-398, 400-401, 403, 405-407	409-415	417-418	421-423
		396-397, 399-401, 405-407			374-375
		373			

Easy Glass® Smart+

Looking for a solution that lets you quickly mount glass up to 21.52 mm thick, and which also gives you the ability to align each glass panel individually? Easy Glass® Smart+ is the answer! This new base channel incorporates the adjustable Q-disc® System for simple glass alignment.

52



NEW 2023



Easy Glass® Strong

An ultra-strong base channel with maximum adjustability thanks to our innovative Q-disc® System – that is what you get with the new Easy Glass® Strong glass railing system. The combination of strength and ease of use makes it ideal for stadiums, airports, shopping malls and other public locations.

84

Juliet balcony options

Check out the recent additions to Easy Glass® View. New predrilled wall profiles and middle posts let you quickly and easily install even wider Juliet balconies. And our range includes more Juliet balcony solutions than you might think: you can also use glass clamps, glass adapters, chest rails or the Easy Alu system to create stylish, robust fall protection for floor-to-ceiling windows.

192



BLACK LINE



The Black Line range of black hardware offers everything you need for a complete baluster railing system or glass balustrade in chic black.



Handrail brackets

Discover our extended range of new handrail brackets for Q-line and Square Line®.

LED strips and connectors for **Linear Light**

Explore our expanded Q-lights Linear Light range, which includes new LED strips, connectors and transformers. Because there are more LEDs per meter, a railing with Linear Light installed can completely change the ambience of a space as well as making it much safer for users. It is also very easy to add Linear Light to your chosen Q-railing balustrade.

📄 242

Multicoloured LED strips

Need a splash of colour? Add beautiful and colourful ambient lighting to handrails, balustrades, walkways and stairs with our multicoloured strips. Available on request.



Digital catalogue

Do you want a digital version of the catalogue? You can see the catalogue online or simply download the PDF file on www.q-railing.com.

Need support or advice?

Q-railing values personal customer guidance and we are happy to assist you! Send an email or call with your questions, to request a quote or place an order, we're here for you.

QR codes for more information

Scan the QR codes that are shown on the system pages! They directly bring you to the system page and show you all available information. Let yourself be inspired by the different project images and collect information with our assembly videos, product manuals, BIM objects, test reports and CAD drawings.

SCAN ME!



OUR MATERIALS, COLOURS AND SURFACES



304

316

Stainless steel

Strong and beautiful to look at, stainless steel is one of the most popular materials for railing systems. It comes in various grades, each with a slightly different composition. On its own, steel would naturally corrode, but different elements can be added to make it stainless. The industry standard for interior use is a 304-grade stainless steel. But 316 stainless steel contains 2% molybdenum, which makes the material more resistant to cracking, pitting and harm caused by tension. So, we normally recommend 316-grade stainless steel for outdoor use.




Plastic

The thermoplastic material that we use has excellent chemical and stress resistance. Furthermore, it can be produced in any RAL colour to complement your railing system. The material offers a good balance of resistance to impact, heat, chemical effects and abrasion. It also provides dimensional stability, tensile strength, surface hardness, rigidity and good electrical characteristics.



Aluminium

Lightweight yet strong, aluminium has a naturally-occurring oxide layer that helps provide corrosion resistance. But, for greater protection, the layer must be augmented. Most of the aluminium products in this catalogue are made from metal that has undergone this 'anodisation' process. Otherwise, the material is described as 'mill-finished' aluminium.



Zamak

Robust and inexpensive, die-cast zamak can be a highly economical alternative to other metals. To give the material an attractive finish, you can add a varnish or coating. In fact, many of Q-railing's zamak products are coated in advance, for your convenience.



Steel

Steel comes in different alloys, each appropriate for different purposes. Its strength and fracture resistance depend on the precise mix of iron, carbon and additional elements used. It can also enhance the look of your project, for example if it is powder coated to match the desired colour scheme.

The available colours and their different surfaces are mentioned below. The last two numbers of most article numbers refer to the colour and/or surface.



 00 Raw	 00 Mill finish	 00 Raw	 08 Matt silver effect, anodised	 10 Mirror polished	 12 Satin
 17 Chrome plated	 18 Brushed, anodised	 19 INDOOR Stainless steel effect	 20 Stainless steel effect	 21 Stainless steel effect	 30 E-coated*
 33 RAL 7016 Anthracite grey, matt, plain	 36 RAL 9006 White aluminium satin, plain	 80 RAL 9005 Black, satin, textured	Available for Stainless steel Aluminium Zamak Steel Plastic		*An e-coating, also called electro-phoretic primer, is a thin layer of 15 µ which provides a protection layer (primer coat) to steel products. After e-coating, a product is prepared for the final surface treatment, which can be lacquering or powder coating.

Powdercoated

 32 RAL 9016 INDOOR White, satin, plain	 33 RAL 7016 Anthracite grey, matt, textured	 34 RAL 7047 Telegrey 4, satin, plain	 82 RAL 9005 Black, matt, textured	 89 RAL 9005 INDOOR Black, matt, plain

All mill finish/raw products, ending with number -00, can be powdercoated in all available RAL-colours.



BACK IN BLACK

AVAILABLE IN DIFFERENT SURFACES

Black Line is a comprehensive range of RAL 9005 black components. It provides you with a solution for just about any balustrade project. Glass clamps, glass adapters, base channels for glass balustrades, baluster posts and handrails are all available in the Black Line range. Created from the highest quality materials and finished to perfection, each item is designed for ease of assembly.



Cleaning and maintenance



Stainless steel is extremely corrosion and scratch resistant due to its composition, but it will always need maintenance, particularly in challenging conditions. Mechanical and/or chemical effects can also impair or destroy the passive layer during installation. We recommend treating the entire surface with Q-ultra-clean after installation to help ensure a strong passive layer, durable protection and long-lasting good looks.

Usage	
Q-protector	Stainless steel + aluminium
Q-ultra-clean	Stainless steel
Q-cleaner	Stainless steel (+ aluminium)

Q-protector

Apply this long-term-protection spray directly after your stainless steel or aluminium balustrade installation. It cleans dust and other deposits from the balustrade while at the same time protecting it from fingerprints, moisture and weather influences by creating a protective layer on the material. And the best thing: there is no need to wait and rinse with water. Q-protector ensures a longer lifetime for your stainless steel or aluminium balustrade and minimises cleaning intervals.

Q-ultra-clean


This cleaning spray is specially designed for stainless steel components. It should be used after assembly, preventively or when corrosion occurs, as it removes persistent dirt and surface corrosion. It also renews and strengthens the protective/passive layer of stainless steel.

Q-cleaner

Q-cleaner has a de-oiling effect and removes stains, fingerprints and permanent markers. It is ideal for the use during assembly and as a regular cleaner for the maintenance of the railing.

Other materials used in our products – steel and zamak – can be cleaned with warm soapy water.

Application of materials

Environmental influences	Applications	Zamak	Aluminium (brushed, anodised)	Aluminium (mill finish)	Aluminium (powder coated)	Stainless steel	Stainless steel
						304	316
Low	Indoor structures But not in wet locations.	✓	✓	✓	✓	✓	✓
Moderate	Indoor structures But not in locations that have a noticeable chlorine or sulphur-dioxide load (e.g. chemical factories).	✓	✓	✓	✓	✓	✓
Medium	Outdoor structures In areas with a moderate chlorine or sulphur-dioxide load (e.g. at least 25 km from the coast and other aquatic environments).	!	✓	✗	✗	✗	✓
High	Outdoor structures In areas where there is likely to be a strong corrosive effect due to chlorine, sulphur-dioxide load, high humidity or accumulation of harmful substances (e.g. coastal regions and swimming-pool environments).	✗	✓	✗	✗	✗	✓ 

✓ = Suitable

! = Suitable, but needs special attention/
advice

✗ = Not suitable



**Register
now**

MORE THAN JUST SHOPPING ONLINE

Enjoy the ease and flexibility by ordering in our online shop. All our products, including railing systems and balustrade components that are shown in this catalogue, as well as the rest our product range, can be easily ordered online. You can also see up-to-date stock information, personalised discounts and current price campaigns.

Highlights of our Q-railing shop:

- ✓ Online ordering
- ✓ Quote requests
- ✓ Up-to-date stock information
- ✓ Product details
- ✓ Personalised discounts
- ✓ Current price campaigns

Are you already a Q-railing customer?

Join our online shop! Simply register online and you will receive your personal login from our sales team!

Want to join our Q-railing family?

Register yourself as a new customer! After confirmation, you will have direct access to the entire online store and all functions.

PREFIX MAKES LIFE EASIER

Preparation is the key to success. So, why not make use of our time-saving and cost-saving prefix service when you purchase your next railing solution from Q-railing? You will receive everything 100% ready for installation.

PREFIX Prefix options available.

Bending
We can carry out 2D or 3D bending to order on tubular components, cap rails, U-profiles, edge protection top rails and even Easy Glass® base channels. This meticulous service will ensure that you get exactly the sizes and deflections you need.

Cutting and milling
For maximum convenience, ask us to pre-cut stainless steel, aluminium or wooden products. Handrails, cap rails, balusters and Easy Glass® base channels are all covered. Your purchases could arrive with mitre cuts already done, or with holes pre-milled to accommodate LED spotlights, for example.


Drilling and tapping
Try our drilling and tapping service just once, and you will insist on using it every time you purchase balusters or handrails from Q-railing. Working to your exact specifications, we will create all the holes and threads you require for installation.

Welding
On very rare occasions, Q-railing's standard products require welding in order to fit a particular situation. But that doesn't have to be a problem. Let us pre-weld your custom-made products and deliver them to you ready for installation.

Powder coating
Conveniently add powder coating when you order base channels, cap rails, end caps or any other components you want to customise with colour. Choose any RAL colour you like.

Pre-assembly
To receive Q-railing products pre-assembled in accordance with your needs, simply order our prefix service. Imagine how much time it would save if, for example, your glass clamps or crossbar holders were pre-installed before delivery.

To place an order for prefix services, simply contact us . Our consultants will be happy to assist you.





1

GLASS RAILING SYSTEMS

Easy Glass® Smart	28 - 51
Easy Glass® Smart+	52 - 63
Easy Glass® Prime	64 - 83
Easy Glass® Strong	84 - 95
Easy Glass® Slim	96 - 107
Easy Glass® Pro	108 - 119
Easy Glass® Max	120 - 129
Easy Glass® Up	130 - 137
Easy Glass® Hybrid	138 - 143
Easy Glass® base glass clamps	144 - 149
Easy Glass® Air	150 - 153
Easy Glass® glass adapters	154 - 168



Designed for: Light and medium use
Use: Indoor and outdoor
Variants: Top, in-floor and fascia mount
Applications: Balconies, galleries, walkways, dividers, stairs and Juliet balconies
Material: Aluminium (mill finish, matt silver effect, brushed anodised and powder coated in RAL 9005 black)
Glass thickness: 12 to 21,52 mm

Find all information about Easy Glass Smart online:




<https://q-ne.ws/Smart23>

EASY GLASS® SMART



red dot winner 2020
innovative product

Unbeatable ease of installation



Easy Glass® Smart works with the revolutionary Q-disc® System. The combination of the inlay and the all-important Q-disc enables extremely fast glass installation. Mount the base channel, position the glass and then – with just one simple hand movement – securely fix each panel in place. With the adjustable version of the Q-disc System, you can even vertically align each individual glass panel. An extra feature is the Easy Glass trim, which enables a seamless connection with the floor. It's a stylish finish that also provides the railing with greater material protection.


Easy Glass® Smart	PL
Max. line loads (kN/m)	2,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:




- 1 With the adjustable Q-disc System, you can align individual glass panels by up to 0,6° from the vertical.
- 2 The Q-disc gives you direct feedback in the form of confirming 'clicks' when installed correctly.
- 3 Suitable for glass thicknesses of 12 - 21,52 mm.



EASY GLASS® SMART VARIANTS


Smart Top mount

- Also for in-floor mounting




Smart F Top mount

- For unfinished floors
- Can be installed at or beyond the edge of a surface




Smart Fascia mount

- Also for mounting on the inner side of parapet walls
- Base channel cladding available



Smart Y Fascia mount

- For unfinished floors
- Can be installed at or beyond the edge of a surface
- Base channel cladding available






ADJUSTABLE Q-DISC® SYSTEM

SLIDE AND ALIGN!


HOW IT WORKS:



reddot winner 2020
innovative product

Q-disc® System (rubber set, inlay and Q-disc®)

For glass fixing with adjustment



MOD 8201

Accessories			
For monolithic glass	T	€ / set	
208201-050-12	12	L = 5 m	147,20
208201-050-15	15	L = 5 m	147,20
208201-250-12	12	L = 25 m	709,45
208201-250-15	15	L = 25 m	709,45
For laminated glass			
208201-050-13	12,76	L = 5 m	147,20
208201-050-14	13,52	L = 5 m	147,20
208201-050-17	16,76	L = 5 m	147,20
208201-050-18	17,52	L = 5 m	147,20
208201-250-13	12,76	L = 25 m	709,45
208201-250-14	13,52	L = 25 m	709,45
208201-250-17	16,76	L = 25 m	709,45
208201-250-18	17,52	L = 25 m	709,45



International Design Model Protection


Q-disc® and inlay tool



MOD 1000

Accessories			
	Q	€ / pc.	
201000	Q-84	1	23,50

Q-INFO MOD 1000



Single rubbers



MOD 8207

Accessories			
		€ / pc.	
208207-250-00	L = 25 m	27,90	

NEW



MOD 8207

Accessories			
For monolithic glass	T	€ / pc.	
208207-250-12	12	L = 25 m	42,85
208207-250-15	15	L = 25 m	42,85

For laminated glass

208207-250-14	12,76 - 13,52	L = 25 m	42,85
208207-250-18	16,76 - 17,52	L = 25 m	42,85

NEW

Q-disc® sets

For glass fixing with adjustment



MOD 8209

Accessories			
For monolithic glass	T	€ / pc.	
208209-12	12	5	6,95
208209-15	15	5	6,95

For laminated glass

208209-13	12,76	5	6,95
208209-14	13,52	5	6,95
208209-17	16,76	5	6,95
208209-18	17,52	5	6,95

NEW



Q-INFO

Glass guide


MOD 1002
484



Railing bases

Q-disc® System (rubber set, inlay and Q-disc®)

For glass fixing



MOD 8200

Accessories

For monolithic glass		T		€/ set
SELL OUT	208200-050-12	12	L = 5 m	115,65
SELL OUT	208200-050-15	15	L = 5 m	115,65
SELL OUT	208200-050-19	19	L = 5 m	115,65

For laminated glass

SELL OUT	208200-050-13	12,76 - 13,52	L = 5 m	115,65
SELL OUT	208200-050-17	16,76 - 17,52	L = 5 m	115,65
SELL OUT	208200-050-21	20,76 - 21,52	L = 5 m	115,65

SELL OUT	208200-250-13	12,76 - 13,52	L = 25 m	561,40
SELL OUT	208200-250-17	16,76 - 17,52	L = 25 m	561,40
SELL OUT	208200-250-21	20,76 - 21,52	L = 25 m	561,40

red dot winner
2020

International Design Model Protection

Accessories

Q-disc® and inlay tool



MOD 1000


Accessories

		Q		€/ pc.
	201000	Q-84	1	23,50

Only while supplies last.

Accessories

Single rubbers



MOD 8206

Accessories

		€/ pc.
208206-250-00	L = 25 m	27,90

NEW



MOD 8206

Accessories

For laminated glass		T		€/ pc.
208206-250-13	12,76 - 13,52	L = 25 m	121,90	
208206-250-17	16,76 - 17,52	L = 25 m	121,90	
208206-250-21	20,76 - 21,52	L = 25 m	121,90	

NEW

Accessories

Q-disc® sets

For glass fixing



MOD 8208

Accessories

For monolithic glass		T		€/ pc.
208208-12	12	5	5,50	
208208-15	15	5	5,50	
208208-19	19	5	5,50	


For laminated glass

208208-13	12,76 - 13,52	5	5,50
208208-17	16,76 - 17,52	5	5,50
208208-21	20,76 - 21,52	5	5,50


NEW

red dot winner
2020

Q-INFO | MOD 1000



Base channels, top mount



Optional: Cap rails: ■ 173 - 189
Edge protection: ■ 170 - 172

Safety glass: ■ 164 - 165

For adjustable glass fixings
X = variable
Y = 25,5
H = 25



For non-adjustable glass fixings
X = 15
Y = variable
H = 23

Q-disc® System: ■ 31, 32

All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

168210-0xx-00 (00) (18) (82)



Connection pins included



MOD 8210

Aluminium	Mill finish	X	■ 461 - 467	L = 5 m	€/pc.
168210-050-00-00		100			558,55
Aluminium	Brushed, anodised				
OUTDOOR					
168210-025-00-18		50	■ 461 - 467	L = 2,5 m	303,65
168210-050-00-18		100	■ 461 - 467	L = 5 m	607,25
Aluminium	Black Line				
OUTDOOR					
NEW 168210-050-00-82		100	■ 461 - 467	L = 5 m	633,55



International Design Model Protection

168210-050-99- (00) (18)



Without holes
Connection pins included

MOD 8210

Aluminium	Mill finish	L = 5 m	€/pc.
168210-050-99-00			530,90
Aluminium	Brushed, anodised		
OUTDOOR			
168210-050-99-18		L = 5 m	580,80



International Design Model Protection

Q-INFO

Trims: ■ 50 - 51

MOD 8205 ■ 50

Trim/intermediate rubber

Q-INFO

PREFIX

Q-INFO


MOD 3005
■ 482

Additional connection pins

Q-INFO Aluminium

(00)	(18)	(82) RAL 9005
Mill finish	Brushed, anodised	Powder coated
		Black, matt, textured

Base channels, top mount



Optional: Cap rails: ■ 173 - 189
Edge protection: ■ 170 - 172

Safety glass: ■ 164 - 165

For adjustable glass fixings
X = variable
Y = 25,5
H = 25

For non-adjustable glass fixings
X = 15
Y = variable
H = 23


Q-disc® System: ■ 31, 32

All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.



Connection pins included



MOD 8260

Aluminium Matt silver effect, anodised

OUTDOOR

X

168260-050-00-08

100

■ 461 - 467

L = 5 m


€/pc.

538,10




International Design Model Protection

Q-INFO




Trims:
■ 50 - 51




MOD 8205 ■ 50

Trim/intermediate rubber

Q-INFO




Q-INFO




Additional connection pins

Corners, top mount



Inner and outer corner



MOD 8211

Aluminium	Mill finish		€ / pc.
168211-00-00	461 - 467	1	106,20
Aluminium	Brushed, anodised		
OUTDOOR			
168211-00-18	461 - 467	1	115,65
Aluminium	Black Line		
OUTDOOR			
NEW 168211-00-82	461 - 467	1	125,75




International Design Model Protection

End caps, top mount




Left / right



MOD 8212

Aluminium	Mill finish		€ / pc.
	Tape		
168212-00-00	Prepacked	1	27,05
Aluminium	Brushed, anodised		
OUTDOOR			
168212-00-18	Prefixed	1	32,80
Aluminium	Black Line		
OUTDOOR			
NEW 168212-00-82	Prepacked	1	38,40

Q-INFO MOD 8212



Q-INFO Aluminium


00	18	82 RAL 9005
Mill finish	Brushed, anodised	Powder coated
		Black, matt, textured

Railing bases

End caps, top mount



Left / right
For stairs




MOD 8213

Aluminium		Mill finish		
		Tape		€/ pc.
168213-00-00	Prepacked		1	29,40
Aluminium		Brushed, anodised		
OUTDOOR				
168213-00-18	Prefixed		1	34,80



Railing bases

Shoe shims, top mount




MOD 8216

Aluminium		Mill finish		€/
		X		100 pcs.
168216-001	1		100	100,00
168216-002	2		100	125,00
168216-003	3		100	160,00

Railing bases

Drainage profiles, top mount


4 pcs for 2,5 m base channel
8 pcs for 5 m base channel




MOD 8217

Aluminium		Brushed, anodised		€/ pc.
OUTDOOR				
168217-18	4			23,45


Q-INFO MOD 8213




Q-INFO MOD 8216



Q-INFO MOD 8217



Base channels, top mount



Optional: Cap rails: ■ 173 - 189
Edge protection: ■ 170 - 172

Safety glass: ■ 164 - 165


For adjustable glass fixings
X = variable
Y = 25,5
H = 25

For non-adjustable glass fixings
X = 15,5
Y = variable
H = 23

Q-disc® System: ■ 31, 32

All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.




MOD 8220

Aluminium	Mill finish	X	■ 461 - 467	L = 5 m	€/ pc.
168220-050-00-00		100			725,95
Aluminium	Brushed, anodised				
OUTDOOR					
168220-025-00-18		50	■ 461 - 467	L = 2,5 m	385,80
168220-050-00-18		100	■ 461 - 467	L = 5 m	771,65



International Design Model Protection



MOD 8220

Aluminium	Brushed, anodised			€/ pc.
168220-050-99-18		L = 5 m		662,50



International Design Model Protection

Q-INFO

Trims: ■ 50 - 51

MOD 8205 ■ 50

Trim/intermediate rubber

Q-INFO

PREFIX

Q-INFO Aluminium

00 Mill finish

18 Brushed, anodised



Q-INFO

MOD 3005 ■ 482

Additional connection pins

Railing bases

Corners, top mount




MOD 8221

Aluminium	Brushed, anodised			
OUTDOOR				€/ pc.
168221-01-18		461 - 467	1	192,60



International Design Model Protection



MOD 8221

Aluminium	Brushed, anodised			
OUTDOOR				€/ pc.
168221-02-18		461 - 467	1	192,60




International Design Model Protection

Railing bases

End caps, top mount



Left




MOD 8222

Aluminium	Mill finish			
	Tape			€/ pc.
168222-01-00	Prepacked	1		33,90
Aluminium	Brushed, anodised			
OUTDOOR				
168222-01-18	Prefixed	1		38,45



Right




MOD 8222

Aluminium	Mill finish			
	Tape			€/ pc.
168222-02-00	Prepacked	1		33,90
Aluminium	Brushed, anodised			
OUTDOOR				
168222-02-18	Prefixed	1		38,45

Railing bases

Waterproof trims, top mount



MOD 6980

Aluminium	Mill finish			
	Tape			€/ pc.
166980-50-00	Not included*	1		160,50
Aluminium	Brushed, anodised			
OUTDOOR				
166980-50-18	Not included*	1		180,60

NEW

*Order MOD 1360 (tape)

Accessories


Acrylic adhesive tape




MOD 1360

Accessories	Q	W	L		€/ pc.
201360	Q-53	9	33 m	1	53,80


Q-INFO MOD 8222



Q-INFO MOD 6980



Base channels, fascia mount



Optional: Cap rails: ■ 173 - 189
Edge protection: ■ 170 - 172

Safety glass: ■ 164 - 165

For adjustable glass fixings
X = variable
Y = 28,5
H = 35

For non-adjustable glass fixings
X = 18,5
Y = variable
H = 33


Q-disc® System: ■ 31, 32

All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.



Connection pins included



MOD 8230

Aluminium	Mill finish	X	■ 461 - 467	L = 5 m	€/ pc.
168230-050-00-00		100			608,10
Aluminium	Brushed, anodised				
OUTDOOR					
168230-025-00-18		50	■ 461 - 467	L = 2,5 m	334,70
168230-050-00-18		100	■ 461 - 467	L = 5 m	669,30




International Design Model Protection

Corners, fascia mount



Inner corner




MOD 8231

Aluminium	Mill finish	W	■ 461 - 467	1	€/ pc.
168231-01-00		100*			120,30
Aluminium	Brushed, anodised				
OUTDOOR					
168231-01-18		100*	■ 461 - 467	1	127,45




International Design Model Protection

*Hole positionings can deviate due to production method.



Outer corner




MOD 8231

Aluminium	Mill finish	W	■ 461 - 467	1	€/ pc.
168231-02-00		100*			120,30
Aluminium	Brushed, anodised				
OUTDOOR					
168231-02-18		100*	■ 461 - 467	1	127,45




International Design Model Protection


Q-INFO MOD 8230




Q-INFO MOD 8230



Q-INFO Aluminium




Q-INFO



Railing bases

Base channels, fascia mount



Optional: Cap rails: ■ 173 - 189
Edge protection: ■ 170 - 172

Safety glass: ■ 164 - 165


For adjustable glass fixings
X = variable
Y = 28,5
H = 35

For non-adjustable glass fixings
X = 18,5
Y = variable
H = 33

Q-disc® System: ■ 31, 32

All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.



Connection pins included

MOD 8280

Aluminium Matt silver effect, anodised

OUTDOOR


168280-050-00-08 ■ 461 - 467 L = 5 m € / pc. 573,55



International Design Model Protection

Railing bases

Corners, fascia mount



MOD 8231

Aluminium Mill finish


	W			€ / pc.
168231-01-00	100*	■ 461 - 467	1	120,30

Aluminium Brushed, anodised

	W			€ / pc.
168231-01-18	100*	■ 461 - 467	1	127,45



International Design Model Protection



MOD 8231

Aluminium Mill finish

	W			€ / pc.
168231-02-00	100*	■ 461 - 467	1	120,30

Aluminium Brushed, anodised


	W			€ / pc.
168231-02-18	100*	■ 461 - 467	1	127,45



International Design Model Protection

*Hole positionings can deviate due to production method.

Q-INFO MOD 8280




Trims: ■ 50 - 51




MOD 8205 ■ 50

Trim/intermediate rubber

Q-INFO




Q-INFO



MOD 3005
■ 482


Additional connection pins

End caps, fascia mount




MOD 8232

Aluminium	Mill finish		
	Tape		€/ pc.
168232-01-00	Prepacked	1	28,90
Aluminium	Brushed, anodised		
OUTDOOR			
168232-01-18	Prefixed	1	33,90




MOD 8232

Aluminium	Mill finish		
	Tape		€/ pc.
168232-02-00	Prepacked	1	28,90
Aluminium	Brushed, anodised		
OUTDOOR			
168232-02-18	Prefixed	1	33,90



MOD 8233

Aluminium	Mill finish		
	Tape		€/ pc.
168233-01-00	Prepacked	1	31,15
Aluminium	Brushed, anodised		
OUTDOOR			
168233-01-18	Prefixed	1	36,45



MOD 8233

Aluminium	Mill finish		
	Tape		€/ pc.
168233-02-00	Prepacked	1	31,15
Aluminium	Brushed, anodised		
OUTDOOR			
168233-02-18	Prefixed	1	36,45



Q-INFO Aluminium

00




Mill finish

18




Brushed, anodised


Q-INFO MOD 8232 / 8233



Q-INFO MOD 8233



End caps, fascia mount



Left
For MOD 8234

MOD 8232


Aluminium Mill finish

	Tape		€/ pc.
168232-41-00	Prepacked	1	28,90

Aluminium Brushed, anodised

	Tape		€/ pc.
168232-41-18	Prefixed	1	33,90

NEW



Right
For MOD 8234

MOD 8232


Aluminium Mill finish

	Tape		€/ pc.
168232-42-00	Prepacked	1	28,90

Aluminium Brushed, anodised

	Tape		€/ pc.
168232-42-18	Prefixed	1	33,90

NEW




Left
For MOD 8234
For stairs

MOD 8233

Aluminium Brushed, anodised

	Tape		€/ pc.
168233-41-18	Prefixed	1	36,45

NEW



Right
For MOD 8234
For stairs

MOD 8233


Aluminium Brushed, anodised

	Tape		€/ pc.
168233-42-18	Prefixed	1	36,45

NEW

**Q-INFO** Aluminium

00




Mill finish

18

Brushed,
anodised

Drainage profiles, fascia mount

4 pcs for 2,5 m base channel
8 pcs for 5 m base channel



MOD 8237

Aluminium Brushed, anodised


OUTDOOR

168237-18 4 € / pc. 38,45

Blind plug, fascia mount



Use without
cladding




MOD 8238

Plastic White aluminium RAL 9006

INDOOR

158238-36 10 € / pc. 1,60

Shoe shims, fascia mount



MOD 8236

Aluminium Mill finish

	X		€/
168236-001	1	100	195,00
168236-002	2	100	250,00
168236-003	3	100	310,00

Glass stopper



For stairs


MOD 8204

Accessories

		€/ pc.
208204	1	5,10

NEW

Q-INFO MOD 8237




Assembly
information:




<https://q-ne.ws/Smart23>




Q-INFO MOD 8236



Q-INFO MOD 8238




Q-INFO MOD 8204



Railing bases

Cladding, fascia mount




MOD 8235

Aluminium Mill finish			
Tape			€/ pc.
SELL OUT 168235-050-00	Not included*	L = 5 m	170,85
Aluminium Brushed, anodised			
OUTDOOR			
SELL OUT 168235-050-18	Prefixed	L = 5 m	200,80



*Order MOD 1360 (tape)



MOD 8234

Aluminium Mill finish			
Tape			€/ pc.
168234-050-00		L = 5 m	170,85
Aluminium Brushed, anodised			
OUTDOOR			
168234-050-18		L = 5 m	200,80



Accessories

Acrylic adhesive tape




MOD 1360

Accessories					
	Q	W	L		€/ pc.
201360	Q-53	9	33 m (for 11 m cladding)	1	53,80



Only while supplies last.




Q-INFO MOD 8235-050-00 / 1360

Assembly information:

<https://q-ne.ws/Smart23>


Q-INFO **Aluminium**

00	18
Mill finish	Brushed, anodised





Base channels, fascia mount



Optional: Cap rails: ■ 173 - 189
Edge protection: ■ 170 - 172

Safety glass: ■ 164 - 165


For adjustable glass fixings
X = variable
Y = 28,5
H = 140

For non-adjustable glass fixings
X = 18,5
Y = variable
H = 138

Q-disc® System: ■ 31, 32

All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.




Connection pins included

MOD 8240

Aluminium	Mill finish	X	■ 461 - 467	L = 5 m	€/ pc.
168240-050-00-00		100			756,60
Aluminium	Brushed, anodised				
OUTDOOR					
168240-025-00-18		50	■ 461 - 467	L = 2,5 m	402,35
168240-050-00-18		100	■ 461 - 467	L = 5 m	804,75



International Design Model Protection



Without holes

Connection pins included

MOD 8240

Aluminium	Brushed, anodised				€/ pc.
168240-050-99-18		■ 461 - 467		L = 5 m	690,85



International Design Model Protection

Q-INFO

Trims: ■ 50 - 51

MOD 8205 ■ 50

Trim/intermediate rubber

Q-INFO

PREFIX

Q-INFO Aluminium

00 Mill finish


18 Brushed, anodised

Q-INFO

MOD 3005 ■ 482

Additional connection pins

Corners, fascia mount




MOD 8241

Aluminium	Brushed, anodised			
OUTDOOR	W			€/ pc.
168241-01-18	100*	461 - 467	1	194,40



International Design Model Protection



MOD 8241


Aluminium	Brushed, anodised			
OUTDOOR	W			€/ pc.
168241-02-18	100*	461 - 467	1	194,40



International Design Model Protection

*Hole positionings can deviate due to production method.


End caps, fascia mount



MOD 8242

Aluminium	Mill finish			
	Tape			€/ pc.
168242-01-00	Prepacked	1		45,75
Aluminium	Brushed, anodised			
OUTDOOR				
168242-01-18	Prefixed	1		50,25


Left
Use without cladding



MOD 8242

Aluminium	Mill finish			
	Tape			€/ pc.
168242-02-00	Prepacked	1		45,75
Aluminium	Brushed, anodised			
OUTDOOR				
168242-02-18	Prefixed	1		50,25


Right
Use without cladding



MOD 8243

Aluminium	Brushed, anodised			
OUTDOOR	Tape			€/ pc.
168243-01-18	Prefixed	1		79,50

Left
Use with or without cladding MOD 8245
For stairs




MOD 8243

Aluminium	Brushed, anodised			
OUTDOOR	Tape			€/ pc.
168243-02-18	Prefixed	1		79,50


Right
Use with or without cladding MOD 8245
For stairs



Q-INFO MOD 8242 / 8243




Q-INFO MOD 8243



Railing bases

End caps, fascia mount




Left
For MOD 8244

MOD 8242

Aluminium	Mill finish	Tape	€ / pc.
168242-41-00	Prepacked	1	45,75
Aluminium	Brushed, anodised		
OUTDOOR			
168242-41-18	Prefixed	1	50,25

NEW




Right
For MOD 8244

MOD 8242

Aluminium	Mill finish	Tape	€ / pc.
168242-42-00	Prepacked	1	45,75
Aluminium	Brushed, anodised		
OUTDOOR			
168242-42-18	Prefixed	1	50,25

NEW




Left
For MOD 8244
For stairs

MOD 8243

Aluminium	Brushed, anodised	Tape	€ / pc.
168243-41-18	Prefixed	1	79,50

NEW



Right
For MOD 8244
For stairs

MOD 8243

Aluminium	Brushed, anodised	Tape	€ / pc.
168243-42-18	Prefixed	1	79,50

NEW



Railing bases

Glass stopper




For stairs

MOD 8204

Accessories	€ / pc.
208204	5,10

NEW


Q-INFO MOD 8204



Q-INFO Aluminium



Cladding, fascia mount




MOD 8245

Aluminium Mill finish			
Tape			€/ pc.
SELL OUT 168245-050-00	Not included*	L = 5 m	244,15
Aluminium Brushed, anodised			
OUTDOOR			
SELL OUT 168245-050-18	Prefixed	L = 5 m	260,15



*Order MOD 1360 (tape)



MOD 8244

Aluminium Mill finish			
Tape			€/ pc.
168244-050-00		L = 5 m	192,30
Aluminium Brushed, anodised			
OUTDOOR			
168244-050-18		L = 5 m	211,55



Accessories

Acrylic adhesive tape



MOD 1360

Accessories					
	Q	W	L		€/ pc.
201360	Q-53	9	33 m (for 11 m cladding)	1	53,80


Q-INFO MOD 8245-050-00 / 1360

Assembly information:




SELL OUT Only while supplies last.

Q-INFO MOD 8245




Q-INFO MOD 8244



Railing bases

Trims, top mount


For all Smart base channels

**MOD 6973**

Aluminium	Mill finish		€/pc.
166973-50-00		L = 5 m	57,10
Aluminium	Brushed, anodised		
OUTDOOR			
166973-50-18		L = 5 m	63,40

PREFIX


For Smart top and F base channels

**MOD 6972**

Aluminium	Mill finish	A	€/pc.
166972-010-50-00		10	57,10
Aluminium	Brushed, anodised		
OUTDOOR			
166972-010-50-18		10	63,40

PREFIX

For all Smart base channels


**MOD 6979**

Aluminium	Mill finish		€/pc.
166979-002-50-00		L = 5 m	46,85
Aluminium	Brushed, anodised		
OUTDOOR			
166979-002-50-18		L = 5 m	52,50

NEW

PREFIX


For Smart top and F base channels

**MOD 6972**

Aluminium	Mill finish	A	€/pc.
166972-003-50-00		3	51,45
Aluminium	Brushed, anodised		
OUTDOOR			
166972-003-50-18		3	57,10

PREFIX

For Smart top and F base channels


**MOD 6972**

Aluminium	Mill finish	A	€/pc.
166972-020-50-00		20	64,35
Aluminium	Brushed, anodised		
OUTDOOR			
166972-020-50-18		20	71,45

PREFIX

Railing bases


Trim, intermediate rubber

**MOD 8205**

Accessories		€/pc.
208205-010	5	1,95




Q-INFO Aluminium




Mill finish

Brushed,
anodised

Q-INFO




Q-INFO MOD 8205



Trims, fascia mount

For all Smart base channels




MOD 6973

Aluminium Mill finish		€/ pc.
166973-50-00	L = 5 m	57,10
Aluminium Brushed, anodised		
OUTDOOR		
166973-50-18	L = 5 m	63,40

PREFIX

For Smart fascia and Y base channels




MOD 6970

Aluminium Mill finish		€/ pc.
166970-003-50-00	A L = 5 m	51,45
Aluminium Brushed, anodised		
OUTDOOR		
166970-003-50-18	A L = 5 m	57,10

PREFIX

For Smart fascia and Y base channels




MOD 6970

Aluminium Mill finish		€/ pc.
166970-010-50-00	A L = 5 m	57,10
Aluminium Brushed, anodised		
OUTDOOR		
166970-010-50-18	A L = 5 m	63,40

PREFIX

For Smart fascia and Y base channels




MOD 6970


Aluminium Mill finish		€/ pc.
166970-020-50-00	A L = 5 m	64,35
Aluminium Brushed, anodised		
OUTDOOR		
166970-020-50-18	A L = 5 m	71,45

PREFIX


Q-INFO MOD 6979




Q-INFO MOD 6972-010 / 6973



Q-INFO MOD 6972-020 / 6973



Q-INFO MOD 6970-010 / 6973





Designed for: Light and medium use
Use: Indoor and outdoor
Variants: Top, in-floor and fascia mount
Applications: Balconies, galleries, walkways, dividers, stairs and Juliet balconies
Material: Aluminium (mill finish and brushed anodised)
Glass thickness: 16,76 - 21,52 mm

Find all information about Easy Glass Smart+ online:




<https://q-ne.ws/SmartPlus23>

EASY GLASS[®] SMART+



red dot winner 2020
innovative product

Mount 16,76 - 21,52 mm glass quickly and easily



Looking for a solution that lets you quickly mount laminated glass of 16,76 - 21,52 mm thickness and also gives you the ability to align each glass panel individually? Easy Glass® Smart+ is the answer. As with Easy Glass® Smart, you just have to mount the base channel, position the glass and – with just one hand movement – securely align each panel and fix it in place.


Easy Glass® Smart+	PL
Max. line loads (kN/m)	2,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:



- 1 With the adjustable Q-disc System, you can realign individual glass panels by up to 0,6° from the vertical.
- 2 Q-disc gives you clear feedback in the form of 'clicks' that confirm correct installation.
- 3 Suitable for laminated glass with a thickness of 16,76 - 21,52 mm.





EASY GLASS® SMART+ VARIANTS

Smart+ Top mount

- Also for in-floor mounting

Smart+ Fascia mount

- Also for mounting on the inner side of parapet walls
- Base channel cladding available




COMING SOON

F and Y base channels


Smart+ F Top mount

- For unfinished floors
- Can be installed at or beyond the edge of a surface



Smart+ Y Fascia mount

- For unfinished floors
- Can be installed at or beyond the edge of a surface






ADJUSTABLE Q-DISC® SYSTEM

SLIDE AND ALIGN!


HOW IT WORKS:



reddot winner 2020
innovative product

Q-disc® System (rubber set, inlay and Q-disc®)

For glass fixing with adjustment



MOD 8301

Accessories

For laminated glass	T		€/pc.
208301-050-17	16,76	L = 5 m	134,45
208301-050-18	17,52	L = 5 m	134,45
208301-050-22	21,52	L = 5 m	134,45
208301-250-17	16,76	L = 25 m	647,90
208301-250-18	17,52	L = 25 m	647,90
208301-250-22	21,52	L = 25 m	647,90



International Design Model Protection

Q-disc® and inlay tool




MOD 1000

Accessories

	Q		€/pc.
201000	Q-84	1	23,50

Single rubbers



MOD 8207

Accessories

		€/pc.
208207-250-00	L = 25 m	27,90

NEW



MOD 8207

Accessories

For laminated glass	T		€/pc.
208207-250-14	16,76 - 17,52	L = 25 m	42,85
208207-250-18	21,52	L = 25 m	42,85

NEW

Q-disc® sets

For glass fixing with adjustment



MOD 8309


Accessories

For laminated glass	T		€/pc.
208309-17	16,76	5	6,95
208309-18	17,52	5	6,95
208309-22	21,52	5	6,95

NEW



Q-INFO MOD 1000



Q-INFO

Glass guide


MOD 1002

484




Railing bases

Base channels, top mount



Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.



MOD 8310


Aluminium	Mill finish	X	■ 461 - 467	L = 5 m	€/pc.
168310-050-00-00		100			586,35
Aluminium	Brushed, anodised				
OUTDOOR					
168310-025-00-18		50	■ 461 - 467	L = 2,5 m	318,60
168310-050-00-18		100	■ 461 - 467	L = 5 m	637,20



International Design Model Protection

Railing bases

Corners, top mount



MOD 8311


Aluminium	Mill finish	■ 461 - 467	1	€/pc.
168311-00-00				106,20
Aluminium	Brushed, anodised			
OUTDOOR				
168311-00-18		■ 461 - 467	1	115,65



International Design Model Protection

Railing bases

End caps, top mount




MOD 8312


Aluminium	Mill finish	Tape	■	€/pc.
168312-00-00		Prepacked	1	27,05
Aluminium	Brushed, anodised			
OUTDOOR				
168312-00-18		Prefixed	1	32,80




Q-INFO MOD 8310




Q-INFO MOD 8310





Q-INFO MOD 8310 / 8311



Q-INFO MOD 8312



Base channels, fascia mount




MOD 8330

Aluminium	Mill finish	X	461 - 467	L = 5 m	€/ pc.
168330-050-00	00	18			644,90
Aluminium	Brushed, anodised				
OUTDOOR					
168330-025-00-18	50	18	461 - 467	L = 2,5 m	354,70
168330-050-00-18	100	18	461 - 467	L = 5 m	709,40




International Design Model Protection

Corners, fascia mount



MOD 8331

Aluminium	Mill finish	W	461 - 467	1	€/ pc.
168331-01-00	00	100*			120,30
Aluminium	Brushed, anodised				
OUTDOOR					
168331-01-18	18	100*	461 - 467	1	127,45




MOD 8331

Aluminium	Mill finish	W	461 - 467	1	€/ pc.
168331-02-00	00	100*			120,30
Aluminium	Brushed, anodised				
OUTDOOR					
168331-02-18	18	100*	461 - 467	1	127,45




*Hole positionings can deviate due to production method.


Q-INFO MOD 8330




Q-INFO MOD 8330



Q-INFO Aluminium




Q-INFO



Railing bases

End caps, fascia mount



Left
For MOD 8334

MOD 8332


Aluminium Mill finish

	Tape		€/ pc.
168332-41-00	Prepacked	1	28,90

Aluminium Brushed, anodised

	Tape		€/ pc.
168332-41-18	Prefixed	1	33,90

NEW



Right
For MOD 8334

MOD 8332


Aluminium Mill finish

	Tape		€/ pc.
168332-42-00	Prepacked	1	28,90

Aluminium Brushed, anodised

	Tape		€/ pc.
168332-42-18	Prefixed	1	33,90

NEW




Left
For MOD 8334
For stairs

MOD 8333

Aluminium Brushed, anodised

	Tape		€/ pc.
168333-41-18	Prefixed	1	36,45

NEW



Right
For MOD 8334
For stairs

MOD 8333

Aluminium Brushed, anodised

	Tape		€/ pc.
168333-42-18	Prefixed	1	36,45


NEW



Railing bases

Drainage profiles, fascia mount

4 pcs for 2,5 m base channel
8 pcs for 5 m base channel

**MOD 8337**


Aluminium Brushed, anodised

	Tape		€/ pc.
168337-18		4	38,85

NEW

Railing bases

Shoe shims, fascia mount


**MOD 8336**

Aluminium Mill finish

	X		€/ 100 pcs.
168336-001	1	100	195,00
168336-002	2	100	250,00
168336-003	3	100	310,00

NEW

Q-INFO MOD 8337





Assembly information:




<https://q-ne.ws/SmartPlus23>

Q-INFO MOD 8336



Cladding, fascia mount




MOD 8334

Aluminium	Mill finish		€ / pc.
168334-050-00		L = 5 m	186,75
Aluminium	Brushed, anodised		
OUTDOOR			
168334-050-18		L = 5 m	214,20

NEW

Blind plug, fascia mount



MOD 8238

Plastic	White aluminium RAL 9006		€ / pc.
INDOOR		10	1,60

Glass stopper




MOD 8304


Accessories		€ / pc.
208304	1	5,10

NEW


Q-INFO Aluminium




Q-INFO MOD 8334




Q-INFO MOD 8238



Q-INFO MOD 8304






EASY GLASS® SMART+

Trims

For all Smart+ base channels




MOD 6973

Aluminium	Mill finish		€/ pc.
166973-50-00	L = 5 m		57,10
Aluminium	Brushed, anodised		
OUTDOOR			
166973-50-18	L = 5 m		63,40

PREFIX

For Smart+ top base channels




MOD 6972

Aluminium	Mill finish		€/ pc.
166972-010-50-00	A 10 L = 5 m		57,10
Aluminium	Brushed, anodised		
OUTDOOR			
166972-010-50-18	A 10 L = 5 m		63,40

PREFIX

For all Smart+ base channels




MOD 6979

Aluminium	Mill finish		€/ pc.
166979-002-50-00	L = 5 m		46,85
Aluminium	Brushed, anodised		
OUTDOOR			
166979-002-50-18	L = 5 m		52,50

NEW

PREFIX

For Smart+ top base channels




MOD 6972

Aluminium	Mill finish		€/ pc.
166972-003-50-00	A 3 L = 5 m		51,45
Aluminium	Brushed, anodised		
OUTDOOR			
166972-003-50-18	A 3 L = 5 m		57,10

PREFIX

For Smart+ top base channels



MOD 6972

Aluminium	Mill finish		€/ pc.
166972-020-50-00	A 20 L = 5 m		64,35
Aluminium	Brushed, anodised		
OUTDOOR			
166972-020-50-18	A 20 L = 5 m		71,45

PREFIX

Trim, intermediate rubber




MOD 8305

Accessories		€/ pc.
208305-010	5	1,95


NEW

PREFIX


Q-INFO MOD 6979



Q-INFO MOD 6972-010 / 6973





Q-INFO MOD 8305



Trims

For all Smart+ base channels

**MOD 6973****Aluminium** Mill finish



	A	Icon	€/pc.
166973-50-00	L = 5 m		57,10

Aluminium Brushed, anodised

	A	Icon	€/pc.
166973-50-18	L = 5 m		63,40

PREFIX

For Smart+ fascia base channels

**MOD 6970****Aluminium** Mill finish



	A	Icon	€/pc.
166970-010-50-00	10		57,10

Aluminium Brushed, anodised

	A	Icon	€/pc.
166970-010-50-18	10		63,40

PREFIX

For Smart+ fascia base channels

**MOD 6970****Aluminium** Mill finish



	A	Icon	€/pc.
166970-003-50-00	3		51,45

Aluminium Brushed, anodised

	A	Icon	€/pc.
166970-003-50-18	3		57,10

PREFIX

For Smart+ fascia base channels

**MOD 6970****Aluminium** Mill finish


	A	Icon	€/pc.
166970-020-50-00	20		64,35

Aluminium Brushed, anodised

	A	Icon	€/pc.
166970-020-50-18	20		71,45


PREFIX

Q-INFO



Q-INFO Aluminium

00



Mill finish

18

Brushed,
anodised

EASY GLASS® SMART+ **HIGH F + Y** BASE CHANNELS

COMING SOON

EASY GLASS® SMART+ **HIGH Y**

Fascia mount

- For high floor build-ups of up to 180 mm
- No substructure needed for higher floor build-ups
- Adjustable height; 160 – 180 mm floor build-up
- Cladding on entire height of profile, which provides a clean view.
- Compatible with trims and accessories from our Easy Glass Smart+ range
- Especially suitable for stairs, no extension by flat steel and the like necessary.

EASY GLASS® SMART+ **HIGH F**


Top mount

- For high floor constructions up to 180 mm
- No substructure needed for higher floor build-ups
- For interior- and exterior use
- Clean elevation surface, standard cladding can be installed later.
- Compatible with trims and accessories from our Easy Glass Smart+ range



Designed for: Light to heavy use
Use: Indoor and outdoor
Variants: Top and fascia mount
Applications: Balconies, galleries, walkways, dividers, stairs and Juliet balconies
Material: Aluminium (mill finish, brushed anodised and powder coated in RAL 9005 black)
Glass thickness: 16,76 to 25,52 mm

Find all information about Easy Glass Prime online:



<https://q-ne.ws/Prime23>

EASY GLASS[®] PRIME



red dot winner 2020
innovative product

Turbo boost your projects



When you are looking for a glass balustrade system that can work with even thicker glass and you want to be able to align the glass panels, Easy Glass® Prime is just the thing. The base channels include the adjustable Q-disc® System, which allows you to align and secure the glass with simple sliding and turning movements.


Easy Glass® Prime	PL
Max. line loads (kN/m)	3,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:




- 1 Align individual glass panels by up to 1,2° from the vertical.
- 2 The adjustable Q-disc gives you direct feedback in the form of indication points and confirming 'clicks' when installed correctly.
- 3 Suitable for glass thicknesses of 16,76 - 25,52 mm.



EASY GLASS® PRIME VARIANTS


Prime Top mount

- Symmetrically shaped base channel




Prime F Top mount

- For unfinished floors
- Can be installed at or beyond the edge of a surface




Prime Fascia mount

- Also for mounting on the inner side of parapet walls
- Base channel cladding available



Prime Y Fascia mount

- For unfinished floors
- Can be installed at or beyond the edge of a surface
- Base channel cladding available






ADJUSTABLE Q-DISC® SYSTEM

SLIDE AND ALIGN!


HOW IT WORKS:



reddot winner 2020
innovative product

Q-disc® System (rubber set, inlay and Q-disc®)

For glass fixing with adjustment



MOD 8401

Accessories

For monolithic glass	T		€/ set
208401-050-19	19	L = 5 m	153,15

For laminated glass

208401-050-17	16,76	L = 5 m	153,15
208401-050-18	17,52	L = 5 m	153,15
208401-050-21	20,76	L = 5 m	153,15
208401-050-22	21,52	L = 5 m	153,15
208401-050-24	24,76	L = 5 m	153,15
208401-050-26	25,52	L = 5 m	153,15
208401-250-17	16,76	L = 25 m	739,15
208401-250-18	17,52	L = 25 m	739,15
208401-250-21	20,76	L = 25 m	739,15
208401-250-22	21,52	L = 25 m	739,15
208401-250-24	24,76	L = 25 m	739,15
208401-250-26	25,52	L = 25 m	739,15



International Design Model Protection

Accessories

Q-disc® and inlay tool




MOD 1000

Accessories

	Q		€/ pc.
201000	Q-84	1	23,50

Single rubbers




MOD 8407

Accessories

		€/ pc.
208407-250-00	L = 25 m	56,40

NEW



MOD 8407

Accessories

For monolithic glass	T		€/ pc.
208407-250-19	19	L = 25 m	63,20

For laminated glass

208407-250-17	16,76	L = 25 m	63,20
208407-250-18	17,52	L = 25 m	63,20
208407-250-21	20,76	L = 25 m	63,20
208407-250-22	21,52	L = 25 m	63,20
208407-250-24	24,76	L = 25 m	63,20
208407-250-26	25,52	L = 25 m	63,20

NEW

Accessories

Q-disc® sets

For glass fixing with adjustment




MOD 8409

Accessories

For monolithic glass	T		€/ pc.
208409-19	19	5	8,70

For laminated glass

208409-17	16,76	5	8,70
208409-18	17,52	5	8,70
208409-21	20,76	5	8,70
208409-22	21,52	5	8,70
208409-24	24,76	5	8,70
208409-26	25,52	5	8,70





Q-INFO

Glass guide

MOD 1002
484

Railing bases

Base channels, top mount




MOD 8410

Aluminium	Mill finish	X	■ 461 - 467	L = 5 m	€/ pc.
168410-050-00-00		100			725,75
Aluminium	Brushed, anodised				
OUTDOOR					
168410-025-00-18		50	■ 461 - 467	L = 2,5 m	383,70
168410-050-00-18		100	■ 461 - 467	L = 5 m	767,45
Aluminium	Black Line				
OUTDOOR					
NEW 168410-050-00-82		100	■ 461 - 467	L = 5 m	767,45

Railing bases


Corners, top mount



MOD 8411

Aluminium	Mill finish	■ 461 - 467	1	€/ pc.
168411-00-00				153,50
Aluminium	Brushed, anodised			
OUTDOOR				
168411-00-18		■ 461 - 467	1	162,95
Aluminium	Black Line			
OUTDOOR				
NEW 168411-00-82		■ 461 - 467	1	175,00

International Design Model Protection




MOD 8410


Aluminium	Mill finish	L = 5 m	€/ pc.
168410-050-99-00			690,75
Aluminium	Brushed, anodised		
OUTDOOR			
168410-050-99-18		L = 5 m	736,20

International Design Model Protection


Q-INFO MOD 8410




Q-INFO MOD 8410




Q-INFO



Q-INFO Aluminium




End caps, top mount



Left / right

MOD 8412

Aluminium Mill finish	Tape		€/ pc.
168412-00-00	Prepacked	1	30,70
Aluminium Brushed, anodised			
OUTDOOR			
168412-00-18	Prefixed	1	33,65
Aluminium Black Line			
OUTDOOR			
NEW 168412-00-82	Prefixed	1	42,50



Left / right


For stairs

MOD 8413

Aluminium Mill finish	Tape		€/ pc.
168413-00-00	Prepacked	1	35,30
Aluminium Brushed, anodised			
OUTDOOR			
168413-00-18	Prefixed	1	39,45



Shoe shims, top mount




MOD 8416

Aluminium Mill finish	X		€/ 100 pcs.
168416-001	1	100	115,00
168416-002	2	100	135,00
168416-003	3	100	175,00

Drainage profiles, top mount


4 pcs for 2,5 m base channel
8 pcs for 5 m base channel




MOD 8417

Aluminium Brushed, anodised	X	€/ pc.
OUTDOOR		
168417-18	4	24,60


Q-INFO MOD 8412




Q-INFO MOD 8416





Q-INFO MOD 8413



Q-INFO MOD 8417



Base channels, top mount




MOD 8420

Aluminium	Mill finish	X	■ 461 - 467	L = 5 m	€/ pc.
168420-050-00-00		100			901,50
Aluminium	Brushed, anodised				
OUTDOOR					
168420-025-00-18		50	■ 461 - 467	L = 2,5 m	478,70
168420-050-00-18		100	■ 461 - 467	L = 5 m	957,30



International Design Model Protection




MOD 8420

Aluminium	Brushed, anodised				€/ pc.
OUTDOOR					
168420-050-99-18				L = 5 m	821,50




International Design Model Protection

Q-INFO




Q-INFO





Q-INFO Aluminium



Q-INFO




Corners, top mount



MOD 8421

Aluminium	Brushed, anodised			
OUTDOOR				€/ pc.
168421-01-18		461 - 467	1	193,90



MOD 8421


Aluminium	Brushed, anodised			
OUTDOOR				€/ pc.
168421-02-18		461 - 467	1	193,90



End caps, top mount




Left



MOD 8422

Aluminium	Mill finish			
	Tape			€/ pc.
168422-01-00	Prepacked	1		41,40
Aluminium	Brushed, anodised			
OUTDOOR				
168422-01-18	Prefixed	1		46,70


Right



MOD 8422

Aluminium	Mill finish			
	Tape			€/ pc.
168422-02-00	Prepacked	1		41,40
Aluminium	Brushed, anodised			
OUTDOOR				
168422-02-18	Prefixed	1		46,70

Q-INFO MOD 8422



Railing bases

Base channels, fascia mount

Optional: Cap rails: ■ 173 - 189
Edge protection: ■ 170 - 172

Safety glass: ■ 164 - 165

Q-disc® System: ■ 67

All anchors: ■ 461 - 467

max 10

27

42

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

168430-0xx-00-00 (18)

Connection pins included

73

140

35

Ø33

70

Ø14

40

X 200

Ø 14

MOD 8430

Aluminium	Mill finish	X	■ 461 - 467	L = 5 m	€/ pc.
168430-050-00-00		100			830,00
Aluminium	Brushed, anodised				
OUTDOOR					
168430-025-00-18		50	■ 461 - 467	L = 2,5 m	440,45
168430-050-00-18		100	■ 461 - 467	L = 5 m	880,95



International Design Model Protection

Railing bases

Corners, fascia mount

Inner corner

73

140

35

Ø33

70

40

288

150

33

90°

W

MOD 8431

Aluminium	Mill finish	W	■ 461 - 467	1	€/ pc.
168431-01-00		100*			169,20
Aluminium	Brushed, anodised				
OUTDOOR					
168431-01-18		100*	■ 461 - 467	1	179,40



Outer corner

73

140

35

Ø33

70

40

288

225

33

90°

W

MOD 8431

Aluminium	Mill finish	W	■ 461 - 467	1	€/ pc.
168431-02-00		100*			169,20
Aluminium	Brushed, anodised				
OUTDOOR					
168431-02-18		100*	■ 461 - 467	1	179,40



*Hole positionings can deviate due to production method.

Q-INFO MOD 8430

Trims: ■ 82 - 83

MOD 8405 ■ 82

Trim/intermediate rubber

Q-INFO MOD 8430

PREFIX

2D

RAL 00

Q-INFO Aluminium

00

18

Mill finish


Brushed, anodised

Q-INFO

MOD 3005 ■ 482


Additional connection pins

End caps, fascia mount




MOD 8432

Aluminium	Mill finish		
	Tape		€/ pc.
168432-01-00	Prepacked	1	30,95
Aluminium	Brushed, anodised		
OUTDOOR			
168432-01-18	Prefixed	1	35,15




MOD 8432

Aluminium	Mill finish		
	Tape		€/ pc.
168432-02-00	Prepacked	1	30,95
Aluminium	Brushed, anodised		
OUTDOOR			
168432-02-18	Prefixed	1	35,15



MOD 8433

Aluminium	Mill finish		
	Tape		€/ pc.
168433-01-00	Prepacked	1	40,10
Aluminium	Brushed, anodised		
OUTDOOR			
168433-01-18	Prefixed	1	47,10




MOD 8433


Aluminium	Mill finish		
	Tape		€/ pc.
168433-02-00	Prepacked	1	40,10
Aluminium	Brushed, anodised		
OUTDOOR			
168433-02-18	Prefixed	1	47,10



Q-INFO MOD 8432 / 8433




Q-INFO MOD 8433



End caps, fascia mount



Left
For MOD 8434

**MOD 8432**

Aluminium Mill finish

	Tape		€/ pc.
168432-41-00	Prepacked	1	30,95


Aluminium Brushed, anodised

	Tape		€/ pc.
168432-41-18	Prefixed	1	35,15

NEW



Right
For MOD 8434

**MOD 8432**

Aluminium Mill finish

	Tape		€/ pc.
168432-42-00	Prepacked	1	30,95


Aluminium Brushed, anodised

	Tape		€/ pc.
168432-42-18	Prefixed	1	35,15

NEW



Left
For MOD 8434
For stairs

**MOD 8433**


Aluminium Brushed, anodised

	Tape		€/ pc.
168433-41-18	Prefixed	1	47,10

NEW



Right
For MOD 8434
For stairs

**MOD 8433**


Aluminium Brushed, anodised

	Tape		€/ pc.
168433-42-18	Prefixed	1	47,10

NEW

**Q-INFO Aluminium**

00




Mill finish

18

Brushed,
anodised

Drainage profiles, fascia mount

4 pcs for 2,5 m base channel
8 pcs for 5 m base channel



MOD 8437

Aluminium Brushed, anodised


OUTDOOR

168437-18 4 € / pc. 40,80

Blind plug, fascia mount



Use without
cladding




MOD 8238

Plastic White aluminium RAL 9006

INDOOR

158238-36 10 € / pc. 1,60

Shoe shims, fascia mount



MOD 8436

Aluminium Mill finish

	X		€/ 100 pcs.
168436-001	1	100	220,00
168436-002	2	100	290,00
168436-003	3	100	350,00

Glass stopper



For stairs


MOD 8404

Accessories

		€/ pc.
208404	1	5,10

NEW

Q-INFO MOD 8437




Assembly
information:




[https://q-ne.ws/
Prime23](https://q-ne.ws/Prime23)




Q-INFO MOD 8436



Q-INFO MOD 8238



Q-INFO MOD 8404



Railing bases

Cladding, fascia mount




MOD 8435

Aluminium Mill finish			
Tape			€/ pc.
SELL OUT 168435-050-00	Not included*	L = 5 m	193,40
Aluminium Brushed, anodised			
OUTDOOR			
SELL OUT 168435-050-18	Prefixed	L = 5 m	233,65



*Order MOD 1360 (tape)



MOD 8434

Aluminium Mill finish			
Tape			€/ pc.
168434-050-00		L = 5 m	198,10
Aluminium Brushed, anodised			
OUTDOOR			
168434-050-18		L = 5 m	237,70



Accessories

Acrylic adhesive tape



MOD 1360

Accessories					
	Q	W	L		€/ pc.
201360	Q-53	9	33 m (for 11 m cladding)	1	53,80


Q-INFO MOD 8435-050-00 / 1360

Assembly information:




<https://q-news/Prime23>

Q-INFO Aluminium





SELL OUT Only while supplies last.

Q-INFO MOD 8435




Q-INFO MOD 8434






Base channels, fascia mount



- Optional: Cap rails: ■ 173 - 189
- Edge protection: ■ 170 - 172
- Safety glass: ■ 164 - 165
- Q-disc® System: ■ 67
- All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.




MOD 8440

Aluminium	Mill finish	X	■ 461 - 467	L = 5 m	€/ pc.
168440-050-00-00		100			956,00
Aluminium	Brushed, anodised				
OUTDOOR					
168440-025-00-18		50	■ 461 - 467	L = 2,5 m	507,85
168440-050-00-18		100	■ 461 - 467	L = 5 m	1.015,70



International Design
Model Protection

Without holes
Connection pins included




MOD 8440

Aluminium	Brushed, anodised				€/ pc.
OUTDOOR					
168440-050-99-18				L = 5 m	871,95




International Design
Model Protection


Q-INFO




Q-INFO




Q-INFO Aluminium



Q-INFO




Corners, fascia mount



MOD 8441

Aluminium	Brushed, anodised			
OUTDOOR	W			€/ pc.
168441-01-18	100*	461 - 467	1	230,00




MOD 8441

Aluminium	Brushed, anodised			
OUTDOOR	W			€/ pc.
168441-02-18	100*	461 - 467	1	230,00




*Hole positionings can deviate due to production method.

End caps, fascia mount




MOD 8442

Aluminium	Mill finish			
	Tape			€/ pc.
168442-01-00	Prepacked	1		52,50
Aluminium	Brushed, anodised			
OUTDOOR				
168442-01-18	Prefixed	1		56,05




MOD 8442

Aluminium	Mill finish			
	Tape			€/ pc.
168442-02-00	Prepacked	1		52,50
Aluminium	Brushed, anodised			
OUTDOOR				
168442-02-18	Prefixed	1		56,05



MOD 8443

Aluminium	Brushed, anodised			
OUTDOOR	Tape			€/ pc.
168443-01-18	Prefixed	1		62,10




MOD 8443


Aluminium	Brushed, anodised			
OUTDOOR	Tape			€/ pc.
168443-02-18	Prefixed	1		62,10



Q-INFO | MOD 8442 / 8443



Q-INFO | MOD 8443




Railing bases

End caps, fascia mount



Left
For MOD 8444




MOD 8442

Aluminium		Mill finish		
OUTDOOR			Tape	€/ pc.
168442-41-00	Prepacked		1	52,50
Aluminium		Brushed, anodised		
OUTDOOR				
168442-41-18	Prefixed		1	56,05

NEW



Right
For MOD 8444




MOD 8442

Aluminium		Mill finish		
OUTDOOR			Tape	€/ pc.
168442-42-00	Prepacked		1	52,50
Aluminium		Brushed, anodised		
OUTDOOR				
168442-42-18	Prefixed		1	56,05

NEW



Left
For MOD 8444
For stairs




MOD 8443

Aluminium		Brushed, anodised		
OUTDOOR			Tape	€/ pc.
168443-41-18	Prefixed		1	62,10

NEW



Right
For MOD 8444
For stairs



MOD 8443

Aluminium		Brushed, anodised		
OUTDOOR			Tape	€/ pc.
168443-42-18	Prefixed		1	62,10

NEW



Railing bases

Glass stopper




For stairs

MOD 8404


Accessories				
			Tape	€/ pc.
208404		1		5,10

NEW


Q-INFO MOD 8404



Q-INFO Aluminium



Cladding, fascia mount




MOD 8445

Aluminium Mill finish

SELL OUT	Code	Tape	Icon	€ / pc.
	168445-050-00	Not included*	L = 5 m	260,50
	Aluminium	Brushed, anodised		
	OUTDOOR			
SELL OUT	168445-050-18	Prefixed	L = 5 m	289,75



*Order MOD 1360 (tape)



MOD 8444

Aluminium Mill finish

SELL OUT	Code	Tape	Icon	€ / pc.
	168444-050-00		L = 5 m	285,25
	Aluminium	Brushed, anodised		
	OUTDOOR			
	168444-050-18		L = 5 m	313,75



Accessories

Acrylic adhesive tape



MOD 1360

Accessories

SELL OUT	Code	Q	W	L	Icon	€ / pc.
	201360	Q-53	9	33 m (for 11 m cladding)	1	53,80

Q-INFO MOD 8445-050-00 / 1360


Assembly information:




<https://q-ne.ws/Prime23>

SELL OUT Only while supplies last.

Q-INFO MOD 8445




Q-INFO MOD 8444



Trims

For all Prime base channels




MOD 6973

Aluminium	Mill finish		€/pc.
166973-50-00		L = 5 m	57,10
Aluminium	Brushed, anodised		
OUTDOOR			
166973-50-18		L = 5 m	63,40

PREFIX

For Prime top mount base channels




MOD 6970

Aluminium	Mill finish		€/pc.
166970-010-50-00	A	L = 5 m	57,10
Aluminium	Brushed, anodised		
OUTDOOR			
166970-010-50-18	10	L = 5 m	63,40

PREFIX

For all Prime base channels




MOD 6979

Aluminium	Mill finish		€/pc.
166979-002-50-00		L = 5 m	46,85
Aluminium	Brushed, anodised		
OUTDOOR			
166979-002-50-18		L = 5 m	52,50

NEW

PREFIX

For Prime top mount base channels




MOD 6970

Aluminium	Mill finish		€/pc.
166970-003-50-00	A	L = 5 m	51,45
Aluminium	Brushed, anodised		
OUTDOOR			
166970-003-50-18	3	L = 5 m	57,10

PREFIX

For Prime top mount base channels




MOD 6970

Aluminium	Mill finish		€/pc.
166970-020-50-00	A	L = 5 m	64,35
Aluminium	Brushed, anodised		
OUTDOOR			
166970-020-50-18	20	L = 5 m	71,45

PREFIX

Trim, intermediate rubber




MOD 8405


Accessories		€/pc.
208405-010	5	1,95




Q-INFO Aluminium



Q-INFO




Q-INFO MOD 8405



Trims

For all Prime base channels




MOD 6973

Aluminium Mill finish		€/ pc.
166973-50-00	L = 5 m	57,10
Aluminium Brushed, anodised		
OUTDOOR		
166973-50-18	L = 5 m	63,40

PREFIX

For Prime **F, fascia mount** and **Y** base channels




MOD 6974

Aluminium Mill finish	A		€/ pc.
166974-010-50-00	10	L = 5 m	57,10
Aluminium Brushed, anodised			
OUTDOOR			
166974-010-50-18	10	L = 5 m	63,40

PREFIX

For Prime **F, fascia mount** and **Y** base channels




MOD 6974

Aluminium Mill finish	A		€/ pc.
166974-003-50-00	3	L = 5 m	51,45
Aluminium Brushed, anodised			
OUTDOOR			
166974-003-50-18	3	L = 5 m	57,10

PREFIX

For Prime **F, fascia mount** and **Y** base channels




MOD 6974


Aluminium Mill finish	A		€/ pc.
166974-020-50-00	20	L = 5 m	64,35
Aluminium Brushed, anodised			
OUTDOOR			
166974-020-50-18	20	L = 5 m	71,45

PREFIX


Q-INFO MOD 6979




Q-INFO MOD 6970 / 6973



Q-INFO MOD 6974 / 6973



Q-INFO MOD 6974 / 6973





Designed for: Heavy and extremely heavy use
Use: Indoor and outdoor
Variants: Top, in-floor and fascia mount
Applications: Balconies, galleries, walkways, dividers and stairs
Material: Aluminium (mill finish and brushed anodised)
Glass thickness: 21,52 - 33,04 mm

Find all information about Easy Glass Strong online:



<https://q-ne.ws/Strong23>

EASY GLASS[®] STRONG



reddot winner 2020
innovative product



An easily assembled powerhouse

Whether it is heavy line loads or a high wind load, Easy Glass® Strong, in combination with our revolutionary Q-disc® system, will withstand challenging conditions. The system's combination of strength and practicality makes it ideal for stadiums, airports, shopping malls and other public locations. Thanks to the innovative Q-disc System, this glass balustrade solution is now even easier to assemble. Mount the base channel, position the glass and – with just one hand movement – securely fix each panel in place. The adjustable version of the Q-disc System allows you to vertically align each glass panel individually. Of course, there are also many compatible products for finishing your glass balustrade.



Easy Glass® Strong	PL
Max. line loads (kN/m)	3,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:




- 1 With the adjustable Q-disc System, you can realign individual glass panels by up to 0.3° from the vertical.
- 2 Q-disc gives you clear feedback in the form of 'clicks' that confirm correct installation.
- 3 Suitable for three-layer glass with PVB foil (glass thicknesses up to 33.04 mm).



EASY GLASS® STRONG VARIANTS


Strong Top mount

- Also for in-floor mounting



Strong Fascia mount


- Also for mounting on the inner side of parapet walls
- Base channel cladding available



F and Y base channels


Strong F Top mount

- For unfinished floors
- Can be installed at or beyond the edge of a surface



Strong Y Fascia mount

- For unfinished floors
- Can be installed at or beyond the edge of a surface






ADJUSTABLE Q-DISC® SYSTEM

SLIDE AND ALIGN!

HOW IT WORKS:



reddot winner 2020
innovative product

Q-disc® System (rubber set, inlay and Q-disc®)

For glass fixing with adjustment



MOD 8601

Accessories

For laminated glass	T	☐	€/ set
208601-025-22	21,52	L = 2,5 m	84,05
208601-025-26	25,52	L = 2,5 m	84,05
208601-025-32	31,52	L = 2,5 m	84,05
208601-025-34	33,04	L = 2,5 m	84,05
208601-250-22	21,52	L = 25 m	736,95
208601-250-26	25,52	L = 25 m	736,95
208601-250-32	31,52	L = 25 m	736,95
208601-250-34	33,04	L = 25 m	736,95



International Design Model Protection

Q-disc® and inlay tool




MOD 1000

Accessories

	Q	☐	€/ pc.
201000	Q-84	1	23,50

Single rubbers




MOD 8207

Accessories

	☐	€/ pc.
208207-250-00	L = 25 m	27,90

NEW



MOD 8607 / 8207

Accessories

For laminated glass	T	☐	€/ pc.
208607-250-22	21,52	L = 25 m	42,85
208607-250-26	25,52	L = 25 m	42,85
208207-250-15	31,52	L = 25 m	42,85
208207-250-18	33,04	L = 25 m	42,85

NEW

Q-disc® sets

For glass fixing with adjustment



MOD 8609


Accessories

	T	☐	€/ pc.
208609-22	21,52	5	8,90
208609-26	25,52	5	8,90
208609-32	31,52	5	8,90
208609-34	33,04	5	8,90

NEW



Q-INFO MOD 1000



Q-INFO

Glass guide


MOD 1002

☐484




Railing bases

Base channels, top mount



Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.




MOD 8610

Aluminium	Mill finish		€/ pc.
168610-025-00-00	■ 461 - 467	L = 2,5 m	565,10
Aluminium	Brushed, anodised		
OUTDOOR			
168610-025-00-18	■ 461 - 467	L = 2,5 m	594,50



Railing bases

Corners, top mount




MOD 8611

Aluminium	Mill finish		€/ pc.
168611-00-00	■ 461 - 467	1	235,00
Aluminium	Brushed, anodised		
OUTDOOR			
168611-00-18	■ 461 - 467	1	239,00




International Design Model Protection

Q-INFO MOD 8610




Q-INFO MOD 8610



Q-INFO Aluminium



Q-INFO



End caps, top mount



Left / right


MOD 8612

Aluminium	Mill finish	Tape		€ / pc.
168612-00-00	Prepacked		1	36,85
Aluminium	Brushed, anodised			
OUTDOOR				
168612-00-18	Prefixed		1	41,80

NEW



Left / right
For stairs




MOD 8613

Aluminium	Mill finish	Tape		€ / pc.
168613-00-00	Prepacked		1	43,00
Aluminium	Brushed, anodised			
OUTDOOR				
168613-00-18	Prefixed		1	49,50

NEW



Shoe shims, top mount




MOD 8616

Aluminium	Mill finish	X		€ / 100 pcs.
168616-001		1	100	205,00
168616-002		2	100	285,00
168616-003		3	100	370,00

NEW

Drainage profiles, top mount

4 pcs for 2,5 m base channel




MOD 8617


Aluminium	Brushed, anodised			€ / pc.
OUTDOOR				
168617-18		4		46,55

NEW


Q-INFO MOD 8612




Q-INFO MOD 8613



Q-INFO MOD 8616



Q-INFO MOD 8617





Assembly information:



<https://q-ne.ws/Strong23>

Railing bases

Base channels, fascia mount



MOD 8630


Aluminium	Mill finish	X		€/ pc.
168630-025-00-00		100	■ 461 - 467 L = 2,5 m	644,90
Aluminium	Brushed, anodised			
OUTDOOR				
168630-025-00-18		100	■ 461 - 467 L = 2,5 m	677,45



International Design Model Protection


Railing bases

Corners, fascia mount



MOD 8631

Aluminium	Mill finish	W		€/ pc.
168631-01-00		50*	■ 461 - 467 1	258,50
Aluminium	Brushed, anodised			
OUTDOOR				
168631-01-18		50*	■ 461 - 467 1	262,90




MOD 8631

Aluminium	Mill finish	W		€/ pc.
168631-02-00		50*	■ 461 - 467 1	258,50
Aluminium	Brushed, anodised			
OUTDOOR				
168631-02-18		50*	■ 461 - 467 1	262,90




*Hole positionings can deviate due to production method.

Q-INFO MOD 8630




Q-INFO MOD 8630




Q-INFO Aluminium



Q-INFO



End caps, fascia mount




Left

MOD 8632

Aluminium	Mill finish		
	Tape		€/ pc.
168632-41-00	Prepacked	1	44,95
Aluminium	Brushed, anodised		
OUTDOOR			
168632-41-18	Prefixed	1	55,95

NEW




Right

MOD 8632

Aluminium	Mill finish		
	Tape		€/ pc.
168632-42-00	Prepacked	1	44,95
Aluminium	Brushed, anodised		
OUTDOOR			
168632-42-18	Prefixed	1	55,95

NEW




Left
For stairs

MOD 8633

Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168633-41-18	Prefixed	1	61,00

NEW



Right
For stairs

MOD 8633

Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168633-42-18	Prefixed	1	61,00


NEW



Railing bases

Drainage profiles, fascia mount

4 pcs for 2,5 m base channel



MOD 8637

Aluminium Brushed, anodised


OUTDOOR

	Icon	€/pc.
168637-18	4	55,55

NEW

Railing bases

Shoe shims, fascia mount




MOD 8636

Aluminium Mill finish

	X	Icon	€/100 pcs.
168636-001	1	100	400,00
168636-002	2	100	555,00
168636-003	3	100	720,00

NEW

Q-INFO MOD 8637




Assembly information:




<https://q-ne.ws/Strong23>

Q-INFO MOD 8636




Blind plug, fascia mount



MOD 8238

Plastic	White aluminium RAL 9006		
INDOOR			€/ pc.
158238-36		10	1,60

Cladding, fascia mount




MOD 8634

Aluminium	Mill finish		
			€/ pc.
168634-050-00		L = 5 m	217,70
Aluminium	Brushed, anodised		
OUTDOOR			
168634-050-18		L = 5 m	261,20


NEW




Q-INFO MOD 8238



Q-INFO Aluminium




Q-INFO MOD 8634



Railing bases

Trims


For all Strong base channels

**MOD 6973**

Aluminium	Mill finish		€/pc.
166973-50-00		L = 5 m	57,10
Aluminium	Brushed, anodised		
OUTDOOR			
166973-50-18		L = 5 m	63,40

PREFIX

For Strong top mount base channels


**MOD 6975**

Aluminium	Mill finish	A	€/pc.
166975-010-50-00		10	57,10
Aluminium	Brushed, anodised		
OUTDOOR			
166975-010-50-18		10	63,40

NEW

PREFIX

For all Strong base channels


**MOD 6979**

Aluminium	Mill finish		€/pc.
166979-002-50-00		L = 5 m	46,85
Aluminium	Brushed, anodised		
OUTDOOR			
166979-002-50-18		L = 5 m	52,50

NEW

PREFIX

For Strong top mount base channels


**MOD 6975**

Aluminium	Mill finish	A	€/pc.
166975-003-50-00		3	51,45
Aluminium	Brushed, anodised		
OUTDOOR			
166975-003-50-18		3	57,10

NEW

PREFIX

For Strong top mount base channels

**MOD 6975**


Aluminium	Mill finish	A	€/pc.
166975-020-50-00		20	64,35
Aluminium	Brushed, anodised		
OUTDOOR			
166975-020-50-18		20	71,45

NEW

PREFIX

Railing bases

Trim, intermediate rubber


**MOD 8605**

Accessories		€/pc.
208605-010	5	1,95


NEW

PREFIX


Q-INFO Aluminium



Q-INFO





Q-INFO MOD 8605



Trims

For all Strong base channels





MOD 6973

Aluminium	Mill finish		
			€/ pc.
166973-50-00		L = 5 m	57,10
Aluminium	Brushed, anodised		
OUTDOOR			
166973-50-18		L = 5 m	63,40

PREFIX

For Strong fascia mount base channels





MOD 6977

Aluminium	Mill finish		
			€/ pc.
166977-010-50-00	A	L = 5 m	57,10
Aluminium	Brushed, anodised		
OUTDOOR			
166977-010-50-18	10	L = 5 m	63,40

NEW

PREFIX

For Strong fascia mount base channels





MOD 6977

Aluminium	Mill finish		
			€/ pc.
166977-003-50-00	A	L = 5 m	51,45
Aluminium	Brushed, anodised		
OUTDOOR			
166977-003-50-18	3	L = 5 m	57,10

NEW

PREFIX

For Strong fascia mount base channels




MOD 6977

Aluminium	Mill finish		
			€/ pc.
166977-020-50-00	A	L = 5 m	64,35
Aluminium	Brushed, anodised		
OUTDOOR			
166977-020-50-18	20	L = 5 m	71,45


NEW

PREFIX


Q-INFO MOD 6979



Q-INFO MOD 6975 / 6973




Q-INFO MOD 6977 / 6973





Designed for: Light and medium use
Use: Indoor and outdoor
Variants: Top, in-floor and fascia mount
Applications: Balconies, galleries, walkways, dividers and stairs
Material: Aluminium (brushed anodised, matt silver effect and mill finish)
Glass thickness: 12 to 21,52 mm

Find all information about Easy Glass Slim online:



<https://q-ne.ws/Slim23>

EASY GLASS[®] SLIM

High transparency, high reputation



Easy Glass® Slim is a classic within our glass railing range. Whether your project setting is a home, an office or a public area, this glass railing system is a cost-effective solution. Its minimalist design includes a slender base channel that makes for an elegant appearance and helps to keep the weight of the railing low.

Easy Glass® Slim	PL
Max. line loads (kN/m)	2,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:



- 1 Slim's base channel is just 45 mm wide, making it a cost-effective solution that creates an elegant impression.
- 2 The base channel is light and easy to handle – ideal for manoeuvring on site.




EASY GLASS® SLIM VARIANTS

Slim Top mount

- Also for in-floor mounting


▣ 99, 100



Slim F Top mount

- For unfinished floors
- Can also be installed at the edge of a surface


▣ 102



Slim Fascia mount

- Optional base channel cladding


▣ 103, 104



Railing bases

Safety Wedge System (rubber and wedges set)

For glass fixing



MOD 8000

Accessories


For monolithic glass	T		€ / set
208000-050-12	12	L = 5 m	112,55
208000-050-15	15	L = 5 m	112,55
208000-050-19	19	L = 5 m	112,55

For laminated glass

208000-050-13	12,76	L = 5 m	112,55
208000-050-14	13,52	L = 5 m	112,55
208000-050-17	16,76	L = 5 m	112,55
208000-050-18	17,52	L = 5 m	112,55
208000-050-21	20,76	L = 5 m	112,55
208000-050-22	21,52	L = 5 m	112,55

Railing bases

Intermediate rubber



MOD 8105

Accessories

SELL OUT			€ / pc.
208105-025	L = 2,5 m		18,55



SELL OUT Only while supplies last.

Accessories

Easy Glass® Multitool




MOD 1001


Accessories

	Q		€ / pc.
201001	Q-71	1	45,55



Q-INFO MOD 8105



Q-INFO MOD 1001



Base channels, top mount




MOD 8010

Aluminium Mill finish

NEW	168010-050-00-00	■ 461 - 467	L = 5 m	€/pc. 590,20
-----	------------------	-------------	---------	-----------------

Aluminium Brushed, anodised

SELL OUT	168010-050-00-18	■ 461 - 467	L = 5 m	620,80
----------	------------------	-------------	---------	--------




MOD 8010

Aluminium Mill finish

SELL OUT	168010-050-99-00		L = 5 m	€/pc. 531,20
----------	------------------	--	---------	-----------------



Corners, top mount




MOD 8011

Aluminium Brushed, anodised

OUTDOOR

SELL OUT	168011-01-18	■ 461 - 467	1	€/pc. 118,05
----------	--------------	-------------	---	-----------------



MOD 8011


Aluminium Brushed, anodised

OUTDOOR


SELL OUT	168011-02-18	■ 461 - 467	1	€/pc. 118,05
----------	--------------	-------------	---	-----------------




Q-INFO MOD 8010



Q-INFO




Q-INFO Aluminium




Railing bases

Base channels, top mount



Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.




MOD 8060

Aluminium	Matt silver effect, anodised		
OUTDOOR			€/pc.
168060-050-00-08	■ 461 - 467	L = 5 m	467,15




Railing bases

Corners, top mount



MOD 8011

Aluminium	Brushed, anodised		
OUTDOOR			€/pc.
168011-01-18	■ 461 - 467	1	118,05




MOD 8011


Aluminium	Brushed, anodised		
OUTDOOR			€/pc.
168011-02-18	■ 461 - 467	1	118,05




Q-INFO MOD 8060



Q-INFO



End caps, top mount




MOD 8012

Aluminium Mill finish

SELL OUT	Tape	€ / pc.
168012-00-00	Prepacked	26,00

Aluminium Brushed, anodised
OUTDOOR

168012-00-18	Prefixed	27,80
--------------	----------	-------



MOD 8013


Aluminium Brushed, anodised

SELL OUT	Tape	€ / pc.
168013-00-18	Prefixed	32,70



Drainage profiles, top mount

For 2,5 m base channel



MOD 8017

Aluminium Brushed, anodised

SELL OUT	€ / pc.
168017-18	16,25

International Design Model Protection

Q-INFO MOD 8017

Assembly information:

<https://q-ne.ws/Slim23>

Q-INFO Aluminium


00	18
Mill finish	Brushed, anodised

Q-INFO MOD 8012

Q-INFO MOD 8013


Railing bases

Base channels, top mount



- Optional: Cap rails: ■ 173 - 189
- Edge protection: ■ 170 - 172
- Safety glass: ■ 164 - 165
- Safety Wedge System: ■ 98
- All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.



MOD 8020

Aluminium Brushed, anodised


OUTDOOR

SELL OUT	168020-050-00-18	■ 461 - 467	L = 5 m	€/pc.
				776,10



Railing bases

Corners, top mount




MOD 8021

Aluminium Brushed, anodised

OUTDOOR

SELL OUT	168021-01-18	■ 461 - 467	1	€/pc.
				193,90



MOD 8021

Aluminium Brushed, anodised


OUTDOOR

SELL OUT	168021-02-18	■ 461 - 467	1	€/pc.
				193,90



Railing bases

End caps, top mount




MOD 8022

Aluminium Brushed, anodised

OUTDOOR

Tape

SELL OUT	168022-01-18	Prefix	1	€/pc.
				40,35



MOD 8022


Aluminium Brushed, anodised

OUTDOOR


Tape

SELL OUT	168022-02-18	Prefix	1	€/pc.
				40,35


Q-INFO MOD 8020




Q-INFO



Q-INFO MOD 8022





Base channels, fascia mount



- Optional: Cap rails: ■ 173 - 189
- Edge protection: ■ 170 - 172
- Safety glass: ■ 164 - 165
- Safety Wedge System: ■ 98
- All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.



MOD 8030



Aluminium Brushed, anodised

OUTDOOR

SELL OUT	168030-050-00-18	■ 461 - 467	L = 5 m	€/ pc.
				682,75



Corners, fascia mount






MOD 8031

Aluminium Brushed, anodised

OUTDOOR

SELL OUT	168031-01-18	W 100*	■ 461 - 467	1	€/ pc.
					129,85



MOD 8031

Aluminium Brushed, anodised


OUTDOOR

SELL OUT	168031-02-18	W 100*	■ 461 - 467	1	€/ pc.
					129,85




*Hole positionings can deviate due to production method.

Q-INFO MOD 8030




Q-INFO



SELL OUT Only while supplies last.



Railing bases

Base channels, fascia mount



- Optional: Cap rails: ■ 173 - 189
- Edge protection: ■ 170 - 172
- Safety glass: ■ 164 - 165
- Safety Wedge System: ■ 98
- All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.



MOD 8080

Aluminium Matt silver effect, anodised

OUTDOOR

168080-050-00-08

■ 461 - 467

L = 5 m


€/pc.

502,60



Railing bases

Corners, fascia mount



MOD 8031

Aluminium Brushed, anodised

OUTDOOR

W



€/pc.

SELL OUT


168031-01-18

100*

■ 461 - 467

1

129,85



MOD 8031

Aluminium Brushed, anodised

OUTDOOR

W



€/pc.

SELL OUT

168031-02-18

100*

■ 461 - 467


1

129,85




*Hole positionings can deviate due to production method.

Q-INFO MOD 8080



Q-INFO



Intermediate rubber


SELL OUT

Only while supplies last.

End caps, fascia mount



Left
Use with cladding




MOD 8034

Aluminium Brushed, anodised

SELL OUT	OUTDOOR	Tape		€/ pc.
168034-01-18		Prefixed	1	27,80



Right
Use with cladding




MOD 8034

Aluminium Brushed, anodised

SELL OUT	OUTDOOR	Tape		€/ pc.
168034-02-18		Prefixed	1	27,80



Left
Use without cladding




MOD 8032

Aluminium Brushed, anodised

SELL OUT	OUTDOOR	Tape		€/ pc.
168032-01-18		Prefixed	1	27,80



Right
Use without cladding




MOD 8032

Aluminium Brushed, anodised

SELL OUT	OUTDOOR	Tape		€/ pc.
168032-02-18		Prefixed	1	27,80



Left
Use with or without cladding
For stairs




MOD 8033

Aluminium Brushed, anodised

SELL OUT	OUTDOOR	Tape		€/ pc.
168033-01-18		Prefixed	1	32,70



Right
Use with or without cladding
For stairs




MOD 8033

Aluminium Brushed, anodised


SELL OUT	OUTDOOR	Tape		€/ pc.
168033-02-18		Prefixed	1	32,70



Q-INFO MOD 8032 / 8034




Q-INFO MOD 8033



Railing bases

Cladding, fascia mount



MOD 8035

Aluminium Brushed, anodised

OUTDOOR

Tape



€/pc.

SELL OUT

168035-025-18


Prefixed

L = 2,5 m

106,65

Railing bases

Blind plug, fascia mount



MOD 8038

Plastic White aluminium RAL 9006

INDOOR



€/pc.

SELL OUT


158038-36

10


1,60

SELL OUT Only while supplies last.

Q-INFO MOD 8035



Q-INFO MOD 8038








Designed for: Light to heavy use
Use: Indoor and outdoor
Variants: Top, in-floor and fascia mount
Applications: Balconies, galleries, walkways, dividers and stairs
Material: Aluminium (brushed anodised and mill finish)
Glass thickness: 12 to 21,52 mm

Find all information about Easy Glass Pro online:



<https://q-ne.ws/Pro23>

EASY GLASS® PRO

Carry out all the work from inside the railing



Installing the Easy Glass® Pro base channel is easy. In addition, the unique Safety Wedge System of rubbers and adjustable wedges makes for hassle-free glass alignment, as it lets you adjust each glass panel independently by up to 10 mm from the vertical. And with four base-shoe variants, you can be certain of finding a pro solution that suits your construction requirements.


Easy Glass® Pro	PL
Max. line loads (kN/m)	2,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:




- 1 Choose from a selection of 4 different base channels. There is one to suit any type of project. Pro copes with even the most challenging construction situations.
- 2 Each individual glass panel is adjustable by up to 10 mm (1°) in any direction – a job that can be done from inside the balustrade.



EASY GLASS® PRO VARIANTS


Pro Top mount

- Also for in-floor mounting




Pro F Top mount

- For unfinished floors
- Can be installed at or beyond the edge of a surface




Pro Fascia mount

- Can be installed at or beyond the edge of a surface
- Optional base channel cladding



Pro Y Fascia mount


- For floors with no finish
- Can be installed at or beyond the edge of a surface
- Optional base channel cladding



Railing bases

Safety Wedge System (rubber and wedges set)

For glass fixing with adjustment



MOD 8101

Accessories

SELL OUT	For monolithic glass	T	€ / set
SELL OUT	208101-050-12	12	L = 5 m 123,85
SELL OUT	208101-050-15	15	L = 5 m 123,85
SELL OUT	208101-050-19	19	L = 5 m 123,85

For laminated glass

SELL OUT	208101-050-13	12,76	L = 5 m 123,85
SELL OUT	208101-050-14	13,52	L = 5 m 123,85
SELL OUT	208101-050-17	16,76	L = 5 m 123,85
SELL OUT	208101-050-18	17,52	L = 5 m 123,85
SELL OUT	208101-050-21	20,76	L = 5 m 123,85
SELL OUT	208101-050-22	21,52	L = 5 m 123,85

International Design Model Protection

Accessories

Easy Glass® Multitool




MOD 1001

Accessories

201001	Q	€ / pc.
201001	Q-71	1 45,55


Q-INFO MOD 8101



Railing bases

Safety Wedge System (rubber and wedges set)

For glass fixing



MOD 8100

Accessories

SELL OUT	For monolithic glass	T	€ / set
SELL OUT	208100-050-12	12	L = 5 m 112,55
SELL OUT	208100-050-15	15	L = 5 m 112,55
SELL OUT	208100-050-19	19	L = 5 m 112,55

For laminated glass

SELL OUT	208100-050-13	12,76	L = 5 m 112,55
SELL OUT	208100-050-14	13,52	L = 5 m 112,55
SELL OUT	208100-050-17	16,76	L = 5 m 112,55
SELL OUT	208100-050-18	17,52	L = 5 m 112,55
SELL OUT	208100-050-21	20,76	L = 5 m 112,55
SELL OUT	208100-050-22	21,52	L = 5 m 112,55

International Design Model Protection

Accessories

Easy Glass® Multitool




MOD 1001

Accessories


201001	Q	€ / pc.
201001	Q-71	1 45,55

Q-INFO MOD 8100



Safety Wedge System (rubber and wedges set)

For glass fixing with adjustment **Easy Glass® Pro F**



MOD 8121

Accessories

For monolithic glass	T	Q	L = 5 m	€/ set
208121-050-12	12		L = 5 m	123,85
208121-050-15	15		L = 5 m	123,85
208121-050-19	19		L = 5 m	123,85

For laminated glass

208121-050-13	12,76		L = 5 m	123,85
208121-050-14	13,52		L = 5 m	123,85
208121-050-17	16,76		L = 5 m	123,85
208121-050-18	17,52		L = 5 m	123,85
208121-050-21	20,76		L = 5 m	123,85
208121-050-22	21,52		L = 5 m	123,85

International Design Model Protection

Easy Glass® Multitool




MOD 1001


Accessories

Q	Q-71	1	€/ pc.
201001	Q-71	1	45,55

Q-INFO MOD 8121



Connection pins



MOD 3005


316 Raw
OUTDOOR

Q	6	€/ pc.
143005	6	0,90



SELL OUT Only while supplies last.

Intermediate rubber




MOD 8105

Accessories


Q	L = 2,5 m	€/ pc.
208105-025	L = 2,5 m	18,55





Q-INFO MOD 1001



Q-INFO MOD 8105




Base channels, top mount



MOD 8110

	Aluminium	Mill finish		€ / pc.
SELL OUT	168110-050-00-00	■ 461 - 467	L = 5 m	723,50
	Aluminium	Brushed, anodised		
	OUTDOOR			
SELL OUT	168110-050-00-18	■ 461 - 467	L = 5 m	768,60

International Design Model Protection



MOD 8110

	Aluminium	Mill finish		€ / pc.
SELL OUT	168110-050-99-00		L = 5 m	694,55
	Aluminium	Brushed, anodised		
	OUTDOOR			
SELL OUT	168110-050-99-18		L = 5 m	722,50

International Design Model Protection

SELL OUT Only while supplies last.

Q-INFO

PREFIX

Q-INFO

MOD 8105
■ 111

Intermediate rubber

Q-INFO **Aluminium**

00 Mill finish | 18 Brushed, anodised


Q-INFO

MOD 3005
■ 111

Additional connection pins

Railing bases

Corners, top mount




MOD 8111

Aluminium Brushed, anodised

OUTDOOR

SELL OUT	Part No.	Accessories	Qty	Price
	168111-01-18	461 - 467	1	€ / pc. 159,05



MOD 8111

Aluminium Brushed, anodised


OUTDOOR

SELL OUT	Part No.	Accessories	Qty	Price
	168111-02-18	461 - 467	1	€ / pc. 159,05



Railing bases

End caps, top mount



MOD 8112

Aluminium Mill finish


Tape

SELL OUT	Part No.	Accessories	Qty	Price
	168112-00-00	Prepacked	1	€ / pc. 30,40

Aluminium Brushed, anodised

OUTDOOR

SELL OUT	Part No.	Accessories	Qty	Price
	168112-00-18	Prefixed	1	€ / pc. 32,45



MOD 8113

Aluminium Brushed, anodised

OUTDOOR

Tape


SELL OUT	Part No.	Accessories	Qty	Price
	168113-00-18	Prefixed	1	€ / pc. 35,40



Railing bases

Drainage profiles, top mount

8 pcs for 5 m base channel



MOD 8217

Aluminium Brushed, anodised

OUTDOOR

SELL OUT	Part No.	Accessories	Qty	Price
	168217-18		4	€ / pc. 23,45

Q-INFO MOD 8217

Assembly information:



<https://q-ne.ws/Pro23>

Q-INFO MOD 8112

Q-INFO MOD 8113

Railing bases

Base channels, top mount



MOD 8120


Aluminium	Brushed, anodised			
OUTDOOR				
SELL OUT 168120-050-00-18	■ 461 - 467	L = 5 m		€/ pc. 880,45



International Design Model Protection


Railing bases

Corners, top mount



MOD 8121

Aluminium	Brushed, anodised			
OUTDOOR				
SELL OUT 168121-01-18	■ 461 - 467	1		€/ pc. 192,60




MOD 8121

Aluminium	Brushed, anodised			
OUTDOOR				
SELL OUT 168121-02-18	■ 461 - 467	1		€/ pc. 192,60



Railing bases


End caps, top mount



MOD 8122

Aluminium	Brushed, anodised			
OUTDOOR	Tape			
SELL OUT 168122-01-18	Prefixed	1		€/ pc. 40,50


SELL OUT Only while supplies last.




MOD 8122

Aluminium	Brushed, anodised			
OUTDOOR	Tape			
SELL OUT 168122-02-18	Prefixed	1		€/ pc. 40,50


Q-INFO MOD 8120




Q-INFO MOD 8120



Q-INFO MOD 8122




Q-INFO MOD 8120 / 8121





Railing bases

Base channels, fascia mount



Optional: Cap rails: 173 - 189
Edge protection: 170 - 172

Safety glass: 164 - 165


For adjustable glass fixings
X = 18,5

For non-adjustable glass fixings
X = 20,5

Safety Wedge System: 110, 111

All anchors: 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.



MOD 8130


Aluminium	Brushed, anodised		
OUTDOOR			
SELL OUT 168130-050-00-18	461 - 467	L = 5 m	€/pc. 881,10



International Design Model Protection



Railing bases

Corners, fascia mount



MOD 8131

Aluminium	Brushed, anodised		
OUTDOOR			
SELL OUT 168131-01-18	461 - 467	1	€/pc. 188,60




MOD 8131

Aluminium	Brushed, anodised		
OUTDOOR			
SELL OUT 168131-02-18	461 - 467	1	€/pc. 188,60

Railing bases

Drainage profiles, fascia mount


8 pcs for 5 m base channel



MOD 8437


Aluminium	Brushed, anodised		
OUTDOOR			
SELL OUT 168437-18		4	€/pc. 40,80

Q-INFO MOD 8130 / 8131




Additional connection pins


Q-INFO MOD 8130



Q-INFO MOD 8130



Q-INFO MOD 8437




Assembly information:



<https://q-ne.ws/Pro23>

End caps, fascia mount




MOD 8132

Aluminium Brushed, anodised

OUTDOOR	Tape		€/ pc.
168132-01-18	Prefixed	1	34,05

SELL OUT




MOD 8132

Aluminium Brushed, anodised

OUTDOOR	Tape		€/ pc.
168132-02-18	Prefixed	1	34,05

SELL OUT




MOD 8133

Aluminium Brushed, anodised

OUTDOOR	Tape		€/ pc.
168133-01-18	Prefixed	1	39,95

SELL OUT



MOD 8133

Aluminium Brushed, anodised

OUTDOOR	Tape		€/ pc.
168133-02-18	Prefixed	1	39,95

SELL OUT



Cladding, fascia mount



MOD 8135


Aluminium Brushed, anodised

OUTDOOR	Tape		€/ pc.
168135-050-18	Prefixed	L = 5 m	216,80

SELL OUT



Blind plug, fascia mount




MOD 8138

Plastic White aluminium RAL 9006


INDOOR		€/ pc.
158138-36	10	1,60

SELL OUT


Q-INFO MOD 8135




Q-INFO MOD 8138



Q-INFO MOD 8132




Q-INFO MOD 8133



SELL OUT Only while supplies last.

Base channels, fascia mount



Optional: Cap rails: ■ 173 - 189
Edge protection: ■ 170 - 172

Safety glass: ■ 164 - 165



For adjustable glass fixings $\bar{X} = 18,5$ | For non-adjustable glass fixings $\bar{X} = 20,5$

Safety Wedge System: ■ 110, 111


All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

168140-050-00-00 18



Connection pins included



MOD 8140

Aluminium Mill finish

SELL OUT	168140-050-00-00	■ 461 - 467	L = 5 m	€ / pc. 985,75
----------	------------------	-------------	---------	-------------------

Aluminium Brushed, anodised



SELL OUT	168140-050-00-18	■ 461 - 467	L = 5 m	1.017,65
----------	------------------	-------------	---------	----------



International Design Model Protection

Without holes

Connection pins included



MOD 8140

Aluminium Brushed, anodised

OUTDOOR


SELL OUT	168140-050-99-18		L = 5 m	€ / pc. 995,75
----------	------------------	--	---------	-------------------




International Design Model Protection

SELL OUT Only while supplies last.


Q-INFO




Q-INFO



Q-INFO Aluminium




Q-INFO



Railing bases


Corners, fascia mount



MOD 8141

Aluminium Brushed, anodised
OUTDOOR

SELL OUT	168141-01-18	461 - 467	1	€ / pc.	229,90
----------	--------------	-----------	---	---------	--------



MOD 8141


Aluminium Brushed, anodised
OUTDOOR

SELL OUT	168141-02-18	461 - 467	1	€ / pc.	229,90
----------	--------------	-----------	---	---------	--------



Railing bases


End caps, fascia mount



MOD 8142

Aluminium Brushed, anodised
OUTDOOR Tape

SELL OUT	168142-01-18	461 - 467	1	€ / pc.	55,85
----------	--------------	-----------	---	---------	-------




MOD 8142

Aluminium Brushed, anodised
OUTDOOR Tape

SELL OUT	168142-02-18	461 - 467	1	€ / pc.	55,85
----------	--------------	-----------	---	---------	-------

Railing bases

Cladding, fascia mount




MOD 8145

Aluminium Brushed, anodised
OUTDOOR Tape


SELL OUT	168145-050-18	461 - 467	L = 5 m	€ / pc.	272,60
----------	---------------	-----------	---------	---------	--------



Q-INFO MOD 8142



Q-INFO MOD 8145





Designed for: Heavy and extremely heavy use
Use: Indoor and outdoor
Variants: Top, in-floor and fascia mount
Applications: Balconies, galleries, walkways, dividers and stairs
Material: Aluminium (mill finish and brushed anodised)
Glass thickness: 19 to 31,52 mm

Find all information about Easy Glass Max online:



<https://q-ne.ws/Max23>

EASY GLASS[®] MAX



Exceptionally strong and safe

This elegant strongman can cope with extremely heavy loads and high wind speeds. Its combination of qualities makes Max the perfect choice for high-demand public areas such as stadiums, airports and shopping malls.

Easy Glass® Max	PL
Max. line loads (kN/m)	3,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:




- 1 The perfect choice for high-demand public areas such as stadiums.
- 2 Goes directly onto concrete without the need for a steel structure.



EASY GLASS® MAX VARIANTS


Max Top mount

- Also for in-floor mounting




Max F Top mount

- For unfinished floors
- Can be installed at or beyond the edge of a surface




Max Fascia mount

- Base channel cladding available



Max Y Fascia mount


- For unfinished floors
- Can be installed at or beyond the edge of a surface
- Optional base channel cladding



Railing bases


Safety Wedge System (rubber and wedges set)

For glass fixing



MOD 8500

Accessories

For monolithic glass	T		€/set
208500-050-19	19	L = 5 m	112,55
208500-050-25	25	L = 5 m	112,55
<hr/>			
208500-250-19	19	L = 25 m	545,90
<hr/>			
For laminated glass			
208500-050-21	20,76	L = 5 m	112,55
208500-050-22	21,52	L = 5 m	112,55
208500-050-24	24,76	L = 5 m	112,55
208500-050-26	25,52	L = 5 m	112,55
208500-050-32	31,52	L = 5 m	112,55
<hr/>			
208500-250-21	20,76	L = 25 m	545,90
208500-250-22	21,52	L = 25 m	545,90
208500-250-24	24,76	L = 25 m	545,90
208500-250-26	25,52	L = 25 m	545,90
208500-250-32	31,52	L = 25 m	545,90

International Design Model Protection

Accessories

Easy Glass® Multitool



MOD 1001

Accessories

	Q		€/pc.
201001	Q-71	1	45,55


Accessories

Single rubbers



MOD 8506

Accessories


		€/pc.
208506-250-00	L = 25 m	53,95

NEW



MOD 8506

Accessories

For monolithic glass	T		€/pc.
208506-250-19	19	L = 25 m	138,70


For laminated glass

208506-250-22	20,76 - 21,52	L = 25 m	138,70
208506-250-26	24,76 - 25,52	L = 25 m	138,70
208506-250-32	31,52	L = 25 m	138,70

NEW


Railing bases

Intermediate rubber




MOD 8505

Accessories


		€/pc.
208505-025	L = 2,5 m	27,30




Q-INFO MOD 8500




Q-INFO MOD 1001




Q-INFO MOD 8505



Base channels, top mount



Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.




MOD 8510

Aluminium		Mill finish	X			€/ pc.
NEW	168510-025-00-00		50		L = 2,5 m	570,45
NEW	168510-050-00-00		100		L = 5 m	1.140,90
Aluminium		Brushed, anodised				
OUTDOOR						
	168510-025-00-18		50		L = 2,5 m	590,10
NEW	168510-050-00-18		100		L = 5 m	1.180,20




International Design Model Protection

Corners, top mount



MOD 8511

Aluminium		Brushed, anodised			€/ pc.
OUTDOOR					
	168511-01-18			1	235,30




MOD 8511

Aluminium		Brushed, anodised			€/ pc.
OUTDOOR					
	168511-02-18			1	235,30



Connection pins




MOD 3005


316		Raw			€/ pc.
OUTDOOR					
	143005			6	0,90




Q-INFO MOD 8510



Q-INFO MOD 8510




Q-INFO Aluminium




Railing bases

End caps, top mount



MOD 8512

Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168512-00-18	Prefixed	1	32,35




MOD 8513

Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168513-00-18	Prefixed	1	46,10






Railing bases

Shoe shims, top mount




MOD 8516

Aluminium	Mill finish		€/
	X		100 pcs.
168516-001	1	100	135,00
168516-002	2	100	170,00
168516-003	3	100	195,00




Base channels, top mount



- Optional: Cap rails: ■ 173 - 189
- Edge protection: ■ 170 - 172
- Safety glass: ■ 164 - 165
- Safety Wedge System: ■ 122
- All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.




MOD 8520

Aluminium	Brushed, anodised			
OUTDOOR				€/pc.
168520-025-00-18	■ 461 - 467		L = 2,5 m	737,70




International Design Model Protection

Corners, top mount



MOD 8521

Aluminium	Brushed, anodised			
OUTDOOR				€/pc.
168521-01-18	■ 461 - 467		1	307,35




MOD 8521

Aluminium	Brushed, anodised			
OUTDOOR				€/pc.
168521-02-18	■ 461 - 467		1	307,35




End caps, top mount



MOD 8522


Aluminium	Brushed, anodised			
OUTDOOR	Tape			€/pc.
168522-01-18	Prefixed		1	54,85




MOD 8522

Aluminium	Brushed, anodised			
OUTDOOR	Tape			€/pc.
168522-02-18	Prefixed		1	54,85


Q-INFO MOD 8520



Q-INFO MOD 8520





Q-INFO MOD 8522



Railing bases

Base channels, fascia mount



MOD 8530


Aluminium	Brushed, anodised			
OUTDOOR				€/ pc.
168530-025-00-18	█ 461 - 467		L = 2,5 m	668,15



International Design Model Protection


Railing bases

Corners, fascia mount



MOD 8531

Aluminium	Brushed, anodised			
OUTDOOR				€/ pc.
168531-01-18	█ 461 - 467		1	260,10




MOD 8531


Aluminium	Brushed, anodised			
OUTDOOR				€/ pc.
168531-02-18	█ 461 - 467		1	260,10




Q-INFO MOD 8530



Q-INFO MOD 8530



End caps, fascia mount



Left

MOD 8532


Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168532-01-18	Prefixed	1	35,35



Right

MOD 8532

Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168532-02-18	Prefixed	1	35,35




Left

For stairs

MOD 8533

Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168533-01-18	Prefixed	1	52,55



Right


For stairs

MOD 8533

Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168533-02-18	Prefixed	1	52,55



Cladding, fascia mount




Front side cladding

MOD 8535

Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168535-050-18	Prefixed	L = 5 m	260,10



Blind plug, fascia mount




Use without cladding


MOD 8538

Plastic	White aluminium RAL 9006		
INDOOR	Tape		€/ pc.
158538-36		10	1,60


Q-INFO MOD 8532 / 8533




Q-INFO MOD 8535



Q-INFO MOD 8533




Q-INFO MOD 8538




Railing bases

Base channels, fascia mount



- Optional: Cap rails: ■ 173 - 189
- Edge protection: ■ 170 - 172
- Safety glass: ■ 164 - 165
- Safety Wedge System: ■ 122
- All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.



MOD 8540


Aluminium	Brushed, anodised		
OUTDOOR			
168540-025-00-18	■ 461 - 467	L = 2,5 m	€/ pc. 758,90



International Design Model Protection



Railing bases

Corners, fascia mount



MOD 8541

Aluminium	Brushed, anodised		
OUTDOOR			
168541-01-18	■ 461 - 467	1	€/ pc. 325,70




MOD 8541


Aluminium	Brushed, anodised		
OUTDOOR			
168541-02-18	■ 461 - 467	1	€/ pc. 325,70



Q-INFO MOD 8540




Q-INFO MOD 8540



End caps, fascia mount



Left




MOD 8542

Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168542-01-18	Prefixed	1	57,60



Right




MOD 8542

Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168542-02-18	Prefixed	1	57,60

Cladding, fascia mount



Front side cladding




MOD 8545


Aluminium	Brushed, anodised		
OUTDOOR	Tape		€/ pc.
168545-050-18	Prefixed	L = 5 m	325,95



Q-INFO MOD 8542



Q-INFO MOD 8545





Designed for: Light and medium use
Use: Indoor and outdoor
Variants: Top, in-floor and fascia mount
Applications: Balconies, galleries and roof terraces
Material: Aluminium (brushed anodised and mill finish)
Glass thickness: 12 - 17,52 mm, max. 700 mm high

Find all information about Easy Glass Up online:



<https://q-ne.ws/Up23>

EASY GLASS[®] UP

Clear views from any area enclosed by parapet walls

Easy Glass® Up is the ultimate solution for any area enclosed by parapet walls. Its ultra-slender base channels – either top or fascia mount – make for unobstructed views, and you can use the system to create a balcony railing with glass infills up to 700 mm high. If you want to make the most of a roof terrace, it is hard to beat.



Easy Glass® Up	PL
Max. line loads (kN/m)	2,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:



- 1 With a top mount base channel just 80 mm high, Up provides expansive views from any balcony or roof terrace with parapet walls.
- 2 You can conveniently mount it from the inner side.




EASY GLASS® UP VARIANTS

Up Top mount

- For parapet walls
- Also for embedding in a floor


134



Up Fascia mount

- For parapet walls (inverse mount)
- Optional base channel cladding


135



Railing bases

Safety Wedge System (rubber and wedges set)

For glass fixing



MOD 6600

Accessories			
For monolithic glass	T		€/ set
206600-050-12	12	L = 5 m	81,05
206600-050-15	15	L = 5 m	81,05
For laminated glass			
206600-050-13	12,76	L = 5 m	81,05
206600-050-14	13,52	L = 5 m	81,05
206600-050-17	16,76	L = 5 m	81,05
206600-050-18	17,52	L = 5 m	81,05

Accessories

Easy Glass® Multitool




MOD 1001

Accessories			
	Q		€/ pc.
201001	Q-71	1	45,55

Railing bases

Connection pins




MOD 3005


	316 Raw		€/ pc.
143005	OUTDOOR	6	0,90



Q-INFO MOD 6600





Q-INFO MOD 1001





Railing bases

Base channels, top mount



MOD 6610


Aluminium	Mill finish		€/ pc.
166610-050-00-00	█ 461 - 467	L = 5 m	364,85
Aluminium	Brushed, anodised		
OUTDOOR			
166610-050-00-18	█ 461 - 467	L = 5 m	388,10



International Design Model Protection


Railing bases

Corners, top mount



MOD 6611

Aluminium	Brushed, anodised		€/ pc.
OUTDOOR			
166611-01-18	█ 461 - 467	1	100,25




MOD 6611

Aluminium	Brushed, anodised		€/ pc.
OUTDOOR			
166611-02-18	█ 461 - 467	1	100,25



Railing bases


End caps, top mount




MOD 6612

Aluminium	Mill finish	Tape	€/ pc.
166612-00-00		Prepacked	17,45
Aluminium	Brushed, anodised		
OUTDOOR			
166612-00-18	Prefixed	1	18,55


Q-INFO MOD 6610




Q-INFO MOD 6610 / 6611




Q-INFO MOD 6612



Base channels, fascia mount



Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.




MOD 6620

Aluminium	Mill finish	X		€/ pc.
166620-050-00-00		100	461 - 467 L = 5 m	431,65
Aluminium	Brushed, anodised			
166620-050-00-18		100	461 - 467 L = 5 m	461,20




International Design Model Protection

Corners, fascia mount



MOD 6621

Aluminium	Brushed, anodised			€/ pc.
166621-01-18		1	461 - 467	109,70




MOD 6621


Aluminium	Brushed, anodised			€/ pc.
166621-02-18		1	461 - 467	109,70




Q-INFO MOD 6620



Q-INFO Aluminium




Q-INFO




Railing bases

End caps, fascia mount



MOD 6622

Aluminium	Mill finish	Tape		€/ pc.
166622-01-00		Prepacked	1	22,15
Aluminium	Brushed, anodised			
OUTDOOR				
166622-01-18		Prefixed	1	23,65




MOD 6622

Aluminium	Mill finish	Tape		€/ pc.
166622-02-00		Prepacked	1	22,15
Aluminium	Brushed, anodised			
OUTDOOR				
166622-02-18		Prefixed	1	23,65

Railing bases

Cladding, fascia mount



MOD 6625

Aluminium	Mill finish	Tape		€/ pc.
166625-050-00		Not included*	L = 5 m	149,05
Aluminium	Brushed, anodised			
OUTDOOR				
166625-050-18		Prefixed	L = 5 m	158,45



*Order MOD 1360 (tape)

Accessories


Acrylic adhesive tape



MOD 1360

Accessories	Q	W	L		€/ pc.
201360	Q-53	9	33 m (for 11 m cladding)	1	53,80

Q-INFO MOD 6625



Q-INFO MOD 6625-050-00 / 1360




Q-INFO Aluminium



Drainage profiles, fascia mount

8 pcs for 5 m base channel



MOD 6637

Aluminium Brushed, anodised

OUTDOOR

166637-18




4

€/pc.

21,90

Shoe shims, fascia mount



MOD 6636

Aluminium Mill finish

166636-001

1



100

€/

100 pcs.

166636-002

2

100

180,00


166636-003

3

100

230,00

Blind plug, fascia mount

Use without
cladding

MOD 8538

Plastic White aluminium RAL 9006

INDOOR

158538-36




10

€/pc.

1,60


Q-INFO MOD 6637




Assembly information:


[https://q-ne.ws/
Up23](https://q-ne.ws/Up23)

Q-INFO MOD 8538




Q-INFO MOD 6636





Designed for: Light and medium use
Use: Indoor and outdoor
Variants: In between walls
Applications: Balconies and Juliet balconies
Material: Aluminium (mill finish, matt silver effect, brushed anodised or powder coated RAL 9005 black), steel (powder-coated RAL 7047 or e-coated), stainless steel (satin or powder coated RAL 9005 black)
Glass thickness: 8 to 13,52 mm

Find all information about Easy Glass Hybrid online:



<https://q-ne.ws/Hybrid23>

EASY GLASS® HYBRID

The clear wall-mounted balcony railing

If you are looking to install a balustrade between two walls, for example on a non-projecting balcony, Easy Glass® Hybrid is ideal. With a minimalist base channel and strong wall connections on both sides, this system creates a transparent yet robust structure for large spanning widths.



Easy Glass® Hybrid	PL
Max. line loads (kN/m)	3,0
Max. width (meter)	3,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:



- 1 Hybrid is the perfect between-walls solution for balconies – the most minimalistic glass railing for mounting between two balcony walls.
- 2 Create uninterrupted glass spans of up to 3000 mm.
- 3 Hybrid includes beautifully matching designs for its top and bottom profiles.




EASY GLASS® HYBRID

Hybrid Top mount


- For mounting between walls

140



Railing bases

Base profiles, top mount - between walls



Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.


Railing bases

End caps



MOD 6912

Aluminium	Mill finish		€ / pc.
166912-00-00	Tape	2	9,60
	Prepacked		
Aluminium	Matt silver effect, anodised		
	OUTDOOR		
SELL OUT	166912-00-08	2	11,90
	Prefixed		
Aluminium	Brushed, anodised		
	OUTDOOR		
NEW	166912-00-18	2	13,50
	Prefixed		
Aluminium	Black Line		
	OUTDOOR		
NEW	166912-00-82	2	16,20
	Prepacked		



MOD 6910

Aluminium	Mill finish		€ / pc.
166910-050-00	QS-213	472	L = 5 m 172,50
Aluminium	Matt silver effect, anodised		
	OUTDOOR		
SELL OUT	166910-050-08	472	L = 5 m 186,00
	QS-213		
Aluminium	Brushed, anodised		
	OUTDOOR		
NEW	166910-050-18	472	L = 5 m 204,60
	QS-213		
Aluminium	Black Line		
	OUTDOOR		
NEW	166910-050-82	472	L = 5 m 197,80
	QS-213		




International Design Model Protection

Railing bases

Rubber and inlay sets

For glass fixing




MOD 6910


Accessories			€ / set
For monolithic glass	T		
206910-08	8	L = 5 m	56,15
206910-10	10	L = 5 m	56,15
For laminated glass			
206910-08	8,76 - 9,52	L = 5 m	56,15
206910-10	10,76 - 11,52	L = 5 m	56,15
206910-13	12,76 - 13,52	L = 5 m	56,15

International Design Model Protection

Q-INFO MOD 6910





Q-INFO MOD 6912



SELL OUT Only while supplies last.

Q-INFO Aluminium

00	08	18	82 RAL 9005
Mill finish	Matt silver effect, anodised	Brushed, anodised	Black, matt, textured
			Powder coated



MOD 6911

Aluminium Mill finish

	U		€/pc.
166911-339-50-00	24	L = 5 m	153,05

Aluminium Matt silver effect, anodised

166911-339-50-08	24	L = 5 m	164,70
------------------	----	---------	--------

Aluminium Brushed, anodised


166911-339-50-18	24	L = 5 m	181,15
------------------	----	---------	--------

Aluminium Black Line

166911-339-50-82	24	L = 5 m	198,95
------------------	----	---------	--------



International Design Model Protection




MOD 6515

316 Satin

OUTDOOR			€/pc.
146515-339-12	QS-214 472	2	22,85

316 Black Line

OUTDOOR			€/pc.
146515-339-82	QS-214 472	2	26,05



MOD 5124

Accessories


U = 24 mm

For monolithic glass	T		€/pc.
205124-050-08	8 - 10	L = 5 m	47,80

For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80


Q-INFO MOD 6911



Q-INFO 316




Q-INFO



Handrails

Cap rails

HYBRID 65x40



MOD 6924

Aluminium Mill finish

			€/ pc.
166924-654-50-00	65 x 40	L = 5 m	178,05

Aluminium Matt silver effect, anodised

OUTDOOR

SELL OUT				
166924-654-50-08	65 x 40	L = 5 m		202,25




International Design Model Protection

Handrails

Wall flanges

HYBRID 65x40



MOD 6515

Steel Powder coated, RAL 7047

SELL OUT				€/ pc.
116515-654-34	QS-214	472	2	22,30


Steel E-coated

SELL OUT				
116515-654-30	QS-214	472	2	19,80



Handrails

Rubber inlays



MOD 5124

Accessories

U = 24 mm


For monolithic glass	T		€/ pc.
205124-050-08	8 - 10	L = 5 m	47,80

For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80

SELL OUT Only while supplies last.

Q-INFO MOD 6924





Q-INFO MOD 6924




Add LED lighting (Linear Light) by using MOD 6926 cap rail

Q-INFO Steel MOD 6515



An e-coating, also called electro-phoretic primer, is a thin layer of 15 µ which provides a protection layer (primer coat) to steel products. After e-coating, a product is prepared for the final surface treatment, which can be lacquering or powder coating.

Q-INFO







Use: Indoor and outdoor
Applications: Balconies, galleries, walkways, dividers and stairs
Material: Stainless steel (satin, mirror polished or powdercoated RAL 9005 black)
Glass thickness: 12–21,52 mm

Find all information about Easy Glass base glass clamps online:



<https://q-ne.ws/BaseGlassClamps23>

EASY GLASS®

BASE GLASS CLAMPS

MAKE A DESIGN
STATEMENT

MOD 6100

148

- Light use
- With elongated holes
- Passes through the glass



MOD 6200

149

- Light use
- With elongated holes
- Passes through the glass

For a glass railing with a completely original look



MOD 6000

146

- Light use
- Single-anchor installation
- Clamps the glass
- Optional security pin
- Built-in spirit level
- No visible screws



MOD 6400

147

- Light and medium use
- Double-anchor installation
- Clamps the glass
- No security pin required
- No visible screws

MOD 6400

PL

Max. line loads (kN/m)

1,5


Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types. For more information, please visit our website.

Internationally tested/calculated/certified:



Railing bases

Base glass clamps - MOD 6000




MOD 6000

316 Satin		T		€ / pc.
OUTDOOR	See T in MOD 5060	461 - 467	1	126,15
316 Mirror polished				
OUTDOOR	See T in MOD 5060	461 - 467	1	140,70

International Design Model Protection

Accessories

Security pins



Optional for MOD 6000

MOD 5015

Accessories		L	€ / pc.
205015-24	30	4	1,65

Railing bases

Rubber inlays for MOD 6000



2 pieces per glass clamp

MOD 5060

Accessories		T	€ / pc.
For monolithic glass			
205060-12	12	2	3,90
205060-15	15	2	3,90
For laminated glass			
205060-13	12,76	2	3,90
205060-14	13,52	2	3,90
205060-17	16,76	2	3,90
205060-18	17,52	2	3,90

Only while supplies last.


Q-INFO MOD 5015

Security pin is optional. Please order security pins and fixing bolts separately.




MOD 6000

Base glass clamps - MOD 6400



Steel core / stainless steel casing



MOD 6400

316 Satin

OUTDOOR

T



€/pc.

146400-12

See T in MOD 5064

461 - 467

1

126,65

316 Mirror polished

OUTDOOR

SELL OUT

146400-10

See T in MOD 5064

461 - 467

1

141,35

International Design
Model Protection

Rubber inlays for MOD 6400

1 set per
glass clamp

MOD 5064

Accessories


For monolithic glass	T		€/set
205064-15	15	1	6,50
205064-19	19	1	6,50

For laminated glass

205064-17	16,76	1	6,50
205064-18	17,52	1	6,50
205064-21	20,76	1	6,50
205064-22	21,52	1	6,50


Q-INFO 316

10




Mirror polished

12




Satin



MOD 6400

Railing bases

Base glass clamps - MOD 6100



MOD 6100

316		Satin			€ / pc.
OUTDOOR		T			
146100-12	See T in MOD 5061		461 - 467	1	101,95
316		Mirror polished			€ / pc.
OUTDOOR		T			
146100-10	See T in MOD 5061		461 - 467	1	107,80



Railing bases

Rubber inlays for MOD 6100




2 pieces per glass clamp

MOD 5061

Accessories				€ / pc.
For monolithic glass		T		
205061-12		12	2	2,45
For laminated glass		T		€ / pc.
205061-13		12,76	2	2,45
205061-17		16,76	2	2,45
205061-18		17,52	2	2,45

Railing bases

Cover caps for MOD 6100



MOD 0512

316		Satin			€ / pc.
OUTDOOR		Ø	D		
140512-048-12		48,3	105	2	9,65
316		Mirror polished			€ / pc.
OUTDOOR		Ø	D		
140512-048-10		48,3	105	2	10,90

SELL OUT


140512-048-10

48,3

105


2

10,90




SELL OUT Only while supplies last.

Q-INFO



Base glass clamps - MOD 6200



MOD 6200

	316	Satin	T		€ / pc.
	OUTDOOR				
	146200-12	See T in MOD 5062	461 - 467	1	146,25
	316	Mirror polished			
	OUTDOOR				
SELL OUT	146200-10	See T in MOD 5062	461 - 467	1	155,10
	316	Black Line			
	OUTDOOR				
NEW	146200-82	See T in MOD 5062	461 - 467	1	190,15



Cover caps for MOD 6200



MOD 4562

	316	Satin		€ / pc.
	OUTDOOR			
	144562-12		2	21,50
	316	Mirror polished		
	OUTDOOR			
SELL OUT	144562-10		2	23,85
	316	Black Line		
	OUTDOOR			
NEW	144562-82		2	27,95

Rubber inlays for MOD 6200



2 pieces per glass clamp

MOD 5062

Accessories


For monolithic glass	T		€ / pc.
205062-12	12	2	3,55
205062-15	15	2	3,55

For laminated glass

205062-13	12,76	2	3,55
205062-14	13,52	2	3,55
205062-17	16,76	2	3,55
205062-18	17,52	2	3,55


Q-INFO 316

10



Mirror polished

12




Satin

82 RAL 9005

Powder coated
Black, matt,
textured

Q-INFO





Designed for: Light and medium use
Use: Indoor and outdoor
Variants: Top mount
Applications: Balconies, galleries, walkways and dividers
Material: Stainless steel 316 (glass bead blasted and satin brushed)
Glass thickness: 15 to 21,52 mm

Find all information about Easy Glass Air online:



<https://q-ne.ws/Air23>

EASY GLASS[®] AIR



Make a difference

Easy Glass® Air lets you give any home or commercial building an architectural wow factor! The glass balustrade features a state-of-the-art base glass clamp characterised by signature elements. The light and airy design of the glass-bead-blasted clamps and connectors creates the illusion that the glass panels are floating. The result is pure elegance and maximum transparency.


Easy Glass® Air	PL
Max. line loads (kN/m)	1,6
Max. glass width (meter)	1,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:




- 1 Air beautifully coordinates the design of its base clamp and glass connector, making it unique in the market.
- 2 The system provides an end solution for half clamps, including end caps.




EASY GLASS® AIR DESIGN VARIANTS


Air
Base glass clamp




Air
Base glass clamp
with glass connector



Air
Base glass clamp
with glass connector,
handrail adapter and
handrail




Air
Base glass clamp
with cap rail,
u-profile or edge
protection



Railing bases

Base glass clamps



Optional:
 Cap rails: ■ 173 - 189
 Glass connector MOD 6510: ■ 152
 Edge protection: ■ 170 - 172
 Handrail 60x20: ■ 153


Safety glass: ■ 164 - 165

All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Railing bases

Base glass clamps



Rubber inlays included

Connection pins included

MOD 6500


316	Satin + glass bead blasted				
OUTDOOR	T			€/ pc.	
146500-12	15 - 21,52	■ 461 - 467	1	424,20	



International Design Model Protection

Handrails

Glass connectors



Rubber inlays included

Connection pins included

MOD 6510


316	Satin + glass bead blasted				
OUTDOOR				€/ pc.	
146510-12		1		106,20	



International Design Model Protection

Railing bases

End caps for base glass clamps



Left / right

Set 2 x 2


MOD 6502

316	Glass bead blasted				
OUTDOOR				€/ set	
146502-02		Set		39,95	

International Design Model Protection

Handrails

End caps for glass connectors



Left / right

Set 2 x 2

MOD 6512

316	Glass bead blasted				
OUTDOOR				€/ set	
146512-01		Set		23,15	


International Design Model Protection

Handrail adapters



Left / right

Set (2x)



MOD 6511

316

Glass bead blasted

OUTDOOR

T



€/set

146511-02

15 - 21,52

QS-13 476


Set

10,50



International Design Model Protection

End caps



MOD 5728 - EASY HIT®

316

Satin

OUTDOOR

For □



€/pc.

145728-062-12

60 x 20 x 2,0

2

17,65




International Design Model Protection

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 4900

316

Satin

OUTDOOR



€/pc.

144900-062-25-12

60 x 20 x 2,0

L = 2,5 m

105,50

144900-062-50-12

60 x 20 x 2,0


L = 5 m

210,95



International Design Model Protection

Wall flanges



MOD 4504

316

Satin

OUTDOOR

For □



€/pc.

144504-062-12

60 x 20 x 2,0

QS-55 474 / QS-27 476

2


31,70




International Design Model Protection

Q-INFO MOD 4900

PREFIX



Q-INFO MOD 4504





Designed for: Light and medium use
Use: Indoor and outdoor
Variants: Top, in-floor and fascia mount
Applications: Balconies, galleries, walkways, dividers, stairs and Juliet balconies
Material: Stainless steel (satin, mirror polished or powder coated RAL 9005 black), zamak (raw or stainless steel effect)
Glass thickness: 12 to 21,52 mm

Find all information about Easy Glass glass adapters online:



<https://q-ne.ws/GlassAdapters23>

EASY GLASS®

GLASS ADAPTERS

LESS IS MORE

MOD
0745-0748


158 - 159

- Various diameters and wall distances

MOD 4747

162

- For various glass thicknesses



MOD 0760-0766

160

- Single-anchor installation
- MOD 0766 has an adjustable angle
- MOD 0760 and 0762 have a built-in spirit level

MOD 4762

162

- Light and medium use, indoor and outdoor
- Single-anchor installation (double optional)
- Built-in spirit level



MOD 0749

156

- Adjustable glass alignment at any stage during installation
- Mechanical anchor for concrete walls, or a bolt that connects to a metal stringer



MOD 0749

Max. line loads (kN/m)

PL

2,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types. For more information, please visit our website.

Internationally tested/calculated/certified:



MOD 0763

163

- Single-anchor installation (double optional)
- A glass clamp and adapter in one (move a single pin to change use)



MOD 0763

Max. line loads (kN/m)

PL

2,0

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types. For more information, please visit our website.

Internationally tested/calculated/certified:




Railing bases

Point glass adapters

Adjustable


Ø 50



Safety glass: ■ 164 - 165

All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.



MOD 0749

304		Satin				€/pc.
INDOOR	H	T				
130749-030-12	30	12 - 25,52	■ 461 - 467	2		34,65
130749-040-12	40	8 - 25,52	■ 461 - 467	2		37,45
130749-050-12	50	8 - 25,52	■ 461 - 467	2		39,90

304		Black Line				€/pc.
INDOOR	H	T				
NEW 130749-030-82	30	12 - 25,52	■ 461 - 467	2		45,05
NEW 130749-040-82	40	8 - 25,52	■ 461 - 467	2		48,70
NEW 130749-050-82	50	8 - 25,52	■ 461 - 467	2		51,85

316		Satin				€/pc.
OUTDOOR	H	T				
140749-030-12	30	12 - 25,52	■ 461 - 467	2		45,10
140749-040-12	40	8 - 25,52	■ 461 - 467	2		48,55
140749-050-12	50	8 - 25,52	■ 461 - 467	2		51,75
140749-100-12	100	8 - 25,52	■ 461 - 467	2		63,40


316		Black Line				€/pc.
OUTDOOR	H	T				
NEW 140749-030-82	30	12 - 25,52	■ 461 - 467	2		54,90
NEW 140749-040-82	40	8 - 25,52	■ 461 - 467	2		59,70
NEW 140749-050-82	50	8 - 25,52	■ 461 - 467	2		62,50

316		Mirror polished				€/pc.
OUTDOOR	H	T				
140749-050-10	50	8 - 25,52	■ 461 - 467	2		57,20



Railing bases

Clamping disc



MOD 0741


316		Raw			€/pc.
OUTDOOR	H	T			
140741-150			■ 461 - 467	2	14,15



Q-INFO 316 304

10 Mirror polished	12 Satin	82 RAL 9005 Powder coated Black, matt, textured
-----------------------	-------------	---

Q-INFO MOD 0749




Q-INFO MOD 0741


MOD 5030 ■ 479

Additional rubber inlays for glass adapters



Q-INFO MOD 0749



Q-INFO MOD 0741 / 0749







MOD 0747

304		Satin					
INDOOR	H	T	L	L1		€/pc.	
130747-010-12	10	8 - 17,52	50	11 - 20	2	17,70	
130747-020-12	20	8 - 25,52	70	13 - 31	2	22,00	
130747-030-12	30	8 - 25,52	80	13 - 31	2	24,25	
130747-040-12	40	8 - 17,52	80	11 - 22	2	27,65	
130747-050-12	50	8 - 17,52	90	11 - 22	2	31,10	

304		Black Line					
INDOOR							
NEW	130747-010-82	10	8 - 17,52	50	11 - 20	2	23,00
NEW	130747-030-82	30	8 - 25,52	80	13 - 31	2	31,55

316		Satin					
OUTDOOR							
140747-010-12	10	8 - 17,52	50	11 - 20	2	23,00	
140747-020-12	20	8 - 25,52	70	13 - 31	2	29,55	
140747-030-12	30	8 - 25,52	80	13 - 31	2	32,25	
140747-040-12	40	8 - 17,52	80	11 - 21	2	36,05	
140747-050-12	50	8 - 17,52	90	11 - 21	2	40,45	

316		Black Line					
OUTDOOR							
NEW	140747-010-82	10	8 - 17,52	50	11 - 20	2	33,50
NEW	140747-030-82	30	8 - 25,52	80	13 - 31	2	41,75




316		Mirror polished					
OUTDOOR							
140747-030-10	30	8 - 25,52	80	13 - 31	2	35,75	

Zamak		Raw					
INDOOR							
SELL OUT	100747-00	10	8 - 17,52	50	11 - 20	2	9,90

Zamak		Stainless steel effect					
OUTDOOR							
SELL OUT	100747-20	10	8 - 17,52	50	11 - 20	2	17,15



SELL OUT Only while supplies last.



Q-INFO 304 316

10 Mirror polished	12 Satin	82 RAL 9005 Powder coated
-----------------------	-------------	------------------------------

Q-INFO Zamak



00 Raw	20 Stainless steel effect
-----------	------------------------------

Q-INFO

MOD 1013 487
C-spanner

Point glass adapters

Ø 60



MOD 0745

304		Satin				
INDOOR	H	L	L1		€/ pc.	
130745-010-12	10	70	17 - 41	2	22,35	
316		Satin				
OUTDOOR						
140745-010-12	10	70	17 - 41	2	30,15	
316		Mirror polished				
OUTDOOR						
SELL OUT 140745-010-10	10	70	17 - 41	2	33,55	





MOD 0745

304		Satin				
INDOOR	H	L	L1		€/ pc.	
130745-030-12	30	90	17 - 41	2	28,00	
130745-050-12	50	110	17 - 41	2	36,05	
316		Satin				
OUTDOOR						
140745-030-12	30	90	17 - 41	2	37,90	
140745-050-12	50	110	17 - 41	2	48,65	



Point glass adapters

Ø 70



MOD 0748

304		Satin				
INDOOR	H	L	L1		€/ pc.	
130748-010-12	10	70	17 - 41	2	26,55	
316		Satin				
OUTDOOR						
140748-010-12	10	70	17 - 41	2	32,20	
316		Mirror polished				
OUTDOOR						
SELL OUT 140748-010-10	10	70	17 - 41	2	35,80	




MOD 0748


304		Satin				
INDOOR	H	L	L1		€/ pc.	
130748-030-12	30	90	17 - 41	2	34,70	
130748-040-12	40	100	17 - 41	2	36,35	
304		Mirror polished				
INDOOR						
SELL OUT 130748-050-10	50	110	17 - 41	2	50,40	
316		Satin				
OUTDOOR						
140748-030-12	30	90	17 - 41	2	40,80	
140748-040-12	40	100	17 - 41	2	46,30	




Q-INFO




Q-INFO | MOD 0745-010




Q-INFO | MOD 0745-030 / 050



Q-INFO | MOD 0748-010




Q-INFO | MOD 0748-030 / 040 / 050



Railing bases

Block glass adapters




MOD 0762

304	Satin			€/ pc.
INDOOR				
130762-12		461 - 467	1	118,00
316	Satin			
OUTDOOR				
140762-12		461 - 467	1	147,40



International Design Model Protection



MOD 0760

304	Satin			€/ pc.
INDOOR				
130760		461 - 467	1	152,35




International Design Model Protection

Railing bases

Block glass adapters

Adjustable angle




MOD 0766

304	Satin			€/ pc.
INDOOR				
130766		461 - 467	1	135,55




International Design Model Protection

Q-INFO MOD 0766




Q-INFO MOD 0762 / 0760




SELL OUT Only while supplies last.

Q-INFO MOD 0762 / 0760



Q-INFO MOD 0760






MOD 0760

Q-railing

Railing bases

Point glass adapters

Square




MOD 4747

316	Satin				
OUTDOOR	L	L1		€/pc.	
144747-010-12	60	13 - 31	2	43,10	



International Design Model Protection



MOD 4747

316	Satin				
OUTDOOR	L	L1		€/pc.	
144747-030-12	80	13 - 31	2	51,85	



International Design Model Protection


316	Mirror polished				
OUTDOOR					
SELL OUT 144747-030-10	80	13 - 31	2	57,20	



Railing bases

Block glass adapters

Rectangular




MOD 4762

316	Satin				
OUTDOOR			€/pc.		
144762-12	461 - 467	1	164,05		



International Design Model Protection


Q-INFO 316




Mirror polished Satin

SELL OUT Only while supplies last.


Q-INFO MOD 4762




Q-INFO MOD 4747




Q-INFO MOD 4747




Q-INFO MOD 4747




Q-INFO MOD 4762



Q-INFO MOD 4762




Spirit level





Optional: Cap rails: ■ 173 - 189
 Edge protection: ■ 170 - 172
 Safety glass: ■ 164 - 165
 All anchors: ■ 461 - 467

Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.









MOD 0763

304	Satin				€/pc.
INDOOR	T				
130763-12	12 - 21,52	■ 461 - 467	1		164,05
316	Satin				
OUTDOOR					
140763-12	12 - 21,52	■ 461 - 467	1		204,00



International Design Model Protection

Q-INFO





Q-GLASS

GLASS FOR GLASS RAILING SYSTEMS

Order glass at the same time as you order the rest of your glass railing

Bespoke made glass


- From monolithic glass to 31,52 mm toughened laminated glass
- Optional coloured or SentryGlas® interlayers
- Radius corners and polished edges on request
- Optional pre-drilled holes

Glass from stock

- Available immediately
- Toughened laminated glass
- 8,76 - 16,76 mm, 10 widths and 3 heights
- Smooth, arised and polished edges
- Rounded corners

■ CE marked ■ High quality ■ Accurate delivery times and notification ■ Clearly quoted competitive prices ■ Straightforward ordering


Q-GLASS (Toughened safety glass)



MOD 5017

Safety glass Laminated


SELL OUT	OUTDOOR	W	T	€/pc.
SELL OUT	195017-040-10	400	16,76	93,90
SELL OUT	195017-050-10	500	16,76	106,15
SELL OUT	195017-060-10	600	16,76	115,90
SELL OUT	195017-070-10	700	16,76	127,90
	195017-080-10	800	16,76	137,60
	195017-090-10	900	16,76	148,65
	195017-095-10	950	16,76	154,20
	195017-100-10	1000	16,76	161,35
	195017-100-11	1100	16,76	174,60
	195017-100-12	1200	16,76	191,35



MOD 5017

Safety glass Laminated

SELL OUT	OUTDOOR	W	T	€/pc.
SELL OUT	195017-040-11	400	16,76	104,15
SELL OUT	195017-050-11	500	16,76	115,85
SELL OUT	195017-060-11	600	16,76	127,05
SELL OUT	195017-070-11	700	16,76	139,70
	195017-080-11	800	16,76	150,75
	195017-090-11	900	16,76	162,05
	195017-095-11	950	16,76	169,05
	195017-100-11	1000	16,76	174,60



MOD 5017

Safety glass Laminated

SELL OUT	OUTDOOR	W	T	€/pc.
SELL OUT	195017-040-12	400	16,76	113,35
SELL OUT	195017-050-12	500	16,76	126,40
SELL OUT	195017-060-12	600	16,76	139,30
	195017-070-12	700	16,76	152,00
	195017-080-12	800	16,76	165,25
	195017-090-12	900	16,76	178,60
	195017-095-12	950	16,76	186,20
	195017-100-12	1000	16,76	191,35



Q-glass is directly available from stock.

SELL OUT Only while supplies last.


Q-INFO

Calculation

$$H (m) \times W (m) \times 2,5 \times T_g (mm) = kg$$

Example

H	W	T
1,1 m	1,0 m	16 mm
1,1 x 1,0 x 2,5 x 16 = 44,00 kg		



Q-INFO


Laminated safety glass

- ✓ Smooth edges
- ✓ Rounded corners
- ✓ Arrised edges
- ✓ Polished edges

Infills

Glass connectors

Ø 50



MOD 0742

304 Satin		
INDOOR		€/ pc.
130742-12	2	18,40
316 Satin		
OUTDOOR		
140742-12	2	24,80
316 Mirror polished		
OUTDOOR		
140742-10	2	29,75



Infills

Rubber inlays for MOD 2870 / 2890



4 pieces per glass connector

MOD 5028



Accessories			
For laminated glass	T		€/ pc.
205028-17	16,76	8	0,55
205028-18	17,52	8	0,55
205028-21	20,76	8	0,55
205028-22	21,52	8	0,55



MOD 2870, 2880, 2890
For T = 6 - 12,76 mm
 450

Infills

Glass connectors - for glass thickness 16,76 - 21,52 mm





MOD 2870

316 Satin			
OUTDOOR	T		€/ pc.
142870-22-12	See T in MOD 5028	2	38,60



International Design Model Protection



MOD 2890


316 Satin			
OUTDOOR	T		€/ pc.
142890-22-12	See T in MOD 5028	2	50,30



International Design Model Protection

Accessories

Security pins




Optional for MOD 2870 / 2890


MOD 5015

Accessories			
	L		€/ pc.
205015-24	30	4	1,65


Q-INFO 316




Q-INFO MOD 0742




Q-INFO MOD 2870




Q-INFO MOD 2890



Q-INFO MOD 2870 / 2890



Glass connectors - for glass thickness 16,76 - 21,52 mm




MOD 4270

316	Satin			
OUTDOOR		T		€/pc.
144270-22-12		See T in MOD 5042	2	38,60



International Design Model Protection



MOD 4290

316	Satin			
OUTDOOR		T		€/pc.
144290-22-12		See T in MOD 5042	2	50,30



International Design Model Protection


Rubber inlays for MOD 4270 / 4290



MOD 5042

Accessories				
For laminated glass	T			€/pc.
205042-17	16,76	8		0,55
205042-18	17,52	8		0,55
205042-21	20,76	8		0,55
205042-22	21,52	8		0,55

Security pins




MOD 5015


Accessories				
	L			€/pc.
205015-24	30	4		1,65




Q-INFO MOD 4270



Q-INFO MOD 4290




Q-INFO MOD 4270 / 4290



Accessories


Glass connectors



MOD 0291

Aluminium	Brushed, anodised			
OUTDOOR		T		€/ pc.
160291-22-18	See T in MOD 5092	2		16,95


NEW



MOD 0291

316	Satin			
OUTDOOR		T		€/ pc.
140291-22-12	See T in MOD 5091	2		29,95


NEW



MOD 0292

Aluminium	Brushed, anodised			
OUTDOOR		T		€/ pc.
160292-22-18	See T in MOD 5092	2		18,95


NEW



MOD 0292

316	Satin			
OUTDOOR		T		€/ pc.
140292-22-12	See T in MOD 5091	2		31,95


NEW



MOD 0293

Aluminium	Brushed, anodised			
OUTDOOR		T		€/ pc.
160293-22-18	See T in MOD 5092	2		15,45

NEW



MOD 0293

316	Satin			
OUTDOOR		T		€/ pc.
140293-22-12	See T in MOD 5091	2		27,95

NEW

Infills

Rubber inlays for MOD 0291 / 0292 / 0293 (aluminium)



4 pcs for MOD 0291 and 0292
2 pcs for MOD 0293
Glass fixing screws included

MOD 5092

Accessories				
For laminated glass	T			€/ pc.
205092-18	16,76 + 17,52	4		0,95
205092-22	20,76 + 21,52	4		0,95

NEW

Infills

Rubber inlays for MOD 0291 / 0292 / 0293 (stainless steel)






4 pcs for MOD 0291 and 0292
2 pcs for MOD 0293
Glass fixing screws included

MOD 5091

Accessories				
For laminated glass	T			€/ pc.
205091-18	16,76 + 17,52	4		0,95
205091-22	20,76 + 21,52	4		0,95

NEW





EDGE PROTECTION

▣ 170

U-PROFILES

▣ 171, 172



CAP RAILS square / rectangular

▣ 180



CAP RAILS round


▣ 173



Q-railing

Edge protection

Edge protection profiles




MOD 6940

Aluminium		Mill finish					
U	Q	X	T			€/pc.	
166940-050-18-00	18,5	Q-98	1,5	16,76 - 17,52	L = 5 m	31,55	
Aluminium		Brushed, anodised					
OUTDOOR							
166940-025-18-18	18,5	Q-98	1,5	16,76 - 17,52	L = 2,5 m	16,85	
166940-025-22-18	22,5	Q-99	1,5	20,76 - 21,52	L = 2,5 m	18,20	
166940-050-18-18	18,5	Q-98	1,5	16,76 - 17,52	L = 5 m	33,50	
166940-050-22-18	22,5	Q-99	1,5	20,76 - 21,52	L = 5 m	36,05	
Aluminium		Black Line					
OUTDOOR							
NEW 166940-025-18-82	18,5	Q-98	1,5	16,76 - 17,52	L = 2,5 m	21,90	




Edge protection

Corners




MOD 6340

316		Satin					
OUTDOOR							
U	T			€/pc.			
146340-500-18	18,5	16,76 - 17,52	1	39,25			
146340-500-22	22,5	20,76 - 21,52	1	39,90			
146340-500-26	26,5	24,76 - 25,52	1	40,50			



MOD 6940

316		Satin					
OUTDOOR							
U	Q	X	T			€/pc.	
146940-025-18-12	18,5	Q-98	1	16,76 - 17,52	L = 2,5 m	40,25	
146940-025-22-12	22,5	Q-99	1	20,76 - 21,52	L = 2,5 m	41,70	
146940-050-14-12	14,5	Q-111	1	12,76 - 13,52	L = 5 m	77,70	
146940-050-18-12	18,5	Q-98	1	16,76 - 17,52	L = 5 m	80,60	
146940-050-22-12	22,5	Q-99	1	20,76 - 21,52	L = 5 m	83,50	
146940-050-26-12	26,5	Q-112	1	24,76 - 25,52	L = 5 m	84,95	




MOD 6941

Plastic		Transparent					
INDOOR							
U	Q	T		€/pc.			
156941-025-18-03	18,5	Q-122	16,76 - 17,52	L = 2,5 m	24,65		

NEW


Q-INFO Aluminium MOD 6940

00



Mill finish

18


Brushed,
anodised

82 RAL 9005


Black, matt,
textured

Q-INFO

1


Q-98
Q-99
Q-111
Q-112

2



Q-INFO MOD 6940

PREFIX



Q-INFO 316 MOD 6340 / 6940


PREFIX




*MOD 6940

Q-INFO


1

Q-98 Q-112
Q-99 Q-122
Q-111

2



Edge protection U-profiles

Square 

MOD 6944

Aluminium Brushed, anodised

OUTDOOR	U	Q	T	W	H		€/pc.
166944-050-13-18	13,25	Q-111	12,76	17,25	15	L = 5 m	45,30
166944-050-18-18	18	Q-98	16,76 - 17,52	22	20	L = 5 m	57,95
166944-050-22-18	22	Q-99	21,52	26	20	L = 5 m	62,10

Aluminium Black Line

OUTDOOR	U	Q	T	W	H		€/pc.
166944-050-13-82	13,25	Q-111	12,76	17,25	15	L = 5 m	58,90
166944-050-18-82	18	Q-98	16,76 - 17,52	22	20	L = 5 m	75,35
166944-050-22-82	22	Q-99	21,52	26	20	L = 5 m	80,75


NEW

NEW

NEW



U-profiles

Square 

MOD 6960

304 Satin

INDOOR	U	X	T	W	H		€/pc.
136960-050-24-12	24	3	8 - 21,52	30	27	L = 5 m	227,05

316 Satin

OUTDOOR	U	X	T	W	H		€/pc.
146960-050-24-12	24	3	8 - 21,52	30	27	L = 5 m	248,95
146960-050-34-12	34	3	8 - 31,52	40	37	L = 5 m	349,60

316 Black Line

OUTDOOR	U	X	T	W	H		€/pc.
146960-050-24-82	24	3	8 - 21,52	30	27	L = 5 m	323,65

NEW

MOD 6961

304 Satin


INDOOR	U	X	T	W	H		€/pc.
136961-050-24-12	24	2	8 - 21,52	28	26	L = 5 m	177,10

316 Satin

OUTDOOR	U	X	T	W	H		€/pc.
146961-050-24-12	24	2	8 - 21,52	28	26	L = 5 m	195,15
146961-050-34-12	34	2	8 - 31,52	38	36	L = 5 m	271,95




Q-INFO MOD 6944



Q-INFO Aluminium




Q-INFO MOD 6960 / 6961




Q-INFO 304 316





Q-INFO



2



Q-INFO MOD 6960 / 6961



U-profiles

Corners

Square



MOD 6362

316		Satin							
OUTDOOR	U	X	T	W	H		€/pc.		
146362-24-12	24	3	8 - 21,52	30	27	1	108,60		
146362-34-12	34	3	8 - 31,52	40	37	1	125,50		

316 Black Line

316		Black Line							
OUTDOOR	U	X	T	W	H		€/pc.		
146362-24-82	24	3	8 - 21,52	30	27	1	141,20		

NEW


MOD 6361

316		Satin							
OUTDOOR	U	X	T	W	H		€/pc.		
146361-24	24	2	8 - 21,52	28	26	1	108,60		
146361-34	34	2	8 - 31,52	38	36	1	125,50		

U-profiles

End caps

Square



MOD 6367

316		Satin							
OUTDOOR	U	X	T	W	H		€/pc.		
146367-24-12	24	3	8 - 21,52	30	27	1	41,30		
146367-34-12	34	3	8 - 31,52	40	37	1	46,60		

316 Black Line

316		Black Line							
OUTDOOR	U	X	T	W	H		€/pc.		
146367-24-82	24	3	8 - 21,52	30	27	1	49,55		

NEW

MOD 6366

316		Satin							
OUTDOOR	U	X	T	W	H		€/pc.		
146366-24	24	2	8 - 21,52	28	26	1	41,30		
146366-34	34	2	8 - 31,52	38	36	1	46,60		

U-profiles

Rubber inlays



MOD 5124

Accessories

U = 24 mm

For monolithic glass	T		€/pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80

For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
205124-050-92	20,76 - 21,52	L = 5 m	47,80

NEW

MOD 5134

Accessories

U = 34 mm

For monolithic glass	T		€/pc.
205134-050-08	8 - 10	L = 5 m	47,80
205134-050-11	12	L = 5 m	47,80
205134-050-19	19	L = 5 m	47,80


For laminated glass

205134-050-08	8,76 - 10,76	L = 5 m	47,80
205134-050-11	11,52 - 13,52	L = 5 m	47,80
205134-050-17	16,76 - 17,52	L = 5 m	47,80
205134-050-22	20,76 - 21,52	L = 5 m	47,80
205134-050-24	24,76 - 25,52	L = 5 m	47,80
205134-050-32	31,52	L = 5 m	47,80


Q-INFO 304 316





Q-INFO MOD 6366 / 6367



Q-INFO MOD 6361 / 6362



Cap rails




MOD 6950

Beech		Lacquered			
INDOOR		U		€/ pc.	
176950-042-25-40	24		L = 2,5 m	88,00	
Oak		Lacquered			
INDOOR					
176950-042-25-43	24		L = 2,5 m	194,85	

PREFIX

Connectors




MOD 6791

304		Satin			
INDOOR		Ø			€/ pc.
176791-042	42,0	QS-49	475	2	10,70



End caps




MOD 6729

304		Satin			
INDOOR				€/ pc.	
176729-042	QS-49	475	2	8,75	



Wood is a natural product. Colours can differ.

Rubber inlays



MOD 5124

Accessories				
U = 24 mm				€/ pc.
For monolithic glass		T		
205124-050-08	8 - 10		L = 5 m	47,80
205124-050-11	12		L = 5 m	47,80
205124-050-15	15		L = 5 m	47,80
205124-050-19	19		L = 5 m	47,80
For laminated glass				
205124-050-08	8,76 - 10,76		L = 5 m	47,80
205124-050-11	11,52 - 13,52		L = 5 m	47,80
205124-050-17	16,76 - 17,52		L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52		L = 5 m	47,80

Drilling template




MOD 1024

Accessories		Q		€/ pc.
201024-042	Q-20		1	7,05


Q-INFO MOD 6950



Q-INFO MOD 6950





Q-INFO MOD 6729 / 1024



Handrails

Cap rails



MOD 6920

Ø 42,4 mm

304 Satin						
INDOOR	U	H	H1		€/pc.	
136920-042-25-12	24	37	24	L = 2,5 m	94,50	
136920-042-50-12	24	37	24	L = 5 m	189,00	
316 Satin						
OUTDOOR	U	H	H1		€/pc.	
146920-042-50-12	24	37	24	L = 5 m	236,30	
316 Mirror polished						
OUTDOOR	U	H	H1		€/pc.	
146920-042-50-10	24	37	24	L = 5 m	336,90	

Ø 48,3 mm

304 Satin						
INDOOR	U	H	H1		€/pc.	
136920-048-50-12	27	42,6	30	L = 5 m	214,25	
316 Satin						
OUTDOOR	U	H	H1		€/pc.	
146920-048-50-12	27	42,6	30	L = 5 m	292,40	


Ø 60,3 mm

304 Satin						
INDOOR	U	H	H1		€/pc.	
136920-060-50-12	34	53	34	L = 5 m	287,95	
316 Satin						
OUTDOOR	U	H	H1		€/pc.	
146920-060-50-12	34	53	34	L = 5 m	387,95	



Handrails

Rubber inlays



MOD 5124

Accessories

U = 24 mm

For monolithic glass	T		€/pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80
205124-250-08	8 - 10	L = 25 m	228,60
205124-250-11	12	L = 25 m	228,60
205124-250-15	15	L = 25 m	228,60
205124-250-19	19	L = 25 m	228,60

For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80

205124-250-08	8,76 - 10,76	L = 25 m	228,60
205124-250-11	11,52 - 13,52	L = 25 m	228,60
205124-250-17	16,76 - 17,52	L = 25 m	228,60
NEW 205124-250-92	20,76 - 21,52	L = 25 m	228,60

MOD 5127

Accessories

U = 27 mm

For monolithic glass	T		€/pc.
205127-050-08	8 - 10	L = 5 m	47,80
205127-050-11	12	L = 5 m	47,80
205127-050-15	15	L = 5 m	47,80
205127-050-19	19	L = 5 m	47,80

For laminated glass

205127-050-08	8,76 - 10,76	L = 5 m	47,80
205127-050-11	11,52 - 13,52	L = 5 m	47,80
205127-050-15	16,76 - 17,52	L = 5 m	47,80
205127-050-22	20,76 - 21,52	L = 5 m	47,80
205127-050-24	24,76 - 25,52	L = 5 m	47,80

MOD 5134

Accessories


U = 34 mm

For monolithic glass	T		€/pc.
205134-050-08	8 - 10	L = 5 m	47,80
205134-050-11	12	L = 5 m	47,80
205134-050-19	15	L = 5 m	47,80

For laminated glass

205134-050-08	8,76 - 10,76	L = 5 m	47,80
205134-050-11	11,52 - 13,52	L = 5 m	47,80
205134-050-17	16,76 - 17,52	L = 5 m	47,80
205134-050-22	20,76 - 21,52	L = 5 m	47,80
205134-050-24	24,76 - 25,52	L = 5 m	47,80
205134-050-32	31,52	L = 5 m	47,80

Q-INFO MOD 6920




Q-INFO 316




SELL OUT Only while supplies last.

Connectors




MOD 6303

304		Satin			
INDOOR	Ø	H		€/ pc.	
136303-042-12	42,4 x 1,5	30	2	30,50	
316		Satin			
OUTDOOR	Ø	H		€/ pc.	
146303-042-12	42,4 x 1,5	30	2	34,80	




MOD 6792 - EASY HIT®

304		Raw		
INDOOR	For tube Ø		€/ pc.	
136792-042	42,4 x 1,5	2	14,45	
136792-048	48,3 x 1,5	2	16,30	
316		Raw		
OUTDOOR	For tube Ø		€/ pc.	
146792-042	42,4 x 1,5	2	16,50	
146792-048	48,3 x 1,5	2	18,50	
146792-060	60,3 x 1,5	2	28,10	



MOD 6313

304		Satin			
INDOOR	Ø	H		€/ pc.	
136313-042-12	42,4 x 1,5	30	2	30,50	
136313-048-12	48,3 x 1,5	35	2	37,40	
136313-060-12	60,3 x 1,5	40	2	49,95	
316		Satin			
OUTDOOR	Ø	H		€/ pc.	
146313-042-12	42,4 x 1,5	30	2	33,75	
146313-048-12	48,3 x 1,5	35	2	41,55	
146313-060-12	60,3 x 1,5	40	2	55,35	
316		Mirror polished			
OUTDOOR	Ø	H		€/ pc.	
146313-042-10	42,4 x 1,5	30	2	45,65	




MOD 6790

304		Satin		
INDOOR	For tube Ø		€/ pc.	
136790-042-12	42,4 x 1,5	2	14,45	
136790-048-12	48,3 x 1,5	2	16,30	
136790-060-12	60,3 x 1,5	2	20,10	
316		Satin		
OUTDOOR	For tube Ø		€/ pc.	
146790-042-12	42,4 x 1,5	2	16,50	
146790-048-12	48,3 x 1,5	2	18,50	
316		Mirror polished		
OUTDOOR	For tube Ø		€/ pc.	
146790-042-10	42,4 x 1,5	2	19,85	




Q-INFO | MOD 6792





25-55°
Downwards




MOD 6302

304 Satin					
INDOOR	Ø	H	☐	€/pc.	
136302-042-02-12	42,4 x 1,5	30	2	50,20	
136302-048-02-12	48,3 x 1,5	35	2	57,80	
136302-060-02-12	60,3 x 1,5	40	2	67,55	
316 Satin					
OUTDOOR					
146302-042-02-12	42,4 x 1,5	30	2	62,80	
146302-048-02-12	48,3 x 1,5	35	2	72,40	
146302-060-02-12	60,3 x 1,5	40	2	81,05	
316 Mirror polished					
OUTDOOR					
146302-042-02-10	42,4 x 1,5	30	2	70,75	

SELL OUT



25-55°
Upwards




MOD 6302

304 Satin					
INDOOR	Ø	H	☐	€/pc.	
136302-042-01-12	42,4 x 1,5	30	2	50,20	
136302-048-01-12	48,3 x 1,5	35	2	57,80	
136302-060-01-12	60,3 x 1,5	40	2	67,55	
316 Satin					
OUTDOOR					
146302-042-01-12	42,4 x 1,5	30	2	62,80	
146302-048-01-12	48,3 x 1,5	35	2	72,40	
146302-060-01-12	60,3 x 1,5	40	2	81,05	
316 Mirror polished					
OUTDOOR					
146302-042-01-10	42,4 x 1,5	30	2	70,75	

SELL OUT



+40° / -95°
Horizontal




MOD 6312

304 Satin					
INDOOR	Ø	H	☐	€/pc.	
136312-042-12	42,4 x 1,5	27	2	50,20	
136312-048-12	48,3 x 1,5	30	2	57,80	
316 Satin					
OUTDOOR					
146312-042-12	42,4 x 1,5	27	2	62,80	
146312-048-12	48,3 x 1,5	30	2	72,40	

NEW




Q-INFO 316



Mirror polished Satin

SELL OUT Only while supplies last.

Cap rail to tube connector



MOD 5793 - EASY HIT®

316 Raw					
OUTDOOR	For tube D	For tube Ø		€ / pc.	
145793-042	42,4 x 2,0	42,4 x 1,5	2	17,70	
145793-048	48,3 x 2,0	48,3 x 1,5	2	18,90	



International Design Model Protection

End scrolls



MOD 6738

304 Satin					
INDOOR	For tube Ø	L		€ / pc.	
136738-042-12	42,4 x 1,5	60	2	22,95	
136738-048-12	48,3 x 1,5	65	2	29,55	

316 Satin					
OUTDOOR	For tube Ø	L		€ / pc.	
146738-042-12	42,4 x 1,5	60	2	28,05	



International Design Model Protection

End caps



MOD 6732


304 Satin					
INDOOR	For tube Ø		€ / pc.		
136732-042-12	42,4 x 1,5	2	11,00		
136732-048-12	48,3 x 1,5	2	12,45		
SELL OUT 136732-060-12	60,3 x 1,5	2	15,60		

316 Satin					
OUTDOOR	For tube Ø		€ / pc.		
146732-042-12	42,4 x 1,5	2	12,60		
146732-048-12	48,3 x 1,5	2	14,55		
146732-060-12	60,3 x 1,5	2	18,35		

316 Mirror polished					
OUTDOOR	For tube Ø		€ / pc.		
146732-042-10	42,4 x 1,5	2	15,20		



Wall flanges



MOD 6505


304 Satin								
INDOOR	For Ø	D	H			€ / pc.		
136505-042-12	42,4	90	30	QS-5	475	2	15,55	
136505-048-12	48,3	95	35	QS-5	475	2	18,55	
SELL OUT 136505-060-12	60,3	107	35	QS-5	475	2	25,30	

316 Satin								
OUTDOOR	For Ø	D	H			€ / pc.		
146505-042-12	42,4	90	30	QS-6	475	2	19,45	
146505-048-12	48,3	95	35	QS-6	475	2	23,40	
146505-060-12	60,3	107	35	QS-6	475	2	31,85	


316 Mirror polished								
OUTDOOR	For Ø	D	H			€ / pc.		
146505-042-10	42,4	90	30	QS-6	475	2	23,55	



Q-INFO MOD 6738




Q-INFO MOD 5793



Handrails

Cap rails

166920-042-50-00 18



MOD 6920


Aluminium	Mill finish	U	Ø		€/ pc.
166920-042-50-00		24	42,4	L = 5 m	124,70
Aluminium	Brushed, anodised				
OUTDOOR					
166920-042-50-18		24	42,4	L = 5 m	149,05



International Design Model Protection

Handrails

Corners




MOD 6320

Aluminium	Mill finish	U	Ø		€/ pc.
166320-042-00		24	42,4 x 1,5	1	59,25
Aluminium	Brushed, anodised				
OUTDOOR					
166320-042-18		24	42,4 x 1,5	1	70,75

International Design Model Protection

Handrails

End caps



MOD 6732 - EASY HIT®


Aluminium	Mill finish	For Ø		€/ pc.
166732-042-00		42,4 x 1,5	2	8,40
Aluminium	Brushed, anodised			
OUTDOOR				
166732-042-18		42,4 x 1,5	2	9,90



International Design Model Protection

Handrails

Rubber inlays



MOD 5124

Accessories


U = 24 mm

For monolithic glass	T		€/ pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80
205124-250-08	8 - 10	L = 25 m	228,60
205124-250-11	12	L = 25 m	228,60
205124-250-15	15	L = 25 m	228,60
205124-250-19	19	L = 25 m	228,60


For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80
205124-250-08	8,76 - 10,76	L = 25 m	228,60
205124-250-11	11,52 - 13,52	L = 25 m	228,60
205124-250-17	16,76 - 17,52	L = 25 m	228,60
NEW 205124-250-92	20,76 - 21,52	L = 25 m	228,60


Q-INFO MOD 6920




Q-INFO Aluminium



Q-INFO MOD 6920 / 5124 / 6732




Connectors




MOD 6795
Aluminium Mill finish

166795-339	QS-261 476	2	€ / pc.	7,35
------------	------------	---	---------	------




MOD 6311
Aluminium Mill finish

166311-339	QS-261 476	2	€ / pc.	11,15
------------	------------	---	---------	-------



MOD 6797
Aluminium Mill finish


166797	QS-261 476	2	€ / pc.	11,70
--------	------------	---	---------	-------




MOD 6798
Aluminium Mill finish

166798	QS-261 476	2	€ / pc.	11,70
--------	------------	---	---------	-------


Q-INFO MOD 6311



Q-INFO MOD 6797



Q-INFO MOD 6798




Q-INFO MOD 6798

Upwards

Cut	45°	40°	35°	30°	25°	20°	15°	10°	5°	0°
Outer angle	90°	100°	110°	120°	130°	140°	150°	160°	170°	180°
Distance to edge (x)	30,5	30,0	29,5	29,0	28,5	28,0	27,5	27,0	27,0	26,5

Downwards


Cut	0°	5°	10°	15°	20°	25°	30°	35°	40°	45°
Inner angle	180°	170°	160°	150°	140°	130°	120°	110°	100°	90°
Distance to edge (x)	26,5	26,5	26,0	26,0	25,5	25,5	25,0	24,5	24,5	24,0



Handrails

Cap rails

Square □



MOD 6924

304 Satin

INDOOR

SELL OUT	U	□	€ / pc.	
136924-040-25-12	24	40 x 40	L = 2,5 m	133,35
136924-040-50-12	24	40 x 40	L = 5 m	266,80

316 Satin


OUTDOOR

146924-040-25-12	24	40 x 40	L = 2,5 m	187,55
146924-040-50-12	24	40 x 40	L = 5 m	375,15



Handrails

Rubber inlays



MOD 5124

Accessories

U = 24 mm

For monolithic glass	T	€ / pc.	
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80
205124-250-08	8 - 10	L = 25 m	228,60
205124-250-11	12	L = 25 m	228,60
205124-250-15	15	L = 25 m	228,60
205124-250-19	19	L = 25 m	228,60

For laminated glass


205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80
205124-250-08	8,76 - 10,76	L = 25 m	228,60
205124-250-11	11,52 - 13,52	L = 25 m	228,60
205124-250-17	16,76 - 17,52	L = 25 m	228,60
NEW 205124-250-92	20,76 - 21,52	L = 25 m	228,60

Q-INFO MOD 6924


PREFIX



Q-INFO MOD 6924 / 5124 / 6734




Connectors

Square 

MOD 6343

304 Satin				
INDOOR	<input type="checkbox"/>		€/pc.	
136343-040-12	40 x 40	2	38,95	
316 Satin				
OUTDOOR				
146343-040-12	40 x 40	2	46,05	




MOD 6794

304 Satin				
INDOOR	<input type="checkbox"/>		€/pc.	
136794-040-12	40 x 40	2	15,35	
316 Satin				
OUTDOOR				
146794-040-12	40 x 40	2	19,20	




Connectors

Adjustable

Square 

MOD 6342

304 Satin				
INDOOR	<input type="checkbox"/>	H		€/pc.
136342-040-02-12	40 x 40	30	2	52,55
316 Satin				
OUTDOOR				
146342-040-02-12	40 x 40	30	2	66,25




MOD 6342

304 Satin				
INDOOR	<input type="checkbox"/>	H		€/pc.
136342-040-01-12	40 x 40	30	2	52,55
316 Satin				
OUTDOOR				
146342-040-01-12	40 x 40	30	2	66,25



End caps



Square 

MOD 6734

304 Satin				
INDOOR	<input type="checkbox"/>		€/pc.	
136734-040-12	40 x 40	2	13,15	
316 Satin				
OUTDOOR				
146734-040-12	40 x 40	2	16,45	



Wall flanges

Square 



MOD 6545

304 Satin				
INDOOR	<input type="checkbox"/>			€/pc.
136545-040-12	40 x 40	QS-7 475	2	19,40
316 Satin				
OUTDOOR				
146545-040-12	40 x 40	QS-50 475	2	25,10



Handrails

Cap rails

Square **MOD 6924**


Aluminium	Mill finish	U	<input type="checkbox"/>		€/pc.
166924-040-50-00		24	40 x 40	L = 5 m	162,30
Aluminium	Brushed, anodised				
OUTDOOR					
166924-040-50-18		24	40 x 40	L = 5 m	187,70
Aluminium	Black Line				
OUTDOOR					
NEW 166924-040-50-82		24	40 x 40	L = 5 m	211,00



International Design Model Protection

Handrails

Rubber inlays

**MOD 5124****Accessories**

U = 24 mm


For monolithic glass	T		€/pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80

For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80

Handrails


Corners

Square **MOD 6324**

Aluminium	Brushed, anodised	U	<input type="checkbox"/>		€/pc.
OUTDOOR					
166324-040-18		24	40 x 40 x 1,5	1	82,55
Aluminium	Black Line				
OUTDOOR					
NEW 166324-040-82		24	40 x 40 x 1,5	1	107,30

Handrails

End caps

Square **MOD 6734 - EASY HIT®**

Aluminium Mill finish

Aluminium	Brushed, anodised	U	<input type="checkbox"/>		€/pc.
166734-040-00		40 x 40		2	10,50

Aluminium Brushed, anodised

OUTDOOR					
166734-040-18		40 x 40		2	12,05

Aluminium Black Line


OUTDOOR					
NEW 166734-040-82		40 x 40		2	13,65



International Design Model Protection


Q-INFO Aluminium

00



Mill finish

18

Brushed,
anodised

82



Black, matt,
textured

RAL 9005


Powder coated

Q-INFO MOD 6924


PREFIX

**Q-INFO MOD 6924 / 5124 / 6734**


Connectors




MOD 6795
Aluminium Mill finish
 166795-339 QS-261 476 2 € / pc. 7,35



MOD 6311
Aluminium Mill finish
 166311-339 QS-261 476 2 € / pc. 11,15




MOD 6797
Aluminium Mill finish
 166797 QS-261 476 2 € / pc. 11,70




MOD 6798
Aluminium Mill finish
 166798 QS-261 476 2 € / pc. 11,70


Q-INFO MOD 6311



Q-INFO MOD 6797



Q-INFO MOD 6798




Q-INFO MOD 6798

Upwards

Cut	45°	40°	35°	30°	25°	20°	15°	10°	5°	0°
Outer angle	90°	100°	110°	120°	130°	140°	150°	160°	170°	180°
Distance to edge (x)	30,5	30,0	29,5	29,0	28,5	28,0	27,5	27,0	27,0	26,5

Downwards


Cut	0°	5°	10°	15°	20°	25°	30°	35°	40°	45°
Inner angle	180°	170°	160°	150°	140°	130°	120°	110°	100°	90°
Distance to edge (x)	26,5	26,5	26,0	26,0	25,5	25,5	25,0	24,5	24,5	24,0



Handrails

Cap rails

Rectangular



MOD 6924

304 Satin

INDOOR

U



€/ pc.

SELL OUT	136924-640-50-12	24	60 x 40	L = 5 m	354,55
----------	------------------	----	---------	---------	--------

316 Satin

OUTDOOR

U

60 x 40


L = 5 m

466,40



Handrails

Rubber inlays



MOD 5124

Accessories

U = 24 mm

For monolithic glass	T		€/ pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80

205124-250-08	8 - 10	L = 25 m	228,60
205124-250-11	12	L = 25 m	228,60
205124-250-15	15	L = 25 m	228,60
205124-250-19	19	L = 25 m	228,60

For laminated glass


205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80
205124-250-08	8,76 - 10,76	L = 25 m	228,60
205124-250-11	11,52 - 13,52	L = 25 m	228,60
205124-250-17	16,76 - 17,52	L = 25 m	228,60
NEW 205124-250-92	20,76 - 21,52	L = 25 m	228,60


Q-INFO MOD 6924

PREFIX



Q-INFO MOD 6924 / 5124 / 6734





MOD 6343

304 Satin

INDOOR

For 


€/ pc.

SELL OUT 136343-640-12 60 x 40 2 50,20

316 Satin

OUTDOOR

146343-640-12 60 x 40 2 63,00



MOD 6794

304 Satin

INDOOR

For 

€/ pc.

SELL OUT 136794-640-12 60 x 40 2 17,30

316 Satin


OUTDOOR

146794-640-12 60 x 40 2 21,70



25–55°

Downwards



MOD 6342

304 Satin

INDOOR

For

H



€/ pc.

SELL OUT 136342-640-02-12 60 x 40 30 2 58,20

316 Satin


OUTDOOR

146342-640-02-12 60 x 40 30 2 75,55



25–55°

Upwards



MOD 6342

304 Satin

INDOOR

For

H




€/ pc.

SELL OUT 136342-640-01-12 60 x 40 30 2 58,20

316 Satin

OUTDOOR

146342-640-01-12 60 x 40 30 2 75,55



MOD 6734

304 Satin

INDOOR

For 



€/ pc.

SELL OUT 136734-640-12 60 x 40 2 16,50

316 Satin

OUTDOOR

146734-640-12 60 x 40 2 20,60



MOD 6545

304 Satin

INDOOR

For

H



€/ pc.

SELL OUT 136545-640-12 60 x 40 29 QS-7 475 2 27,80

316 Satin

OUTDOOR

146545-640-12 60 x 40 29 QS-50 475 2 34,75





Handrails

Cap rails

Rectangular

166924-654-50-00 (00) (08)



MOD 6924

Aluminium Mill finish

	U			€/pc.
166924-654-50-00	24	65 x 40	L = 5 m	178,05

Aluminium Matt silver effect, anodised

OUTDOOR

166924-654-50-08	24	65 x 40	L = 5 m	202,25
------------------	----	---------	---------	--------




International Design Model Protection

Handrails

End caps

Rectangular



MOD 6734 - EASY HIT®

Aluminium Mill finish

	For		€/pc.
166734-654-00	65 x 40	2	10,15

Aluminium Matt silver effect, anodised

OUTDOOR


166734-654-08	65 x 40	2	12,45
---------------	---------	---	-------



International Design Model Protection

Handrails

Rubber inlays



MOD 5124

Accessories

U = 24 mm

For monolithic glass	T		€/pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80


For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80

Handrails

Wall flanges

Rectangular



MOD 6545

Aluminium Mill finish

	For		€/pc.
166545-654-00	65 x 40	QS-55 474 / QS-20 476	2 19,05




International Design Model Protection

SELL OUT Only while supplies last.

Q-INFO MOD 6924



Q-INFO Aluminium




Q-INFO MOD 6924




Add LED lighting (Linear Light) by using MOD 6926 cap rail


Q-INFO MOD 6924 / 5124 / 6734




Connectors




MOD 6795
Aluminium Mill finish
 166795-339 QS-261 476 2 € / pc. 7,35



MOD 6311
Aluminium Mill finish
 166311-339 QS-261 476 2 € / pc. 11,15




MOD 6797
Aluminium Mill finish
 166797 QS-261 476 2 € / pc. 11,70




MOD 6798
Aluminium Mill finish
 166798 QS-261 476 2 € / pc. 11,70


Q-INFO MOD 6311



Q-INFO MOD 6797



Q-INFO MOD 6798




Q-INFO MOD 6798

Upwards

Cut	45°	40°	35°	30°	25°	20°	15°	10°	5°	0°
Outer angle	90°	100°	110°	120°	130°	140°	150°	160°	170°	180°
Distance to edge (x)	30,5	30,0	29,5	29,0	28,5	28,0	27,5	27,0	27,0	26,5

Downwards

Cut	0°	5°	10°	15°	20°	25°	30°	35°	40°	45°
Inner angle	180°	170°	160°	150°	140°	130°	120°	110°	100°	90°
Distance to edge (x)	26,5	26,5	26,0	26,0	25,5	25,5	25,0	24,5	24,5	24,0





Handrails

Cap rails

HYBRID 33x39

166911-339-50-00 08 18 82



MOD 6911


Aluminium	Mill finish	U		€/pc.
166911-339-50-00		24	L = 5 m	153,05
Aluminium	Matt silver effect, anodised			
OUTDOOR				
166911-339-50-08		24	L = 5 m	164,70
Aluminium	Brushed, anodised			
OUTDOOR				
166911-339-50-18		24	L = 5 m	181,15
Aluminium	Black Line			
OUTDOOR				
166911-339-50-82		24	L = 5 m	198,95



International Design Model Protection

Handrails

Rubber inlays




MOD 5124

Accessories				
U = 24 mm				
For monolithic glass				
T			€/pc.	
205124-050-08	8 - 10	L = 5 m	47,80	
For laminated glass				
205124-050-08	8,76 - 10,76	L = 5 m	47,80	
205124-050-11	11,52 - 13,52	L = 5 m	47,80	

Handrails

Wall flanges

HYBRID 33x39




MOD 6515

316	Satin		€/pc.
OUTDOOR			
146515-339-12	QS-214 472	2	22,85
316	Black Line		
OUTDOOR			
146515-339-82	QS-214 472	2	26,05



Q-INFO Aluminium



Mill finish



Matt silver effect, anodised




Brushed, anodised



82 RAL 9005

Powder coated
Black, matt, textured

Q-INFO 316




Satin




82 RAL 9005

Powder coated
Black, matt, textured

Q-INFO MOD 6911




Q-INFO







Applicable left / right

**MOD 6913**

	Aluminium	Mill finish		€/ pc.
	166913-339-00		2	7,60
	Aluminium	Matt silver effect, anodised		
	OUTDOOR			
SELL OUT	166913-339-08		2	10,60
	Aluminium	Brushed, anodised		
	OUTDOOR			
NEW	166913-339-18		2	11,65
	Aluminium	Black Line		
	OUTDOOR			
NEW	166913-339-82		2	9,90


**MOD 6795**

	Aluminium	Mill finish		€/ pc.
	166795-339		2	7,35
		QS-261	476	

**MOD 6311**

	Aluminium	Mill finish		€/ pc.
	166311-339		2	11,15
		QS-261	476	

SELL OUT Only while supplies last.

Q-INFO MOD 6311



2

JULIET BALCONY SYSTEMS

Easy Glass® View	194 - 201
Easy Glass® MOD 6507-6508	202 - 213
With glass clamps	214 - 215
With glass adapters	216 - 221
Chest rails	222 - 235



EASY GLASS® MOD 6507 / 6508

202



Find all information about Juliet balconies online:



<https://q-ne.ws/JulietBalcony23>

WITH GLASS ADAPTERS

216

WITH GLASS CLAMPS

214



CHEST RAILS

222



VERSATILE AND ALMOST INVISIBLE

Floor-to-ceiling windows are extremely popular in both residential and office buildings, as residents and users benefit from maximized daylight intake. However, a Juliet balcony solutions on the windows is necessary for a sufficient fall protection.

In our range you will find two systems that have been specially developed for this application: Easy Glass® View, which can be mounted on the facade, in the reveal or on the window frame, and Easy Glass® MOD 6507-6508 with its round or angular wall flanges and cap rails.

But there are also other solutions for creating glazed Juliet balconies - for example with the Q-railing glass clamps and glass adapters. For protection at larger windows, you can also opt for the new sleek chest rails - choose from various round or square elements.



EASY GLASS®
VIEW

194




Q-railing



Designed for: Light and medium use
Use: Indoor and outdoor
Variants: Wall mount
(facade, window, reveal)
Applications: Juliet balconies
Material: Aluminium (mill finish, brushed
anodised and powder coated)
Glass thickness: 12 to 21,52 mm

Find all information about
Easy Glass View online:



[https://q-ne.ws/
View23](https://q-ne.ws/View23)

EASY GLASS[®] VIEW



Minimalistic Juliet balconies for maximum safety

You can mount the almost invisible Easy Glass® View Juliet balcony either on the facade, in the window reveal or directly on the window frame. The slim aluminium profiles can also be powder-coated to match the colour of the windows or facade.

Easy Glass® View	PL
Max. line loads (kN/m)	2,0
Max. width (meter)	3,3

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:



- 1 Create a virtually invisible Juliet balcony with Easy Glass View thanks to the extremely slender profiles and concealed assembly points.
- 2 Choose from a variety of assembly options, including facade mounting, between reveals and onto a window frame.



EASY GLASS® VIEW VARIANTS





- Mounted with anchors or screws (depending on substrate)
- Mounting between reveals can be carried out from inside
- Profiles and end caps can be powder coated

Facade mounting

Frame mounting

Reveal mounting

Mounting with middle profile




Easy Glass® View

Facade mounting

Reveal mounting

Frame mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: ■ 164 - 165

All anchors: ■ 461 - 467

Mounting with middle profile




Safety glass: ■ 164 - 165

Wall profile sets

Pre-drilled

Includes 2 profiles for 1100 mm high glass, 4 cover caps and 4 end caps

Reveal mounting




MOD 6839

Aluminium	Mill finish		€ / set
166839-011-02-00	■ 461 - 467	L = 2x 1,1 m	198,70
Aluminium	Brushed, anodised		
OUTDOOR			
166839-011-02-18	■ 461 - 467	L = 2x 1,1 m	207,45



Includes 2 profiles for 1100 mm high glass, 4 cover caps and 4 end caps

Facade / frame mounting



MOD 6839


Aluminium	Mill finish		€ / set
166839-011-01-00	■ 461 - 467	L = 2x 1,1 m	198,70
Aluminium	Brushed, anodised		
OUTDOOR			
166839-011-01-18	■ 461 - 467	L = 2x 1,1 m	207,45



Q-INFO


For monolithic glass	T	a
20683x-xxx-12	12	10,5
20683x-xxx-15	15	10,5
20683x-xxx-19	19	6,5
For laminated glass	T	a
20683x-xxx-13	12,76	10,5
20683x-xxx-14	13,52	10,5
20683x-xxx-17	16,76	6,5
20683x-xxx-18	17,52	6,5
20683x-xxx-21	20,76	6,5
20683x-xxx-22	21,52	6,5

Q-INFO



Wall profile sets

Includes 2 profiles for 1100 mm high glass, 4 cover caps and 4 end caps




MOD 6839

Aluminium	Mill finish		€ / set	
166839-011-00-00	461 - 467	L = 2x 1,1 m	198,70	
Aluminium	Brushed, anodised			
OUTDOOR				
166839-011-00-18	461 - 467	L = 2x 1,1 m	207,45	
Aluminium	Anthracite grey RAL 7016			
OUTDOOR				
NEW	166839-011-00-33	461 - 467	L = 2x 1,1 m	270,50
Aluminium	Black Line			
OUTDOOR				
NEW	166839-011-00-82	461 - 467	L = 2x 1,1 m	270,50



International Design Model Protection

Includes 1 profile for 1100 mm high glass, 4 cover caps and 2 end caps



MOD 6849


Aluminium	Mill finish		€ / set
166849-011-00-00	461 - 467	L = 1,1 m	325,00
Aluminium	Brushed, anodised		
OUTDOOR			
166849-011-00-18	461 - 467	L = 1,1 m	345,00
Aluminium	Anthracite grey RAL 7016		
OUTDOOR			
166849-011-00-33	461 - 467	L = 1,1 m	410,00
Aluminium	Black Line		
OUTDOOR			
166849-011-00-82	461 - 467	L = 1,1 m	410,00



Q-INFO Aluminium

00	18	33 RAL 7016	82 RAL 9005
Mill finish	Brushed, anodised	Anthracite grey, matt, plain	Black, matt, textured
			Powder coated

Q-INFO




Rubber sets for profile sets



Compatible with
MOD 6839 and MOD 6849




MOD 6831

Accessories			
For monolithic glass	T		€/ set
206831-211-12	12	L = 2x 1,1 m	19,50
206831-211-15	15	L = 2x 1,1 m	19,50
206831-211-19	19	L = 2x 1,1 m	19,50

For laminated glass			
206831-211-13	12,76	L = 2x 1,1 m	19,50
206831-211-14	13,52	L = 2x 1,1 m	19,50
206831-211-17	16,76	L = 2x 1,1 m	19,50
206831-211-18	17,52	L = 2x 1,1 m	19,50
206831-211-21	20,76	L = 2x 1,1 m	19,50
206831-211-22	21,52	L = 2x 1,1 m	19,50


NEW

Q-INFO



Wall profiles

Holes not drilled through



MOD 6830

Aluminium	Mill finish		€ / pc.
166830-050-00-00	461 - 467	L = 5 m	292,70
Aluminium	Brushed, anodised		
OUTDOOR			
166830-050-00-18	461 - 467	L = 5 m	306,25




International Design Model Protection

Wall profiles

Pre-drilled

Reveal mounting




MOD 6830

Aluminium	Mill finish		€ / pc.
166830-050-02-00	461 - 467	L = 5 m	292,70
Aluminium	Brushed, anodised		
OUTDOOR			
166830-050-02-18	461 - 467	L = 5 m	306,25



Facade / frame mounting




MOD 6830

Aluminium	Mill finish		€ / pc.
166830-050-01-00	461 - 467	L = 5 m	292,70
Aluminium	Brushed, anodised		
OUTDOOR			
166830-050-01-18	461 - 467	L = 5 m	306,25



Intermediate




MOD 6840

Aluminium	Mill finish		€ / pc.
166840-050-00-00	461 - 467	L = 5 m	370,00
Aluminium	Brushed, anodised		
OUTDOOR			
166840-050-00-18	461 - 467	L = 5 m	395,00




Q-INFO



Q-INFO


Aluminium



Mill finish


Brushed, anodised

Q-INFO




Q-INFO

MOD 6830-050-00



Q-INFO


MOD 6830-050-01




Rubber sets for wall profiles



Compatible with
MOD 6839 and MOD 6849




MOD 6831

Accessories			
For monolithic glass	T		€/ set
206831-050-12	12	L = 5 m	43,65
206831-050-15	15	L = 5 m	43,65
206831-050-19	19	L = 5 m	43,65
For laminated glass			
206831-050-13	12,76	L = 5 m	43,65
206831-050-14	13,52	L = 5 m	43,65
206831-050-17	16,76	L = 5 m	43,65
206831-050-18	17,52	L = 5 m	43,65
206831-050-21	20,76	L = 5 m	43,65
206831-050-22	21,52	L = 5 m	43,65

NEW


Q-INFO



End caps for MOD 6830 / 6839



Bottom
With safety fastener



MOD 6832


Aluminium Mill finish		€/ pc.
166832-01-00	2	16,80
Aluminium Brushed, anodised		
OUTDOOR		
166832-01-18	2	19,10



International Design Model Protection



Top



MOD 6832 - EASY HIT®

Aluminium Mill finish		€/ pc.
166832-02-00	2	15,30
Aluminium Brushed, anodised		
OUTDOOR		
166832-02-18	2	17,50




International Design Model Protection

End caps for MOD 6840 / 6849



Bottom
Intermediate



MOD 6842


Aluminium Mill finish		€/ pc.
166842-01-00	2	36,50
Aluminium Brushed, anodised		
OUTDOOR		
166842-01-18	2	38,75



International Design Model Protection



Top
Intermediate




MOD 6842 - EASY HIT®

Aluminium Mill finish		€/ pc.
166842-02-00	2	22,70
Aluminium Brushed, anodised		
OUTDOOR		
166842-02-18	2	24,50



International Design Model Protection


Cover caps



MOD 6838

Plastic White aluminium RAL 9006		€/ pc.
OUTDOOR	4	0,90


Q-INFO Aluminium




Mill finish

Brushed, anodised

Q-INFO MOD 6832-01



Q-INFO MOD 6842-01





Designed for: Light and medium use
Use: Indoor and outdoor
Variants: Wall mount (facade)
Applications: Juliet balconies
Material: Aluminium (mill finish and brushed anodised), stainless steel 316 (satin-finished)
Glass thickness: 8 to 21,52 mm

Find all information about
Easy Glass MOD 6507-6508
online:



<https://q-ne.ws/6507-6508-23>

EASY GLASS® MOD 6507-6508



Elegant Juliet balconies with numerous possibilities

The Juliet balconies Easy Glass® MOD 6507-6508 create a minimalistic, yet safe fall protection at floor-to-ceiling windows. The glass infill is easily mounted to the facade using the wall flanges and cap rails. Choose from round or rectangular balustrade components.

Internationally tested/calculated/certified:




- 1 Mount the cap rails either horizontally or vertically to the facade.
- 2 Easy Glass MOD 6507-6508 is a stylish addition to any facade.




EASY GLASS® MOD 6507-6508 VARIANTS

- Wall mounted with chemical anchors
- Both horizontal or vertical mounting

Facade mounting
round




Facade mounting
square



Cap rails

Easy Glass® MOD 6507




Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: ■ 164 - 165

All anchors: ■ 461 - 467

Cap rails

Wall flanges




MOD 6507

316	Satin					
OUTDOOR	For Ø	H			€/pc.	
SELL OUT 146507-042-01	42,4	37	■ 461 - 467	2	57,50	



International Design Model Protection



MOD 6507


316	Satin					
OUTDOOR	For Ø	H			€/pc.	
SELL OUT 146507-042-02	42,4	37	■ 461 - 467	2	57,50	



International Design Model Protection

Cap rails

Cap rails



MOD 6920

316	Satin					
OUTDOOR	U	Ø	H	H1		€/pc.
146920-042-50-12	24	42,4	37	24	L = 5 m	236,30



Cap rails

Rubber inlays



MOD 5124


Accessories

U = 24 mm				
For monolithic glass		T		€/pc.
205124-050-08	8 - 10		L = 5 m	47,80
205124-050-11	12		L = 5 m	47,80
205124-050-15	15		L = 5 m	47,80
205124-050-19	19		L = 5 m	47,80


For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80

Q-INFO



Wall flanges




MOD 6507

Aluminium		Mill finish			€/ pc.
166507-042-00-00	42,4	Ø	461 - 467	2	46,50
Aluminium		Brushed, anodised			
OUTDOOR					
166507-042-00-18	42,4	Ø	461 - 467	2	49,95

NEW

Cap rails



MOD 6920

Aluminium		Mill finish		€/ pc.
166920-042-50-00	24	Ø	L = 5 m	124,70
Aluminium		Brushed, anodised		
OUTDOOR				
166920-042-50-18	24	Ø	L = 5 m	149,05



International Design Model Protection

Rubber inlays



MOD 5124

Accessories


U = 24 mm

For monolithic glass	T		€/ pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80


For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80


Q-INFO MOD 6920



Q-INFO Aluminium




Q-INFO



Easy Glass® MOD 6508

Facade mounting

Frame mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: ■ 164 - 165

All anchors: ■ 461 - 467

Wall flanges

Square □




MOD 6508

316	Satin				
OUTDOOR	□			€/pc.	
146508-040-01	40 x 40	■ 461 - 467	2	57,50	



International Design Model Protection



MOD 6508


316	Satin				
OUTDOOR	□			€/pc.	
146508-040-02	40 x 40	■ 461 - 467	2	57,50	



International Design Model Protection

Cap rails

Square □




MOD 6924

316	Satin				
OUTDOOR	U	□		€/pc.	
146924-040-50-12	24	40 x 40	L = 5 m	375,15	




Rubber inlays




MOD 5124

Accessories			
U = 24 mm			
For monolithic glass			
	T		€/pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80
For laminated glass			
205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80

Q-INFO



Wall flanges





MOD 6508

Aluminium	Brushed, anodised				
OUTDOOR					€/ pc.
166508-040-18	40 x 40	461 - 467	2		39,95

NEW

Cap rails

Square




MOD 6924

Aluminium	Mill finish				
	U	<input type="checkbox"/>			€/ pc.
166924-040-50-00	24	40 x 40	L = 5 m		162,30
Aluminium	Brushed, anodised				
OUTDOOR					
166924-040-50-18	24	40 x 40	L = 5 m		187,70



International Design Model Protection

Rubber inlays



MOD 5124

Accessories


U = 24 mm

For monolithic glass	T		€/ pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80


For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80


Q-INFO MOD 6924



Q-INFO Aluminium




Q-INFO



Easy Glass® MOD 6508

Facade mounting

Frame mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: ■ 164 - 165

All anchors: ■ 461 - 467

Wall flanges


Rectangular □



MOD 6508

316	Satin				
OUTDOOR	□			€ / pc.	
146508-640-01	60 x 40	■ 461 - 467	2	41,00	

NEW




MOD 6508

316	Satin				
OUTDOOR	□			€ / pc.	
146508-640-02	60 x 40	■ 461 - 467	2	41,00	

NEW

Cap rails

Rectangular □




MOD 6924

316	Satin				
OUTDOOR	U	□		€ / pc.	
146924-640-50-12	24	60 x 40	L = 5 m	466,40	

PREFIX



Rubber inlays



MOD 5124


Accessories

U = 24 mm			
For monolithic glass			
T			€ / pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80

For laminated glass


T			€ / pc.
205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80

Q-INFO



Easy Glass® MOD 6505


Reveal mounting



Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: 164 - 165

Wall flanges




MOD 6505

316	Satin						€/pc.
OUTDOOR	Ø	D	H				
146505-042-12	42,4	90	30	QS-6	475	2	19,45



Cap rails




MOD 6920

316	Satin					€/pc.
OUTDOOR	U	Ø	H	H1		
146920-042-50-12	24	42,4	37	24	L = 5 m	236,30



SELL OUT Only while supplies last.

Q-INFO MOD 6920



Rubber inlays



MOD 5124

Accessories

U = 24 mm


For monolithic glass	T		€/pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80
205124-250-08	8 - 10	L = 25 m	228,60
205124-250-11	12	L = 25 m	228,60
SELL OUT 205124-250-15	15	L = 25 m	228,60
SELL OUT 205124-250-19	19	L = 25 m	228,60

For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80
205124-250-08	8,76 - 10,76	L = 25 m	228,60
205124-250-11	11,52 - 13,52	L = 25 m	228,60
205124-250-17	16,76 - 17,52	L = 25 m	228,60
NEW 205124-250-92	20,76 - 21,52	L = 25 m	228,60

Easy Glass® MOD 6545

Reveal mounting





Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: 164 - 165

Wall flanges

Square □



MOD 6545


316 Satin

OUTDOOR □

146545-040-12	40 x 40	QS-50 475	2	€/pc.	25,10
---------------	---------	-----------	---	-------	-------



Rubber inlays



MOD 5124

Accessories

U = 24 mm


For monolithic glass	T	Icon	€/pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80

For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80

Cap rails

Square □



MOD 6924

316 Satin


OUTDOOR U □

146924-040-50-12	24	40 x 40	L = 5 m	€/pc.	375,15
------------------	----	---------	---------	-------	--------

PREFIX




Q-INFO MOD 6924



Easy Glass® MOD 6545

Reveal mounting





Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: 164 - 165

Wall flanges

Rectangular



MOD 6545

316 Satin


OUTDOOR

146545-640-12	60 x 40	QS-50 475	2	€/ pc.	34,75
---------------	---------	-----------	---	--------	-------



Cap rails

Rectangular



MOD 6924

316 Satin


OUTDOOR

146924-640-50-12	U 24	60 x 40	L = 5 m	€/ pc.	466,40
------------------	------	---------	---------	--------	--------


PREFIX



Q-INFO MOD 6924



Reveal mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: 164 - 165

Wall flanges



Bottom
Left / right




MOD 6504

Aluminium	Mill finish	Ø	3D	€/ pc.
166504-042-00-00		42,4	2	15,00
Aluminium	Brushed, anodised			
166504-042-00-18	OUTDOOR	42,4	2	16,25

NEW



Top
Left




MOD 6504

Aluminium	Mill finish	Ø	3D	€/ pc.
166504-042-01-00		42,4	2	15,00
Aluminium	Brushed, anodised			
166504-042-01-18	OUTDOOR	42,4	2	16,25

NEW



Top
Right




MOD 6504

Aluminium	Mill finish	Ø	3D	€/ pc.
166504-042-02-00		42,4	2	15,00
Aluminium	Brushed, anodised			
166504-042-02-18	OUTDOOR	42,4	2	16,25

NEW

Q-INFO Aluminium




Mill finish

Brushed,
anodised

Cap rails

166920-042-50-00 18



MOD 6920

Aluminium Mill finish

	U	Ø		€/pc.
166920-042-50-00	24	42,4	L = 5 m	124,70

Aluminium Brushed, anodised


OUTDOOR

166920-042-50-18	24	42,4	L = 5 m	149,05
------------------	----	------	---------	--------



International Design Model Protection

Rubber inlays



MOD 5124

Accessories

U = 24 mm

For monolithic glass	T		€/pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80


205124-250-08	8 - 10	L = 25 m	228,60
205124-250-11	12	L = 25 m	228,60
205124-250-15	15	L = 25 m	228,60
205124-250-19	19	L = 25 m	228,60

SELL OUT
SELL OUT


For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80
205124-250-08	8,76 - 10,76	L = 25 m	228,60
205124-250-11	11,52 - 13,52	L = 25 m	228,60
205124-250-17	16,76 - 17,52	L = 25 m	228,60
NEW 205124-250-92	20,76 - 21,52	L = 25 m	228,60

Q-INFO MOD 6920



Q-INFO






JULIET BALCONIES WITH GLASS CLAMPS



Glass clamps - MOD 2300

Reveal mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

MOD 2300

Safety glass: 164 - 165

Glass clamps - MOD 2300



Security plate included

MOD 2300

316 Satin

OUTDOOR

T



QS-27 476

4

€/pc.

142300-000-12

See T in MOD 5023



Rubber inlays for MOD 2300



2 pieces per glass clamp

MOD 5023


Accessories

For monolithic glass		T	☐	€/pc.
NEW	205023-12	12	8	0,65
NEW	205023-15	15	8	0,65
	205023-19	19	8	0,65

For laminated glass

NEW	205023-44	9,52	8	0,65
NEW	205023-54	11,52	8	0,65
NEW	205023-13	12,76	8	0,65
NEW	205023-64	13,52	8	0,65
NEW	205023-17	16,76	8	0,65
NEW	205023-18	17,52	8	0,65
	205023-21	20,76	8	0,65
	205023-22	21,52	8	0,65

Security pins




Optional for MOD 2300

MOD 5015


Accessories

		L	☐	€/pc.
	205015-23	34	4	1,65

Q-INFO MOD 2300




Q-INFO MOD 2300



Eliminate the cost of drilling holes in the glass by fitting security plates in preference to the pins.

Q-INFO MOD 5015




Please order fixing bolts separately.



JULIET BALCONIES WITH GLASS ADAPTERS

Easy Glass® MOD 0749

Facade mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: 164 - 165
All anchors: 461 - 467

Point glass adapters

Adjustable

Ø 50




MOD 0749

316 Satin							
OUTDOOR	H	T			€/ pc.		
140749-030-12	30	12 - 25,52	461 - 467	2	45,10		
140749-040-12	40	8 - 25,52	461 - 467	2	48,55		
140749-050-12	50	8 - 25,52	461 - 467	2	51,75		
140749-100-12	100	8 - 25,52	461 - 467	2	63,40		
316 Black Line							
OUTDOOR	H	T			€/ pc.		
NEW 140749-030-82	30	12 - 25,52	461 - 467	2	54,90		
NEW 140749-040-82	40	8 - 25,52	461 - 467	2	59,70		
NEW 140749-050-82	50	8 - 25,52	461 - 467	2	62,50		



Inlays for glass adapters




MOD 5030

Accessories					
	For MOD		€/ pc.		
205030-150-99-80	0749	4	1,00		

NEW


Q-INFO




Q-INFO



Q-INFO



Facade mounting





Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: 164 - 165

Point glass adapters

Ø 50



MOD 0747

316		Satin						
OUTDOOR	H	T	L	L1		€ / pc.		
140747-010-12	10	8 - 17,52	50	11 - 20	2	23,00		
140747-020-12	20	8 - 25,52	70	13 - 31	2	29,55		
140747-030-12	30	8 - 25,52	80	13 - 31	2	32,25		
140747-040-12	40	8 - 17,52	80	11 - 21	2	36,05		
140747-050-12	50	8 - 17,52	90	11 - 21	2	40,45		

316		Black Line						
OUTDOOR	H	T	L	L1		€ / pc.		
NEW 140747-010-82	10	8 - 17,52	50	11 - 20	2	33,50		
NEW 140747-030-82	30	8 - 25,52	80	13 - 31	2	41,75		


Zamak		Stainless steel effect						
OUTDOOR	H	T	L	L1		€ / pc.		
SELL OUT 100747-20	10	8 - 17,52	50	11 - 20	2	17,15		

MOD 0744


316		Satin				
OUTDOOR	H	T	L	L1		€ / pc.
140744-12					2	44,80




Q-INFO MOD 0747



Q-INFO MOD 0747



Q-INFO MOD 0744




Q-INFO 316




Point glass adapters

Ø 60



MOD 0745

316 Satin		H	L	L1	☐	€/pc.
OUTDOOR						
140745-010-12		10	70	17 - 41	2	30,15




MOD 0745

316 Satin		H	L	L1	☐	€/pc.
OUTDOOR						
140745-030-12		30	90	17 - 41	2	37,90
140745-050-12		50	110	17 - 41	2	48,65




Point glass adapters

Ø 70



MOD 0748

316 Satin		H	L	L1	☐	€/pc.
OUTDOOR						
140748-010-12		10	70	17 - 41	2	32,20




MOD 0748


316 Satin		H	L	L1	☐	€/pc.
OUTDOOR						
140748-030-12		30	90	17 - 41	2	40,80
140748-040-12		40	100	17 - 41	2	46,30




Q-INFO MOD 0745 / 0748




Q-INFO MOD 0745-010




Q-INFO MOD 0745-030 / 050




Q-INFO MOD 0748-010



Q-INFO MOD 0748-030 / 040



Facade mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: 164 - 165

Point glass adapters

Square □




MOD 4747

316	Satin				
OUTDOOR	L	L1		€/ pc.	
144747-010-12	60	13 - 31	2	43,10	



International Design Model Protection




MOD 4747

316	Satin				
OUTDOOR	L	L1		€/ pc.	
144747-030-12	80	13 - 31	2	51,85	




International Design Model Protection


Q-INFO



Q-INFO




Q-INFO



Easy Glass® MOD 0763

Facade mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Safety glass: 164 - 165

All anchors: 461 - 467

Block glass adapters

Rectangular □



MOD 0763


316 Satin

OUTDOOR	T	461 - 467	1	€/pc.
140763-12	12 - 21,52			204,00





International Design Model Protection

Q-INFO




Q-INFO






CHEST RAILS

Chest rails 20x10 - MOD 4828




Chest rails 20x10 - MOD 4827



Please refer to the respective certificates and static calculations for specifications such as mounting details.


Crossbar holders

Rectangular




MOD 4828	316 Satin	OUTDOOR	For tube <input type="checkbox"/>			€/ pc.
144828-01-12	20 x 10 x 1,0	QS-20	4	7,85		

NEW



MOD 4828	316 Satin	OUTDOOR	For tube <input type="checkbox"/>			€/ pc.
144828-02-12	20 x 10 x 1,0	QS-20	4	7,85		

NEW




MOD 4827	316 Satin	OUTDOOR	For tube <input type="checkbox"/>			€/ pc.
144827-12	20 x 10 x 1,0	QS-16	4	8,65		



International Design Model Protection

End caps

Rectangular



MOD 1712	316 Satin	OUTDOOR	For tube <input type="checkbox"/>		€/ pc.
141712-021-12	20 x 10 x 1,0		4	4,20	




International Design Model Protection

Tubes

Q-TUBE **DISCOUNT**


Ask for your personal discount or check your price in our online shop.



MOD 1940	316 Satin	OUTDOOR	For tube <input type="checkbox"/>		€/ pc.
141940-021-50-12	20 x 10 x 1,0	L = 5 m		100,85	




Q-INFO MOD 4828




Chest rails 40x40 - MOD 6518

Facade mounting



Frame mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details.

All anchors: 461 - 467

Wall flanges

Square

Left / right



MOD 6518

316

Satin

OUTDOOR

For tube 

€/pc.

146518-040-12

40 x 40 x 2,0

461 - 467

2


44,90

NEW

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 4900

316

Satin

OUTDOOR



€/pc.

144900-040-50-12

40 x 40 x 2,0


L = 5 m

194,90


PREFIX



Q-INFO




Q-INFO MOD 4900



Chest rails 40x40 - MOD 4507


Facade mounting



Please refer to the respective certificates and static calculations for specifications such as mounting details.


Chest rails 40x40 - MOD 4505

Reveal mounting



Please refer to the respective certificates and static calculations for specifications such as mounting details.

Tube brackets



MOD 4507

316

Satin


OUTDOOR

144507-040-12	40 x 40	QS-20 476	2	€ / pc.	35,05
---------------	---------	-----------	---	---------	-------

NEW



Wall flanges



MOD 4505

316

Satin

OUTDOOR


144505-040-12	40 x 40	QS-6 475	2	€ / pc.	29,15
---------------	---------	----------	---	---------	-------



Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 4900

316

Satin

OUTDOOR

144900-040-50-12	40 x 40 x 2,0	L = 5 m		€ / pc.	194,90
------------------	---------------	---------	--	---------	--------


PREFIX



End caps



In combination with MOD 4507 and MOD 4900



MOD 5728 - EASY HIT®

316

Satin

OUTDOOR

145728-040-12	For tube	40 x 40 x 2,0	2	€ / pc.	8,20
---------------	----------	---------------	---	---------	------




Q-INFO MOD 4900

PREFIX




Chest rails Ø12 - MOD 0831 / 0832 / 0833

Facade mounting



Frame mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details.

Infills


Bar holders



Left



Right




MOD 0832

316	Satin				
OUTDOOR	Ø			€/ pc.	
140832-000-12	12	QS-16	4	6,55	



MOD 0833

316	Satin				
OUTDOOR	Ø			€/ pc.	
140833-000-12	12	QS-16	4	6,55	



MOD 0831

316	Satin				
OUTDOOR	Ø			€/ pc.	
140831-000-12	12	QS-16	4	6,55	




Infills

End caps



In combination with MOD 0831 and MOD 1900




MOD 1759 - EASY HIT®


316	Satin				
OUTDOOR				€/ pc.	
141759-112-12		4		4,75	

NEW

Q-INFO MOD 1759




Q-INFO




Chest rails Ø12 - MOD 0504

Reveal mounting



Please refer to the respective certificates and static calculations for specifications such as mounting details.

Wall flanges



MOD 0504

316 Satin

OUTDOOR

			€/pc.
140504-012-12	QS-27 476	2	7,80

NEW

Bars

Q-TUBE ▼DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 1910

316 Satin

OUTDOOR

	Ø		€/pc.
141910-012-25-12	12	L = 2,5 m	33,55
141910-012-50-12	12	L = 5 m	67,20


PREFIX



Tubes

Q-TUBE ▼DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 1900

316 Satin

OUTDOOR


	Ø		€/pc.
141900-012-50-12	12	L = 5 m	15,75

NEW


PREFIX



Q-INFO MOD 0504




Q-INFO MOD 1900 / 1910



Chest rails Ø16 - MOD 0504


Reveal mounting



Please refer to the respective certificates and static calculations for specifications such as mounting details.

MOD 0504 MOD 1900

Wall flanges



MOD 0504

316

Satin

OUTDOOR

140504-016-12

QS-27 476

2

€/pc.


8,50

NEW

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 1900

316

Satin

OUTDOOR

141900-016-50-12

Ø

L = 5 m


€/pc.

31,00


PREFIX



Q-INFO




Q-INFO MOD 1900




Chest rails Ø16 - MOD 0842 / 0843

Facade mounting



Frame mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details.

All anchors: 461 - 467

Wall flanges



Left




MOD 0842

316	Satin			€/ pc.
OUTDOOR		QS-22 476	4	8,50
140842-000-12				

NEW



Right



MOD 0843


316	Satin			€/ pc.
OUTDOOR		QS-22 476	4	8,50
140843-000-12				

NEW

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.




MOD 1900

316	Satin			€/ pc.
OUTDOOR		Ø	L = 5 m	31,00
141900-016-50-12		16		

PREFIX



End caps




MOD 1729

316	Satin			€/ pc.
OUTDOOR		For tube Ø	H	2,05
141729-016-12		16,0 x 1,0	4	




Q-INFO MOD 0842 / 0843



Handrails

Chest rails Ø33,7 - MOD 0504

Reveal mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details.

Handrails

Chest rails Ø33,7 - MOD 0505 / 0506


Reveal mounting



Please refer to the respective certificates and static calculations for specifications such as mounting details.


Handrails

Wall flanges



MOD 0504

316	Satin							
OUTDOOR	Ø	D	H					€/pc.
140504-033-12	33,7	41	30	QS-55	474 / QS-22	476	2	12,35



MOD 0505


316	Satin							
OUTDOOR	For tube Ø	D	H					€/pc.
140505-033-12	33,7	85	30	QS-50	475		2	12,75



Handrails

Wall flanges

Adjustable



MOD 0506

316	Satin							
OUTDOOR	For tube Ø	D	H					€/pc.
140506-033-12	33,7 x 2,0	70	26	QS-50	475		2	34,50




International Design Model Protection

Handrails

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.




MOD 0900

316	Satin							
OUTDOOR	Ø	X						€/pc.
140900-233-50-12	33,7	2,0				L = 5 m		112,70




Q-INFO MOD 0504




Chest rails Ø33,7 - MOD 6517

Facade mounting



Frame mounting




Please refer to the respective certificates and static calculations for specifications such as mounting details.

All anchors: ■461 - 467

Wall flanges



Left / right



MOD 6517

316 Satin

OUTDOOR

For tube Ø



QS-27 ■476



2

€/pc.

146517-233-12


33,7 x 2,0

NEW

Tubes

Q-TUBE ▼DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 0900

316 Satin

OUTDOOR

Ø

X



L = 5 m

€/pc.

140900-233-50-12


33,7

2,0


PREFIX



Q-INFO




Q-INFO MOD 0900




Chest rails Ø33,7 - MOD 0523

Facade mounting



Please refer to the respective certificates and static calculations for specifications such as mounting details.


Wall flanges



MOD 0523

316	Satin				
OUTDOOR	For tube Ø			€/pc.	
140523-033-12	33,7 x 2,0	QS-30 476	2	19,80	

NEW



MOD 3523


316	Satin				
OUTDOOR	For tube Ø			€/pc.	
143523-033-12	33,7 x 2,0		2	13,75	

NEW

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.




MOD 0900

316	Satin				
OUTDOOR	Ø	X		€/pc.	
140900-233-50-12	33,7	2,0	L = 5 m	112,70	


PREFIX



Q-INFO MOD 0523




Q-INFO MOD 0900



Chest rails Ø42,4 - MOD 0504


Reveal mounting



Please refer to the respective certificates and static calculations for specifications such as mounting details.


Chest rails Ø42,4 - MOD 0505

Reveal mounting



Please refer to the respective certificates and static calculations for specifications such as mounting details.


Wall flanges



MOD 0504

316 Satin

OUTDOOR	Ø	D	H			€/pc.
140504-042-12	42,4	50	35	QS-55	474 / QS-22	476 2 16,25



MOD 0505

316 Satin

OUTDOOR	For tube Ø	D	H			€/pc.
140505-042-12	42,4	95	30	QS-50	475 2	18,35




Wall flanges

Adjustable



0 - 50°



MOD 0506

316 Satin

OUTDOOR	For tube Ø	D	H			€/pc.
140506-042-12	42,4 x 2,0	75	30	QS-50	475 2	45,80

NEW




International Design Model Protection

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.




MOD 0900

316 Satin

OUTDOOR	Ø	X		€/pc.
140900-242-50-12	42,4	2,0	L = 5 m	145,10




Q-INFO MOD 0504




Chest rails Ø42,4 - MOD 6517

Facade mounting




Frame mounting



Please refer to the respective certificates and static calculations for specifications such as mounting details.

All anchors: ■461 - 467

Wall flanges



MOD 6517

316

Satin

OUTDOOR

For tube Ø

146517-242-12

42,4 x 2,0



QS-27 ■476



2

€/pc.


44,90

NEW

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 0900

316

Satin

OUTDOOR

Ø

X



L = 5 m

€/pc.

140900-242-50-12

42,4


2,0

145,10


PREFIX



Q-INFO




Q-INFO MOD 0900





EASY ALU WITH PICKET RAIL

Easy Alu picket rails are designed to suit a wide range of new-build and renovation projects. They come in a choice of powder-coated RAL colours, so you can be sure of matching them to your client's colour scheme. This Juliet balcony option is available on request.



3

Q-LIGHTS SYSTEMS

Q-lights Spotlight ————— 240 - 241, 264 - 266, 269
Q-lights Linear Light ————— 242 - 269



Designed for: Light to heavy use (IK10 vandal-proof)
Use: Indoor and outdoor (IP00 - IP66)
Variants: 24V and 48V warm, neutral and cool white light, RGB on request (Linear Light) and 3000 / 5000K, 12 V (Spotlight)
Applications: Glass balustrades, baluster railings and wall railings
Material: Aluminium, stainless steel 304 and 316

Find all information about Spotlight online:



<https://q-ne.ws/Spotlight23>

Find all information about Linear Light online:



<https://q-ne.ws/LinearLight23>

Q-LIGHTS SYSTEMS



Q-lights Spotlight




Q-lights Linear Light

Transform railings and increase safety

When you add well-designed illumination to a railing, you not only change the ambience of a space, you also make it safer for the users. Q-lights Spotlight and Q-lights Linear Light put an exciting palette of light effects at your disposal. Both LED systems can be easily added to your chosen Q-railing balustrade.

Internationally tested/calculated/certified:



- 1 The LED strips enable extremely clean, high-density light lines.
- 2 LED strips up to 30 m long.
- 3 Enhance safety by adding light to your balustrades. Q-lights makes balustrades and walkways stand out even more in both interior and exterior settings.



Q-LIGHTS VARIANTS

Spotlight for handrails

- For round stainless steel tubes (Ø 42.4 or 48.3 mm)
- Handrail brackets, handrail adapters and wall flanges with cable duct
- Cool white light (5000K, 12V), warm white light (3000K, 12V)

▣ 240 - 241, 264 - 266, 269

Linear Light for cap rails

- LED strips 5 and 30 metres long
- Position the LED strips in front of or behind the glass
- Transparent or frosted plastic covers
- Warm or cool white light (24V and 48V), RGB strips on request


▣ 242 - 259

Linear Light for handrails

- LED strips 5 and 30 metres long
- Handrail brackets with cable duct
- Special adapters for mounting on handrail brackets
- Transparent or frosted plastic covers
- Warm or cool white light (24V and 48V), RGB strips on request

▣ 242 - 257, 260 - 269

For tube Ø 42,4 x 2,0 mm


Asymmetric light beam
Colour temp. 3000K + 5000K
50.000 hours light

MOD 0051

INDOOR	Colour (K)	Electr. specifications	☐	€/ pc.
NEW 190051-242-20-30	Warm white	0,5W, 12V, 40mA, 22lm	1	73,70
190051-242-20-50	Cool white	0,5W, 12V, 40mA, 22lm	1	73,70



For tube Ø 48,3 x 2,0 mm


Asymmetric light beam
Colour temp. 3000K + 5000K
50.000 hours light

MOD 0051

INDOOR	Colour (K)	Electr. specifications	☐	€/ pc.
NEW 190051-248-20-30	Warm white	0,5W, 12V, 40mA, 22lm	1	73,70
190051-248-20-50	Cool white	0,5W, 12V, 40mA, 22lm	1	73,70



For tube Ø 42,4 x 2,0 mm


Asymmetric light beam
Colour temp. 3000K + 5000K
50.000 hours light

MOD 0051

OUTDOOR	Colour (K)	Electr. specifications	☐	€/ pc.
NEW 190051-242-66-30	Warm white	0,55W, 12V, 45mA, 25lm	1	100,40
190051-242-66-50	Cool white	0,55W, 12V, 45mA, 25lm	1	100,40

International Design
Model Protection

For tube Ø 48,3 x 2,0 mm


Asymmetric light beam
Colour temp. 3000K + 5000K
50.000 hours light

MOD 0051

OUTDOOR	Colour (K)	Electr. specifications	☐	€/ pc.
NEW 190051-248-66-30	Warm white	0,55W, 12V, 45mA, 25lm	1	100,40
190051-248-66-50	Cool white	0,55W, 12V, 45mA, 25lm	1	100,40

International Design
Model Protection


Q-INFO



We recommend to mill the hole. If that is not possible a step drill should be used. Always deburr drill holes and remove drilling remains to avoid cable breakage. Don't start installation of LED Spotlights until all holes have been deburred internally and externally.

MOD 0900
☐355MOD 0900
☐371

Q-INFO




Luminous efficacy on floor/staircase of a 900 mm high handrail

Height (mm) from ffl (finished floor level): 900mm

Distance from wall (mm)	Distance (A) between LED spotlights (mm)	Distance (A) between LED spotlights (mm)					
		400		600		1000	
		IP20	IP66	IP20	IP66	IP20	IP66
0	0	52 lx	56 lx	35 lx	37 lx	20 lx	22 lx
600	600	32 lx	35 lx	22 lx	24 lx	13 lx	14 lx

We recommend 600 mm distance between LED spotlights to get the best luminous efficacy.


Any lighting calculations shown should be taken as a guide only, as all site conditions/lighting codes are different. It is strongly recommended that you consult with a lighting consultant or electrical engineer to determine the exact requirements for your project.




Transformer 12V
220...240V~, CE, without plug

**MOD 0013**


IN/OUTDOOR	P		€/ pc.
200013-030-66	30W	1	84,95

**Q-INFO****Indoor / outdoor**


* EMI/EMC compliance must be observed

**MOD 0070**


INDOOR	Colour (K)	LED/m	W	Φ (lm/m)	⊠	€/ pc.
190070-050-27	Warm white	70	14	350	L = 5 m	95,75
190070-050-65	Cool white	70	14	370	L = 5 m	95,75

**MOD 0071**


INDOOR	Colour (K)	LED/m	W	Φ (lm/m)	⊠	€/ pc.
190071-050-27	Warm white	140	27,5	660	L = 5 m	143,60
190071-050-65	Cool white	140	27,5	680	L = 5 m	143,60

**MOD 0090**


INDOOR	Colour (K)	LED/m	W	Φ (lm/m)	⊠	€/ pc.
190090-050-40	Neutral white	180	30	650	L = 5 m	145,70

**MOD 0072**

OUTDOOR	Colour (K)	LED/m	W	Φ (lm/m)	⊠	€/ pc.
190072-050-30	Warm white	70	14	350	L = 5 m	175,90
190072-050-65	Cool white	70	14	360	L = 5 m	175,90

**MOD 0073**



OUTDOOR	Colour (K)	LED/m	W	Φ (lm/m)	⊠	€/ pc.
190073-050-30	Warm white	140	27,5	640	L = 5 m	206,75
190073-050-65	Cool white	140	27,5	650	L = 5 m	206,75

**MOD 0092**

OUTDOOR	Colour (K)	LED/m	W	Φ (lm/m)	⊠	€/ pc.
190092-050-40	Neutral white	180	30	650	L = 5 m	184,30

**Q-INFO**

MOD 0070 / 0072: 70 LED/m
MOD 0071 / 0073: 140 LED/m
MOD 0090 / 0092: 180 LED/m

Q-INFO MOD 0016**Q-INFO** MOD 0044**Q-INFO**


LED STRIP INFORMATION

- All strips are prewired once. For additional connections, use a connection cable (■244-246).
- Each strip can be cut with scissors, between the copper dots, to the required length.

- Cut LED strips can be connected using a connector (■244-246).
- All models are suitable for connectors on Linear Light cap rails (■258-259) and Linear Light handrails (■260-269).

Transformer 24V
 for Q-lights Linear Light IP20
 220...240V~
**MOD 0015**


INDOOR	P		€/pc.
200015-100-20	100W	1	77,45


Transformer 24V
 for Q-lights Linear Light IP67
 220...240V~
**MOD 0015**

OUTDOOR	P		€/pc.
200015-100-67	100W	1	120,90


Transformer with bluetooth control unit 24V
 for Q-lights Linear Light IP20
 220...240V~
**MOD 0016**

INDOOR	P		€/pc.
200016-080	80W	1	286,65


Transformer 24V with DALI
 for Q-lights Linear Light IP67
 220...240V~ CE
**MOD 0044**

OUTDOOR	P		€/pc.
200044-100-67	100W	1	173,55

**Q-INFO** | MOD 007x / 009x

Specifications overview Q-lights Linear Light LED strips

LED strips	IP	V	W	W/m	K	Colour	lm	lm/m	Beam angle	LED/m	L (mm)	L _{mm} (mm)	Dimmable	Life time	CRI	RoHS
190070-050-27	00	24	14	2,8	2700	warm white	1750	350	120	70	5000	100	✓	50.000 h	>80	20
190070-050-65	00	24	14	2,8	6500	cool white	1850	370	120	70	5000	100	✓	50.000 h	>80	20
190072-050-30	66	24	14	2,8	3000	warm white	1750	350	120	70	5000	100	✓	50.000 h	>80	20
190072-050-65	66	24	14	2,8	6500	cool white	1800	360	120	70	5000	100	✓	50.000 h	>80	20
190071-050-27	00	24	27,5	5,5	2700	warm white	3100	620	120	140	5000	50	✓	50.000 h	>80	50
190071-050-65	00	24	27,5	5,5	6500	cool white	3400	680	120	140	5000	50	✓	50.000 h	>80	50
190073-050-30	66	24	27,5	5,5	3000	warm white	3200	640	120	140	5000	50	✓	50.000 h	>80	50
190073-050-65	66	24	27,5	5,5	6500	cool white	3250	650	120	140	5000	50	✓	50.000 h	>80	50
190090-050-40	20	24	30	6	4000	neutral white	3250	650	120	180	5000	33,33	✓	50.000 h	94	50
190092-050-40	54	24	30	6	4000	neutral white	3250	650	120	180	5000	33,33	✓	50.000 h	94	50

IP... Ingress Protection

W/m Nominal wattage per metre

lm Luminous flux

LED/m Number of LEDs per metre

V Nominal voltage

K Colour temperature

lm/m Luminous flux per metre


Dimmable

W Nominal wattage

Colour Light colour

Beam angle

Life time

Q-INFO | MOD 007x**Lux (lx) explanation**

direct sunlight	= 100.000 lx	street lighting	= 10 lx
overcast day, typical tv studio lighting	= 1.000 lx	candle, approx. 1 m distant	= 1 lx
hall lighting	= 100 lx		

Any lighting calculations shown should be taken as a guide only, as all site conditions/lighting codes are different. It is strongly recommended that you consult with a lighting consultant or electrical engineer to determine the exact requirements for your project.

Luminous efficacy on floor/staircase

	Height (mm) from ffl (finished floor level)			
	900	1000	1100	1200
190070-050-27	125 lx	106 lx	90 lx	78 lx
190070-050-65	144 lx	113 lx	94 lx	82 lx
190072-050-30	106 lx	90 lx	75 lx	66 lx
190072-050-65	111 lx	94 lx	78 lx	69 lx
190071-050-27	203 lx	172 lx	144 lx	121 lx
190071-050-65	223 lx	198 lx	151 lx	131 lx
190073-050-30	203 lx	172 lx	120 lx	92 lx
190073-050-65	217 lx	184 lx	130 lx	100 lx
190090-050-40	163 lx	139 lx	120 lx	104 lx
190092-050-40	163 lx	139 lx	120 lx	104 lx

Universal connector strip to strip




MOD 0046

INDOOR	For MOD	V		€/pc.
200046-008	0070, 0071	24 / 48	1	2,70
200046-010	0080, 0090	24 / 48	1	3,05

NEW IP20

Universal corner connector




MOD 0047

INDOOR	For MOD	V	L		€/pc.
200047-008	0070, 0071	24 / 48	25	1	6,75
200047-010	0080, 0090	24 / 48	30	1	6,75

NEW IP20

Universal flex connector




MOD 0048

INDOOR	For MOD	V		€/pc.
200048-008	0070, 0071	24 / 48	1	6,75
200048-010	0080, 0090	24 / 48	1	6,75

NEW IP20





Universal connection cable




MOD 0049

INDOOR	For MOD	V		€/pc.
200049-008	0070, 0071	24 / 48	1	6,75
200049-010	0080, 0090	24 / 48	1	6,75

NEW IP20



Universal connector strip to strip




MOD 0053

OUTDOOR	For MOD	V		€/ pc.
200053	0072, 0073, 0082, 0092	24 / 48	1	6,75



Universal flex connector




MOD 0054

OUTDOOR	For MOD	V		€/ pc.
200054	0072, 0073, 0082, 0092	24 / 48	1	9,45



Universal connection cable




MOD 0055

OUTDOOR	For MOD	V		€/ pc.
200055	0072, 0073, 0082, 0092	24 / 48	1	16,45




Silicone + end caps




MOD 0039

OUTDOOR		€/ pc.
200039	1	10,40


Q-INFO | MOD 0053 / 0054 / 0055



Q-INFO | MOD 0039




LED strip connection cable
for MOD 0070 / 0071



MOD 0020		V	L		€/ pc.
INDOOR					
200020-20	24	500	1		5,75

IP20

LED strip connection cable
for MOD 0072 / 0073



MOD 0020		V	L		€/ pc.
OUTDOOR					
200020-54	24V	500	1		9,20

IP54

LED strip connector



MOD 0018			€/ pc.
INDOOR			
200018		1	4,40

IP20


LED strip connection cable



MOD 0019			€/ pc.
INDOOR			
SELL OUT 200019		1	0,90

IP20

LED strip connector sleeve
for LED strip MOD 0072 / 0073







MOD 0023			€/ pc.
OUTDOOR			
200023		1	4,40

IP54




SELL OUT Only while supplies last.



Q-INFO | MOD 0070/0071


Indoor

1




MOD 0070/0071
 $L_A \leq 5,00 \text{ m}$

2




MOD 0070/0071
 $L_A + L_B + L_C \leq 5,00 \text{ m}$

3A



MOD 0070/0071
 $L_A \leq 5,00 \text{ m}$
 $L_B \leq 5,00 \text{ m}$
 $L_C + L_D \leq 5,00 \text{ m}$
 MOD 0070: $L_A + L_B + L_C + L_D \leq 20,00 \text{ m}$
 MOD 0071: $L_A + L_B + L_C + L_D \leq 15,00 \text{ m}$

3B




MOD 0070/0071
 $L_A + L_B \leq 5,00 \text{ m}$
 $L_C \leq 5,00 \text{ m}$
 $L_D \leq 5,00 \text{ m}$
 MOD 0070: $L_A + L_B + L_C + L_D \leq 15,00 \text{ m}$
 MOD 0071: $L_A + L_B + L_C + L_D \leq 13,50 \text{ m}$

Q-INFO | MOD 0072/0073


Outdoor

4




MOD 0072/0073
 $L_A + L_B + L_C \leq 5,00 \text{ m}$

5



MOD 0072/0073
 $L_A \leq 5,00 \text{ m}$
 $L_B \leq 5,00 \text{ m}$
 $L_C + L_D \leq 5,00 \text{ m}$
 $L_A + L_B + L_C + L_D \leq 15,00 \text{ m}$

6




MOD 0072/0073
 $L_A \leq 5,00 \text{ m}$
 $L_B \leq 5,00 \text{ m}$
 $L_C + L_D \leq 5,00 \text{ m}$
 $L_A + L_B + L_C + L_D \leq 15,00 \text{ m}$

Q-INFO | MOD 0090


Indoor

1




MOD 0090
 $L_A \leq 5,00 \text{ m}$
 $L_B \leq 5,00 \text{ m}$
 $L_A + L_B \leq 10,00 \text{ m}$

2



MOD 0090
 $L_A \leq 5,00 \text{ m}$
 $L_B \leq 5,00 \text{ m}$
 $L_A + L_B \leq 10,00 \text{ m}$

3




MOD 0090
 $L_A \leq 5,00 \text{ m}$
 $L_B \leq 5,00 \text{ m}$
 $L_A + L_B \leq 10,00 \text{ m}$
 $L_A + L_B + L_C \leq 15,00 \text{ m}$

Q-INFO | MOD 0092


Outdoor

4




MOD 0092
 $L_A + L_B \leq 10,00 \text{ m}$

5




MOD 0092
 $L_A + L_B \leq 10,00 \text{ m}$


6



MOD 0092
 $L_A \leq 5,00 \text{ m}$
 $L_B \leq 5,00 \text{ m}$
 $L_A + L_B \leq 10,00 \text{ m}$
 $L_A + L_B + L_C \leq 15,00 \text{ m}$

**MOD 0080**

INDOOR	Colour (K)	LED/m	W	Φ (lm/m)	⊠	€/ pc.
190080-300-30	Warm white	84	117	424	L = 30 m	1.153,60
190080-300-65	Cool white	84	117	437	L = 30 m	1.153,60

**MOD 0082**

OUTDOOR	Colour (K)	LED/m	W	Φ (lm/m)	⊠	€/ pc.
190082-300-30	Warm white	84	117	390	L = 30 m	1.608,35
190082-300-65	Cool white	84	117	402	L = 30 m	1.608,35

**Q-INFO****LED STRIP INFORMATION**

- All strips are prewired once. For additional connections, use a connection cable (■251-254).
- Each strip can be cut with scissors, between the copper dots, to the required length.
- Cut LED strips can be connected using a connector (■251-254).
- All models are suitable for connectors on Linear Light cap rails (■258-259) and Linear Light handrails (■260-269).

Transformer 48V
for Q-lights Linear Light IP67
220...240V~, CE



MOD 0017

OUTDOOR	P	L	W	H		€/pc.
200017-060-67	60 W	116	67,5	36,5	1	80,75
200017-150-67	150 W	166	67,5	40	1	118,10
200017-350-67	350 W	227	80	42	1	212,75



Transformer 48V
for Q-lights Linear Light IP67
220...240V~, CE




MOD 0045

OUTDOOR	W		€/pc.
200045-240-67	240	1	216,45



Transformer 48V
for Q-lights Linear Light IP67
220...240V~, CE




MOD 0045

OUTDOOR	W		€/pc.
200045-400-67	400	1	393,60



Q-INFO | MOD 0045




Q-INFO | MOD 008x

Specifications overview Q-lights Linear Light LED strips

LED strips	IP	V	W	W/m	K	Colour	lm	lm/m		LED/m	L (mm)	L _{min} (mm)			CRI ...	
190080-300-30	20	48	117	3,9	3000	warm white	12.720	424	120	84	30.000	125	✓	50.000 h	>80	30
190080-300-65	20	48	117	3,9	6500	cool white	13.110	437	120	84	30.000	125	✓	50.000 h	>80	30
190082-300-30	66	48	117	3,9	3000	warm white	11.700	390	120	84	30.000	125	✓	50.000 h	>80	30
190082-300-65	66	48	117	3,9	6500	cool white	12.060	402	120	84	30.000	125	✓	50.000 h	>80	30

Ingress Protection	Nominal wattage per metre	Luminous flux	Number of LEDs per metre
Nominal voltage	Colour temperature	Luminous flux per metre	Dimmable
Nominal wattage	Light colour	Beam angle	Life time

Q-INFO | MOD 008x



Luminous efficacy on floor/staircase


	Height (mm) from ffl (finished floor level)			
	900	1000	1100	1200
190080-300-30	165 lx	156 lx	146 lx	135 lx
190080-300-65	173 lx	163 lx	152 lx	141 lx
190082-300-30	154 lx	145 lx	136 lx	124 lx
190082-300-65	160 lx	150 lx	140 lx	128 lx

Lux (lx) explanation

direct sunlight	= 100.000 lx	street lighting	= 10 lx
overcast day, typical tv studio lighting	= 1.000 lx	candle, approx. 1 m distant	= 1 lx
hall lighting	= 100 lx		

Any lighting calculations shown should be taken as a guide only, as all site conditions/lighting codes are different. It is strongly recommended that you consult with a lighting consultant or electrical engineer to determine the exact requirements for your project.


LED strip connection cable, female



MOD 0032					
OUTDOOR	V	L		€/ pc.	
200032-015-68	48	1500	1	17,40	


IP68

Silicone + end caps



MOD 0039					
OUTDOOR				€/ pc.	
200039			1	10,40	


LED strip connector



MOD 0028					
INDOOR				€/ pc.	
200028			1	8,90	

IP20


LED strip connector



MOD 0031					
OUTDOOR				€/ pc.	
200031			1	9,35	

IP66

Q-INFO MOD 0032




Q-INFO


LED STRIP INFORMATION

- All strips come as a set including 1x MOD 0032 and 1x MOD 0039.
- For additional connections, use a cross-connector (MOD 0035, ■ 252) and connection cable.


Q-INFO MOD 0028




Q-INFO MOD 0031



Q-INFO MOD 0039



Cross connector, male-male



MOD 0035

OUTDOOR



€/pc.


200035

1

16,50

IP68


Q-INFO | MOD 0035 / 0032 / 008x



Universal connector strip to strip




MOD 0046


INDOOR	For MOD	V		€/pc.
200046-008	0070, 0071	24 / 48	1	2,70
200046-010	0080, 0090	24 / 48	1	3,05

NEW IP20

Universal flex connector




MOD 0048


INDOOR	For MOD	V		€/pc.
200048-008	0070, 0071	24 / 48	1	6,75
200048-010	0080, 0090	24 / 48	1	6,75

NEW IP20

Universal corner connector




MOD 0047


INDOOR	For MOD	V	L		€/pc.
200047-008	0070, 0071	24 / 48	25	1	6,75
200047-010	0080, 0090	24 / 48	30	1	6,75

NEW IP20

Universal connection cable




MOD 0049


INDOOR	For MOD	V		€/pc.
200049-008	0070, 0071	24 / 48	1	6,75
200049-010	0080, 0090	24 / 48	1	6,75

NEW IP20


Q-INFO MOD 0046




Q-INFO MOD 0047




Q-INFO MOD 0048



Q-INFO MOD 0049



Universal connector strip to strip




MOD 0053

OUTDOOR	For MOD	V		€/pc.
200053	0072, 0073, 0082, 0092	24 / 48	1	6,75

NEW IP68

Universal flex connector




MOD 0054

OUTDOOR	For MOD	V		€/pc.
200054	0072, 0073, 0082, 0092	24 / 48	1	9,45

NEW IP68

Universal connection cable




MOD 0055

OUTDOOR	For MOD	V		€/pc.
200055	0072, 0073, 0082, 0092	24 / 48	1	16,45

NEW IP68


MOD 0053 / 0054 / 0055



Q-INFO | MOD 008x


Indoor / outdoor

1




MOD 0080/0082
 $L_A \leq 15,00$ m

2




MOD 0080/0082
 $L_A + L_B \leq 38,00$ m

3




MOD 0080/0082
 $L_A + L_B \leq 60,00$ m
 $L_C \leq 30,00$ m
 $L_A + L_B + L_C \leq 90,00$ m

4




MOD 0080/0082
 $L_A + L_B + L_C + L_D \leq 120,00$ m


Q-INFO | MOD 008x



Q-INFO | MOD 0035 / 0032 / 008x




Controller
for 12V and 24V



MOD 0040	INDOOR		€/ pc.
200040		1	296,05

NEW

Controller
for 24V and 48V



MOD 0041	INDOOR		€/ pc.
200041		1	307,20

NEW

Power supplies



Black cable

Halogen-free,
145°C, for 12V, 24V and 48V,
suitable for outdoor

MOD 0012	OUTDOOR	Ø		€/ pc.
200012-001-01		1 mm ²	L = 100 m	88,60
200012-003-01		2,5 mm ²	L = 100 m	204,35

NEW




Red cable

Halogen-free,
145°C, for 12V, 24V and 48V,
suitable for outdoor


MOD 0012	OUTDOOR	Ø		€/ pc.
200012-001-02		1 mm ²	L = 100 m	88,60
200012-003-02		2,5 mm ²	L = 100 m	204,35

NEW

Q-INFO | MOD 0040




Q-INFO | MOD 0041



Power supplies

Cable connector



MOD 0030

OUTDOOR	Ø	AWG	pc	€/ pc.
200030-68	0,5 - 1 mm ²	17 - 20	15	4,70

IP68

Gelbox



MOD 0037

OUTDOOR	pc	€/ pc.
200037-006	1	23,60

IP68

Cable splitter




MOD 0038


INDOOR	Ø	pc	€/ pc.
200038-003	0,14 - 4 mm ²	12	2,15

IP20


Q-INFO | MOD 0030





Q-INFO | MOD 0038




Q-INFO | MOD 0038




Q-INFO | MOD 0038





Q-INFO | MOD 0038



Q-INFO | MOD 0038





Q-INFO | MOD 0038



Q-INFO

SAFETY INFORMATION

- Installation of the mains modules has to be carried out by a qualified electrician according to the applicable local regulations and standards.
- Observe correct electrical polarity. Incorrect polarity can destroy the modules.
- Power supply units used for operation should include the following basic protection and safety features:
 - Short-Circuit Protection
 - Overload Protection
 - Overheat Protection
 - SELV (Safety Extra Low Voltage)
- Pay attention to the maximum output of the power supply.
- Only parallel drive circuits ensure a safe operation.



MOD 5124



Accessories

U = 24 mm

For monolithic glass	T		€ / pc.
205124-050-08	8 - 10	L = 5 m	47,80
205124-050-11	12	L = 5 m	47,80
205124-050-15	15	L = 5 m	47,80
205124-050-19	19	L = 5 m	47,80

For laminated glass

205124-050-08	8,76 - 10,76	L = 5 m	47,80
205124-050-11	11,52 - 13,52	L = 5 m	47,80
205124-050-17	16,76 - 17,52	L = 5 m	47,80
NEW 205124-050-92	20,76 - 21,52	L = 5 m	47,80



MOD 6926

Aluminium Mill finish

	U			€ / pc.
166926-654-50-00	24	65 x 40	L = 5 m	235,05


Aluminium Brushed, anodised

OUTDOOR

166926-654-50-18	24	65 x 40	L = 5 m	250,05
------------------	----	---------	---------	--------



International Design Model Protection



MOD 6734 - EASY HIT®


Aluminium Mill finish

	For □		€ / pc.
166734-654-00	65 x 40	2	10,15

Aluminium Brushed, anodised

OUTDOOR

166734-654-18	65 x 40	2	14,75
---------------	---------	---	-------



MOD 6545

Aluminium Mill finish

	For □		€ / pc.	
166545-654-00	65 x 40	QS-55 ■ 474 / QS-20 ■ 476	2	19,05

Aluminium Brushed, anodised


OUTDOOR

166545-654-18	65 x 40	QS-55 ■ 474 / QS-20 ■ 476	2	24,80
---------------	---------	---------------------------	---	-------



International Design Model Protection

Q-INFO MOD 6545 / 5124 / 6926



Connectors


MOD 6795
Aluminium Mill finish
 166795-339 QS-261 476 2 € / pc. 7,35

MOD 6311
Aluminium Mill finish
 166311-339 QS-261 476 2 € / pc. 11,15


MOD 6797
Aluminium Mill finish
 166797 QS-261 476 2 € / pc. 11,70

MOD 6798
Aluminium Mill finish
 166798 QS-261 476 2 € / pc. 11,70


Q-INFO MOD 6311



Q-INFO MOD 6797



Q-INFO MOD 6798




Q-INFO MOD 6798


Upwards

Cut	45°	40°	35°	30°	25°	20°	15°	10°	5°	0°
Outer angle	90°	100°	110°	120°	130°	140°	150°	160°	170°	180°
Distance to edge (x)	30,5	30,0	29,5	29,0	28,5	28,0	27,5	27,0	27,0	26,5


Downwards

Cut	0°	5°	10°	15°	20°	25°	30°	35°	40°	45°
Inner angle	180°	170°	160°	150°	140°	130°	120°	110°	100°	90°
Distance to edge (x)	26,5	26,5	26,0	26,0	25,5	25,5	25,0	24,5	24,5	24,0






- Cap rails (U = 24): ■261
- Adapters MOD 078x-24: ■260
- Girder section: ■261
- LED strips: ■242, 249
- LED strip cover profiles: ■261
- Handrail brackets: ■264 - 265
- Handrail adapters MOD 0770 / 0772: ■266



For handrail bracket, straight




MOD 0781

316	Satin				
OUTDOOR	U			€/pc.	
140781-24	24	QS-205 ■476	2	11,95	

International Design Model Protection

For handrail bracket, adjustable




MOD 0783

316	Satin				
OUTDOOR	U			€/pc.	
140783-24	24	QS-205 ■476	2	11,95	

International Design Model Protection

For handrail adapter, straight



MOD 0782

316	Satin				
OUTDOOR	U			€/pc.	
140782-24	24	QS-205 ■476	2	9,80	

International Design Model Protection





MOD 0780

316	Satin				
OUTDOOR	U			€/pc.	
140780-24	24	QS-205 ■476	2	5,60	

International Design Model Protection

Q-INFO | MOD 0780 / 0781






MOD 6920

Ø 42,4 mm


304		Satin						
INDOOR	U	Ø	H	H1		€/pc.		
136920-042-50-12	24	42,4	37	24	L = 5 m	189,00		
316		Satin						
OUTDOOR	U	Ø	H	H1		€/pc.		
146920-042-50-12	24	42,4	37	24	L = 5 m	236,30		



MOD 5092

INDOOR		€/pc.
155092-025	L = 2,5 m	23,60

International Design Model Protection




MOD 5090

INDOOR	Transparency		€/pc.
155090-025-24-03	Clear	L = 2,5 m	33,75
155090-025-24-06	Frosted	L = 2,5 m	33,75

IK10

International Design Model Protection


Q-INFO MOD 6920




MOD 6950
(U = 24 mm)
 173

MOD 6924
(U = 24 mm)
 180 - 186

Q-INFO MOD 078x




Q-INFO MOD 0783




Linear Light for handrails

U = 27




- Cap rails (U = 27): ■263
- Adapters MOD 078x-27: ■262
- Girder section: ■263
- LED strips: ■242, 249
- LED strip cover profiles: ■263
- Handrail brackets: ■264 - 265
- Handrail adapters MOD 0771 / 0773: ■266



Adapters for handrail brackets

U = 27

For handrail bracket, straight




MOD 0781

316	Satin				
OUTDOOR	U			€/pc.	
140781-27	27	QS-205 ■476	2	15,35	

International Design Model Protection

For handrail bracket, adjustable



MOD 0783


316	Satin				
OUTDOOR	U			€/pc.	
140783-27	27	QS-205 ■476	2	15,35	

International Design Model Protection

Adapters for handrail adapters

U = 27

For handrail adapter, straight



MOD 0782

316	Satin				
OUTDOOR	U			€/pc.	
140782-27	27	QS-205 ■476	2	11,00	

International Design Model Protection

Adapters for girder section

U = 27





MOD 0780

316	Satin				
OUTDOOR	U			€/pc.	
140780-27	27	QS-205 ■476	2	6,10	

International Design Model Protection

Q-INFO | MOD 0780 / 0781






MOD 6920

Ø 48,3 mm


304		Satin						
INDOOR	U	U	H	H1		€/pc.		
136920-048-50-12	27	48,3	42,6	30	L = 5 m	214,25		
316		Satin						
OUTDOOR	U	U	H	H1		€/pc.		
146920-048-50-12	27	48,3	42,6	30	L = 5 m	292,40		



MOD 5092

INDOOR		€/pc.
155092-025	L = 2,5 m	23,60

International Design Model Protection




MOD 5090

INDOOR	Transparency		€/pc.
155090-025-27-03	Clear	L = 2,5 m	34,80
155090-025-27-06	Frosted	L = 2,5 m	34,80




International Design Model Protection


Q-INFO MOD 078x



Q-INFO MOD 6920



Q-INFO MOD 0783




Handrail brackets

Baluster post mounting

For round tube

With cable duct



MOD 0710


	316	Satin					€/pc.
	OUTDOOR	D	Ø	MOD	H	QS-203 476	
140710-042-01-12	42,4 x 2,0	42,4	MOD 0781-24	79	QS-203 476	2	24,85

MOD 0711

	316	Satin					€/pc.
	OUTDOOR	D	Ø	MOD	H	QS-203 476	
140711-048-01-12	48,3 x 2,0	48,3	MOD 0781-27	80	QS-203 476	2	24,85



For round tube



MOD 0710

	304	Satin					€/pc.
	INDOOR	D	Ø	MOD	H	QS-202 476	
130710-042-00-12	42,4 x 2,0	42,4	MOD 0781-24	79	QS-202 476	2	14,00

	316	Satin					€/pc.
	OUTDOOR	D	Ø	MOD	H	QS-203 476	
140710-042-00-12	42,4 x 2,0	42,4	MOD 0781-24	79	QS-203 476	2	17,65

MOD 0711

	304	Satin					€/pc.
	INDOOR	D	Ø	MOD	H	QS-202 476	
130711-048-00-12	48,3 x 2,0	48,3	MOD 0781-27	80	QS-202 476	2	14,00


	316	Satin					€/pc.
	OUTDOOR	D	Ø	MOD	H	QS-203 476	
140711-048-00-12	48,3 x 2,0	48,3	MOD 0781-27	80	QS-203 476	2	17,65



Handrail brackets

Adjustable Baluster post mounting

For round tube



MOD 0718

	304	Satin					€/pc.
	INDOOR	D	Ø	MOD	H	QS-202 476	
130718-042-12	42,4 x 2,0	42,4	MOD 0783-24	79	QS-202 476	2	15,20


	316	Satin					€/pc.
	OUTDOOR	D	Ø	MOD	H	QS-203 476	
140718-042-12	42,4 x 2,0	42,4	MOD 0783-24	79	QS-203 476	2	18,80

MOD 0719


	304	Satin					€/pc.
	INDOOR	D	Ø	MOD	H	QS-202 476	
130719-048-12	48,3 x 2,0	48,3	MOD 0783-27	80	QS-202 476	2	15,20

	316	Satin					€/pc.
	OUTDOOR	D	Ø	MOD	H	QS-203 476	
140719-048-12	48,3 x 2,0	48,3	MOD 0783-27	80	QS-203 476	2	18,80



Q-INFO | MOD 0710 / 0711-04x-01




Q-INFO | MOD 0710 / 0711-04x-00




Q-INFO | MOD 0710 / 0711-04x-01



Q-INFO | MOD 0710 / 0711-04x-01




Q-INFO | MOD 0718 / 0719



With cable duct

For round tube



MOD 0770

	304	Satin						€/pc.
INDOOR	D	Ø		H				
130770-042-12	42,4 x 2,0	42,4	MOD 0782-24	9	QS-26	476	2	9,40
316	Satin							
OUTDOOR	D	Ø		H				
140770-042-12	42,4 x 2,0	42,4	MOD 0782-24	9	QS-27	476	2	11,95

MOD 0772

	304	Satin						€/pc.
INDOOR	D	Ø		H				
SELL OUT 130772-042-12	42,4 x 2,6	42,4	MOD 0782-24	9	QS-26	476	2	9,40
316	Satin							
OUTDOOR	D	Ø		H				
SELL OUT 140772-042-12	42,4 x 2,6	42,4	MOD 0782-24	9	QS-27	476	2	11,95

MOD 0771

	304	Satin						€/pc.
INDOOR	D	Ø		H				
130771-048-12	48,3 x 2,0	48,3	MOD 0782-27	11	QS-26	476	2	11,10
316	Satin							
OUTDOOR	D	Ø		H				
140771-048-12	48,3 x 2,0	48,3	MOD 0782-27	11	QS-27	476	2	14,50

MOD 0773



	304	Satin						€/pc.
INDOOR	D	Ø		H				
130773-048-12	48,3 x 2,6	48,3	MOD 0782-27	11	QS-26	476	2	11,10
316	Satin							
OUTDOOR	D	Ø		H				
140773-048-12	48,3 x 2,6	48,3	MOD 0782-27	11	QS-27	476	2	14,50




International Design Model Protection

SELL OUT Only while supplies last.




Q-INFO



Q-INFO




Q-INFO



Use a cable grommet in the drilled hole in the tube to avoid cable breakage.

Cap rails



MOD 6920

Ø 42,4 mm

304		Satin				
INDOOR	U	H	H1		€/pc.	
136920-042-50-12	24	37	24	L = 5 m	189,00	
316		Satin				
OUTDOOR	U	H	H1		€/pc.	
146920-042-50-12	24	37	24	L = 5 m	236,30	


Ø 48,3 mm

304		Satin				
INDOOR	U	H	H1		€/pc.	
136920-048-50-12	27	42,6	30	L = 5 m	214,25	
316		Satin				
OUTDOOR	U	H	H1		€/pc.	
146920-048-50-12	27	42,6	30	L = 5 m	292,40	



Post to cap rail connectors

Adjustable




MOD 6304

316		Satin				
OUTDOOR	Ø	D	H		€/pc.	
146304-242-01-12	42,4 x 1,5	42,4 x 2,0	27	2	35,00	
146304-248-01-12	48,3 x 1,5	48,3 x 2,0	30	2	43,00	
146304-048-01-12	48,3 x 1,5	48,3 x 2,6	30	2	43,00	

NEW

Tube to cap rail connectors




MOD 5793 - EASY HIT®

316		Raw			
OUTDOOR	For tube Ø	For tube D		€/pc.	
145793-042	42,4 x 1,5	42,4 x 2,0	2	17,70	
145793-048	48,3 x 1,5	48,3 x 2,0	2	18,90	




International Design Model Protection


Q-INFO MOD 6304




Q-INFO MOD 5793



Q-INFO MOD 6920




Connectors



MOD 6792 - EASY HIT®

304		Raw		
INDOOR	For Ø		☐	€/ pc.
136792-042	42,4 x 1,5		2	14,45
136792-048	48,3 x 1,5		2	16,30
316		Raw		
OUTDOOR				
146792-042	42,4 x 1,5		2	16,50
146792-048	48,3 x 1,5		2	18,50



MOD 6313

304		Satin		
INDOOR	For Ø	H	☐	€/ pc.
136313-042-12	42,4 x 1,5	30	2	30,50
136313-048-12	48,3 x 1,5	35	2	37,40
316		Satin		
OUTDOOR				
146313-042-12	42,4 x 1,5	30	2	33,75
146313-048-12	48,3 x 1,5	35	2	41,55



Connectors

Adjustable



MOD 6302

304		Satin		
INDOOR	For Ø	H	☐	€/ pc.
136302-042-02-12	42,4 x 1,5	30	2	50,20
136302-048-02-12	48,3 x 1,5	35	2	57,80
316		Satin		
OUTDOOR				
146302-042-02-12	42,4 x 1,5	30	2	62,80
146302-048-02-12	48,3 x 1,5	35	2	72,40




MOD 6302

304		Satin		
INDOOR	For Ø	H	☐	€/ pc.
136302-042-01-12	42,4 x 1,5	30	2	50,20
136302-048-01-12	48,3 x 1,5	35	2	57,80
316		Satin		
OUTDOOR				
146302-042-01-12	42,4 x 1,5	30	2	62,80
146302-048-01-12	48,3 x 1,5	35	2	72,40



MOD 6312

304		Satin		
INDOOR	Ø	H	☐	€/ pc.
136312-042-12	42,4 x 1,5	27	2	50,20
136312-048-12	48,3 x 1,5	30	2	57,80
316		Satin		
OUTDOOR				
146312-042-12	42,4 x 1,5	27	2	62,80
146312-048-12	48,3 x 1,5	30	2	72,40



End caps




MOD 6732

304 Satin				
INDOOR	For Ø			€/ pc.
136732-042-12	42,4 x 1,5	2		11,00
136732-048-12	48,3 x 1,5	2		12,45
316 Satin				
OUTDOOR				
146732-042-12	42,4 x 1,5	2		12,60
146732-048-12	48,3 x 1,5	2		14,55



Wall return

Left / right With cable duct




MOD 6739

316 Satin				
OUTDOOR	D	For Ø		€/ pc.
146739-042-12	42,4	42,4 x 1,5	2	43,45
146739-048-12	48,3	48,3 x 1,5	2	49,05



Wall flanges




MOD 6505

304 Satin							
INDOOR	Ø	D	H				€/ pc.
136505-042-12	42,4	90	30	QS-5	475	2	15,55
136505-048-12	48,3	95	35	QS-5	475	2	18,55
316 Satin							
OUTDOOR							
146505-042-12	42,4	90	30	QS-6	475	2	19,45
146505-048-12	48,3	95	35	QS-6	475	2	23,40



With cable duct




MOD 0504


304 Satin								
INDOOR	Ø	D	H				€/ pc.	
130504-042-12	42,4	50	35	QS-55	474 / QS-21	476	2	12,50
130504-048-12	48,3	56	35	QS-55	474 / QS-21	476	2	15,35
316 Satin								
OUTDOOR								
140504-042-12	42,4	50	35	QS-55	474 / QS-22	476	2	16,25
140504-048-12	48,3	56	35	QS-55	474 / QS-22	476	2	19,95




Q-INFO MOD 6739




Q-INFO MOD 6739




Q-INFO MOD 0504



Q-INFO MOD 0504





4

BALUSTER RAILING SYSTEMS


Easy Alu	272 - 285
Square Line® 40x10	286 - 287
Square Line® 40x20	288 - 291
Square Line® 40x40	292 - 305
Square Line® 60x30	306 - 311
Q-line	312 - 363
Barrier Line	364 - 365
Q-line mirror polished	366 - 375
Welding parts	376 - 383
Bendywood	386 - 387
Naturail	388 - 389
Infills	390 - 423



EASY ALU

Designed for: Light and medium use
Use: Indoor and outdoor
Variants: Top and fascia mount
Applications: Balconies, galleries, walkways, dividers, stairs and Juliet balconies
Material: Aluminium (mill finish, powder coated or brushed anodised)
Glass thickness: 8 to 10,76 mm

Find all information about Easy Alu online:



[https://q-ne.ws/
EasyAlu23](https://q-ne.ws/EasyAlu23)



Fast installation, utmost convenience

Easy Alu offers you all the benefits of a high-grade aluminium railing with Q-railing quality built in. That is in addition to great looks, attractive pricing and impressive customisation options. You can choose to preassemble the components into complete railing sections in your own workshop. Alternatively, speed things up even more by ordering ready-to-install modules custom made to your specifications. Simply anchor them to the floor and you are done!


Easy Alu	PL	PL
	Top mount	Fascia mount
Max. line loads (kN/m)	1,0	1,0
Max. post distance (mm)	1472	1472

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types. For more information, please visit our website.

Internationally tested/calculated/certified:



- 1 Features the Glass Wing rubber: insert the glass quickly and with hardly any pressure – the rubber will hug the glass tightly.
- 2 Choose from 3 ordering options.
- 3 Comes with a levelling block for adjustments.



EASY ALU INFILLS

Glass

- All glass
- Glass with mid-rail(s)

Available on request:

- Picket rail infill
- Metal plate infill




390 - 391

3 ORDERING OPTIONS


285



Baluster posts, top mount



Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.



MOD 0560

Aluminium		Mill finish			
	Hp				€/pc.
160560-087-00	865	QS-30	476	1	27,80
160560-097-00	965	QS-30	476	1	28,10
160560-107-00	1065	QS-30	476	1	28,35
160560-117-00	1165	QS-30	476	1	30,15
Aluminium		Brushed, anodised			
OUTDOOR					
160560-087-18	865	QS-30	476	1	31,95
160560-097-18	965	QS-30	476	1	32,30
160560-107-18	1065	QS-30	476	1	32,65
160560-117-18	1165	QS-30	476	1	34,65
Aluminium		Powder coated RAL 7016, textured			
OUTDOOR					
160560-087-33	865	QS-30	476	1	30,55
160560-097-33	965	QS-30	476	1	30,95
160560-107-33	1065	QS-30	476	1	31,20
160560-117-33	1165	QS-30	476	1	33,20
Aluminium		Black Line			
OUTDOOR					
NEW 160560-087-82	865	QS-30	476	1	30,55
NEW 160560-097-82	965	QS-30	476	1	30,95
NEW 160560-107-82	1065	QS-30	476	1	31,20
NEW 160560-117-82	1165	QS-30	476	1	33,20

Calculations – baluster posts, top mount


Railing height (H) – 35 mm = baluster post height (Hp)

Railing height (H)	Baluster post height (Hp)
900 mm	865 mm
1000 mm	965 mm
1100 mm	1065 mm
1200 mm	1165 mm

BALUSTER RAILING SYSTEMS

EASY ALU

Q-INFO




Q-INFO Aluminium


00 Mill finish	18 Brushed, anodised	33 RAL 7016 Powder coated Anthracite grey, matt, textured	82 RAL 9005 Powder coated Black, matt, textured
--------------------------	--------------------------------	--	--



Q-INFO




Base flanges, top mount




MOD 9026

Aluminium	Mill finish		€ / pc.
169026-009-01-00	461 - 467	1	25,40
Aluminium	Brushed, anodised		
OUTDOOR			
169026-009-01-18	461 - 467	1	29,30
Aluminium	Powder coated RAL 7016, textured		
OUTDOOR			
169026-009-01-33	461 - 467	1	28,00
Aluminium	Black Line		
OUTDOOR			
NEW 169026-009-01-82	461 - 467	1	28,00




MOD 9026

Aluminium	Mill finish		€ / pc.
169026-009-02-00	461 - 467	1	25,40
Aluminium	Brushed, anodised		
OUTDOOR			
169026-009-02-18	461 - 467	1	29,30
Aluminium	Powder coated RAL 7016, textured		
OUTDOOR			
169026-009-02-33	461 - 467	1	28,00
Aluminium	Black Line		
OUTDOOR			
NEW 169026-009-02-82	461 - 467	1	28,00







MOD 9026

Aluminium	Mill finish		€ / pc.
169026-009-91-00	461 - 467	1	25,40
Aluminium	Brushed, anodised		
OUTDOOR			
169026-009-91-18	461 - 467	1	29,30
Aluminium	Powder coated RAL 7016, textured		
OUTDOOR			
169026-009-91-33	461 - 467	1	28,00
Aluminium	Black Line		
OUTDOOR			
NEW 169026-009-91-82	461 - 467	1	28,00



MOD 9026


Aluminium	Mill finish		€ / pc.
169026-009-92-00	461 - 467	1	25,40
Aluminium	Brushed, anodised		
OUTDOOR			
169026-009-92-18	461 - 467	1	29,30
Aluminium	Powder coated RAL 7016, textured		
OUTDOOR			
169026-009-92-33	461 - 467	1	28,00
Aluminium	Black Line		
OUTDOOR			
NEW 169026-009-92-82	461 - 467	1	28,00





EASY ALU

Baluster posts, fascia mount




Please refer to the respective certificates and static calculations for specifications such as mounting details, glass dimensions and glass types.

Calculations – baluster posts, fascia mount

Railing height (H) + 140 mm = baluster post height (Hp)

Railing height (H)	Baluster post height (Hp)
900 mm	1040 mm
1000 mm	1140 mm
1100 mm	1240 mm
1200 mm	1340 mm




MOD 0561


Aluminium	Mill finish	Hp		€/ pc.
160561-104-00		1040	1	28,25
160561-114-00		1140	1	28,95
160561-124-00		1240	1	31,30
160561-134-00		1340	1	32,50
Aluminium	Brushed, anodised			
OUTDOOR				
160561-104-18		1040	1	32,50
160561-114-18		1140	1	33,30
160561-124-18		1240	1	36,10
160561-134-18		1340	1	37,45
Aluminium	Powder coated RAL 7016			
OUTDOOR				
160561-104-33		1040	1	31,10
160561-114-33		1140	1	31,85
160561-124-33		1240	1	34,50
160561-134-33		1340	1	35,75




Q-INFO



Q-INFO




Baluster brackets, fascia mount



Inner corner




Left / right



MOD 9028


Aluminium	Mill finish		€ / pc.
169028-120-00-00	461 - 467	1	23,05
Aluminium	Matt silver effect, anodised		
169028-120-00-08	461 - 467	1	25,35
Aluminium	Powder coated RAL 7016, textured		
169028-120-00-33	461 - 467	1	25,35



Outer corner



Left / right



MOD 9028


Aluminium	Mill finish		€ / pc.
169028-120-90-00	461 - 467	1	37,80
Aluminium	Matt silver effect, anodised		
169028-120-90-08	461 - 467	1	41,55
Aluminium	Powder coated RAL 7016, textured		
169028-120-90-33	461 - 467	1	41,55



End caps for baluster posts, fascia mount



Bottom




MOD 5743 - EASY HIT®

Plastic	White aluminium RAL 9006		€ / pc.
155743-36		2	5,75
Plastic	Anthracite grey RAL 7016		
155743-33		2	5,75




Q-INFO MOD 9028




Q-INFO Plastic




Q-INFO Aluminium




Q-INFO MOD 5743 / 9028




Q-INFO MOD 9028-120-00 / 9028-120-90



Q-INFO MOD 9028-120-90




Glass rails



MOD 5951

Aluminium	Mill finish			€/ pc.
165951-050-00	QS-267	475	L = 5 m	65,65
Aluminium	Brushed, anodised			
OUTDOOR				
165951-050-18	QS-267	475	L = 5 m	75,50
Aluminium	Powder coated RAL 7016, textured			
OUTDOOR				
165951-050-33	QS-267	475	L = 5 m	72,20
Aluminium	Black Line			
OUTDOOR				
NEW 165951-050-82	QS-267	475	L = 5 m	72,20




MOD 5952

Aluminium	Mill finish			€/ pc.
165952-050-00	QS-267	475	L = 5 m	81,45
Aluminium	Brushed, anodised			
OUTDOOR				
165952-050-18	QS-267	475	L = 5 m	93,75
Aluminium	Powder coated RAL 7016, textured			
OUTDOOR				
165952-050-33	QS-267	475	L = 5 m	89,65
Aluminium	Black Line			
OUTDOOR				
NEW 165952-050-82	QS-267	475	L = 5 m	89,65



Glass Wing rubbers




MOD 5114

Accessories				
For monolithic glass	U	T		€/ pc.
205114-050-08	14	8	L = 5 m	31,05
205114-050-10	14	10	L = 5 m	31,05
For laminated glass				
205114-050-08	14	8,76	L = 5 m	31,05
205114-050-10	14	9,52 - 10,76	L = 5 m	31,05

International Design Model Protection

Adapters for glass rails




MOD 5960


Aluminium	Mill finish			€/ pc.
165960-00	QS-268	475	4	3,50
Aluminium	Brushed, anodised			
OUTDOOR				
165960-18	QS-268	475	4	5,15
Aluminium	Powder coated RAL 7016, textured			
OUTDOOR				
165960-33	QS-268	475	4	4,55
Aluminium	Black Line			
OUTDOOR				
NEW 165960-82	QS-268	475	4	4,55



Q-INFO | MOD 5952




Q-INFO | MOD 5951 / 5952 / 5960





Q-INFO | MOD 5960




Handrail profiles

**MOD 5950**


Aluminium	Mill finish		€/pc.
		 L = 5 m	65,65
Aluminium	Brushed, anodised		
OUTDOOR			
		L = 5 m	75,50
Aluminium	Powder coated RAL 7016, textured		
OUTDOOR			
		L = 5 m	72,20
Aluminium	Black Line		
OUTDOOR			
NEW		L = 5 m	72,20

**MOD 5953**

Aluminium	Mill finish		€/pc.
		 L = 5 m	94,50
Aluminium	Brushed, anodised		
OUTDOOR			
		L = 5 m	104,75
Aluminium	Powder coated RAL 7016, textured		
OUTDOOR			
		L = 5 m	98,50
Aluminium	Black Line		
OUTDOOR			
		L = 5 m	98,50

**Q-INFO Aluminium**

00




Mill finish



18

Brushed,
anodised


33 RAL 7016

Powder coated
Anthracite grey,
matt, textured

82 RAL 9005

Powder coated
Black, matt,
textured**Q-INFO****Q-INFO**


Cover caps for connectors



MOD 5790

Plastic	White aluminium RAL 9006		
OUTDOOR			€/ pc.
155790-36		2	5,75
Plastic	Anthracite grey RAL 7016		
OUTDOOR			
155790-33		2	5,75
Plastic	Black RAL 9005		
OUTDOOR			
NEW 155790-80		2	5,75

90° corner



MOD 5314


Plastic	White aluminium RAL 9006		
OUTDOOR			€/ pc.
155314-36		2	6,10
Plastic	Anthracite grey RAL 7016		
OUTDOOR			
155314-33		2	6,10
Plastic	Black RAL 9005		
OUTDOOR			
NEW 155314-80		2	6,10

Connectors

Adjustable

2x per corner / connection

0 - 90°



MOD 5313

Aluminium	Mill finish		
			€/ pc.
165313		2	11,70



Q-INFO Plastic

36 RAL 9006

White aluminium satin, plain


33 RAL 7016

Anthracite grey, matt, plain


80 RAL 9005

Black, satin, textured


Q-INFO MOD 5313 / 5314



Q-INFO MOD 5313 / 5790



End caps for handrail profiles




MOD 5742 - EASY HIT®

Aluminium	Mill finish		€/ pc.
165742-00		2	18,35
Aluminium	Brushed, anodised		
OUTDOOR			
165742-18		2	21,00
Aluminium	Powder coated RAL 7016, textured		
OUTDOOR			
165742-33		2	20,15
Aluminium	Black Line		
OUTDOOR			
NEW 165742-82		2	20,15

PREFIX



Wall flanges




MOD 5505


Aluminium	Mill finish		€/ pc.
165505	QS-267 475 / QS-87 474	2	11,75




Q-INFO MOD 5742




Q-INFO MOD 5505



Q-INFO MOD 5742



End caps for handrail profiles




Left

MOD 5744

Aluminium	Mill finish		€/ pc.
			
165744-01-00		2	19,50
Aluminium	Brushed, anodised		
OUTDOOR			
165744-01-18		2	22,30
Aluminium	Powder coated RAL 7016, textured		
OUTDOOR			
165744-01-33		2	21,50
Aluminium	Black Line		
OUTDOOR			
165744-01-82		2	21,50

NEW







Right

MOD 5744

Aluminium	Mill finish		€/ pc.
			
165744-02-00		2	19,50
Aluminium	Brushed, anodised		
OUTDOOR			
165744-02-18		2	22,30
Aluminium	Powder coated RAL 7016, textured		
OUTDOOR			
165744-02-33		2	21,50
Aluminium	Black Line		
OUTDOOR			
165744-02-82		2	21,50

NEW

Q-INFO Aluminium

00	18	33 RAL 7016	82 RAL 9005
			
Mill finish	Brushed, anodised	Powder coated Anthracite grey, matt, textured	Powder coated Black, matt, textured

Q-INFO




Picket rail infill

Convert your Easy Alu baluster railing system into a Juliet balcony with a picket rail look.
Available on request

Metal plate infill

Give your baluster railing system a modern, solid look by adding metal plate infills.
Available on request



YOUR ORDERING OPTIONS

Option

1 READY TO INSTALL MODULES

WE:

- Do all the necessary cutting and drilling.
- Get you the exact material finish you prefer (brushed anodised, mill finished or powder-coated in any RAL colour).
- Preassemble everything.
- Send you modules completed to your exact specifications.

YOU:

- Position the modules on site.
- Anchor the modules to the floor.
- Click the handrail on top.



Option

2 PREFABRICATED SINGLE COMPONENTS

WE:

- Do all the necessary cutting and drilling.
- If required, do any powder-coating.
- Send you the components per your exact specifications.

YOU:

- Preassemble modules from the components.
- Position the modules on site and anchor them to the floor.
- Click the handrail on top.



Option

3 STANDARD SINGLE COMPONENTS

WE:

- Send you the standard components.


YOU:

- Do the cutting, drilling and – if you wish – powder-coating.
- Preassemble modules from the components.
- Position the modules on site and anchor them to the floor.
- Click the handrail on top.





Find all information about Square Line® 40x10 online:




<https://q-ne.ws/SquareLine41-23>

SQUARE LINE®

40x10

Handrails

Handrail brackets



MOD 4134

	304 Satin				€/pc.		
INDOOR	For tube						
134134-041-12	40 x 10 x 1,5	QS-35	471 / QS-3	475	2	22,65	
304 Black Line							
INDOOR							
NEW	134134-041-82	40 x 10 x 1,5	QS-35	471 / QS-3	475	2	29,45
316 Satin							
OUTDOOR							
SELL OUT	144134-041-12	40 x 10 x 1,5	QS-34	471 / QS-4	475	2	29,45




International Design Model Protection

Handrails

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.




MOD 4900


	304 Satin			€/pc.	
INDOOR					
134900-041-25-12	40 x 10 x 1,5		L = 2,5 m	36,80	
134900-041-50-12	40 x 10 x 1,5		L = 5 m	73,60	
304 Black Line					
INDOOR					
NEW	134900-041-50-82	40 x 10 x 1,5		L = 5 m	123,60
316 Satin					
OUTDOOR					
SELL OUT	144900-041-25-12	40 x 10 x 1,5		L = 2,5 m	50,40
SELL OUT	144900-041-50-12	40 x 10 x 1,5		L = 5 m	100,85



Q-INFO | MOD 4134 / 4900




Q-INFO | MOD 4900





Find all information about
Square Line® 40x20 online:



[https://q-ne.ws/
SquareLine42-23](https://q-ne.ws/SquareLine42-23)


SQUARE LINE® 40x20

SLEEK AND ELEGANT
HANDRAILS

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 4900

304

Satin

INDOOR



€/ pc.

134900-020-50-12 40 x 20 x 2,0

L = 5 m

99,80

316

Satin

OUTDOOR

NEW 144900-020-50-12 40 x 20 x 2,0


L = 5 m

134,75

PREFIX



End caps



MOD 5728 - EASY HIT®

304

Satin

INDOOR

For tube □



€/ pc.

135728-020-12 40 x 20 x 2,0

2

5,30

316

Satin

OUTDOOR


NEW 145728-020-12 40 x 20 x 2,0

2

6,90



Wall flanges



MOD 4504

304

Satin

INDOOR

For tube □



€/ pc.

134504-020-12 40 x 20 x 2,0

QS-55 474 / QS-26 476

2

21,45

316

Satin

OUTDOOR

144504-020-12 40 x 20 x 2,0

QS-55 474 / QS-27 476


2

28,55

NEW



Connectors



MOD 5794 - EASY HIT®

316

Raw

OUTDOOR

For tube □




€/ pc.

145794-020 40 x 20 x 2,0

2

12,40

NEW



MOD 4301

304

Satin

INDOOR

For tube □



€/ pc.

134301-020-12 40 x 20 x 2,0

2

17,45

316

Satin

OUTDOOR

144301-020-12 40 x 20 x 2,0

2

21,70

NEW




Connectors

Adjustable



0-70°



MOD 4312

304

Satin

INDOOR

For tube □



€/ pc.

134312-020-12 40 x 20 x 2,0

2

24,80

316

Satin

OUTDOOR

144312-020-12 40 x 20 x 2,0


2

31,35

NEW




Q-INFO MOD 4900



Handrails

Handrail brackets Adjustable Baluster post mounting

For flat tube



MOD 4133

304 Satin

INDOOR


SELL OUT	134133-000-12	QS-55 474 / QS-21 476 / QS-12 476	2	€ / pc.
				26,30



Handrails

Handrail brackets Adjustable Glass mounting

For flat tube



MOD 4155

304 Satin

INDOOR


SELL OUT	134155-000-12	QS-12 476	2	€ / pc.
				38,00



Handrails

Handrail brackets Adjustable Wall mounting

For flat tube



MOD 4145

304 Satin

INDOOR

SELL OUT	134145-000-12	QS-1 475 / QS-12 476	2	€ / pc.
				27,80

316 Satin

OUTDOOR


SELL OUT	144145-000-12	QS-2 475 / QS-13 476	2	€ / pc.
				36,15



Handrails

Handrail brackets Wall mounting

For flat tube



MOD 4121

304 Satin

INDOOR

SELL OUT	134121-000-12	QS-1 475 / QS-54 476	2	€ / pc.
				19,25

316 Satin


OUTDOOR

SELL OUT	144121-000-12	QS-2 475 / QS-70 476	2	€ / pc.
				25,10


NEW




Q-INFO MOD 4155




Q-INFO



Q-INFO MOD 4133 / 4155 / 4145



For flat tube




MOD 4111

304	Satin			
INDOOR				
134111-000-12	QS-1	475 / QS-54	476	2
				€ / pc.
				19,25
316	Satin			
OUTDOOR				
NEW 144111-000-12	QS-2	475 / QS-70	476	2
				€ / pc.
				25,10



For flat tube




MOD 4112


304	Satin			
INDOOR				
134112-000-12	QS-5	475 / QS-54	476	2
				€ / pc.
				19,25
316	Satin			
OUTDOOR				
NEW 144112-000-12	QS-6	475 / QS-70	476	2
				€ / pc.
				25,10



Q-INFO MOD 4111



Q-INFO MOD 4111 / 4112





Designed for: Light and medium use
Use: Indoor and outdoor
Variants: Top, in-floor and fascia mount
Applications: Balconies, galleries, walkways, dividers, stairs and Juliet balconies
Material: Stainless steel 304 and 316 (satin or powder coated RAL 9005 black)

Find all information about Square Line® 40x40 online:



<https://q-ne.ws/SquareLine44-23>

SQUARE LINE® 40x40



For a pared-down, contemporary look

Square Line® 40x40 proves that great design doesn't have to be complicated. Its simple lines and stainless finish bring a smart, unfussy look to railings and stair-rails. Square Line is highly modular, so you can combine it with parts from other Q-railing baluster railing systems such as round handrails.

Internationally tested/calculated/certified:




- 1 This system provides a wide selection of infills, including glass, bars, web and cable.
- 2 Choose from different LED options for handrails.
- 3 Creates a contemporary look thanks to its industrial design.



SQUARE LINE® 40x40 INFILLS

Glass

- Glass frame tube
- Glass clamps
- Glass adapters
- Glass holders



390 - 394

Bar and tube


- Horizontal infills
- Vertical infills



395 - 407

Cable


- Fast Fix Ø 3,2 mm
- Fast Fix Ø 4,0 mm
- Easy Fix Ø 3,2 mm
- Easy Fix Ø 6,0 mm



408 - 415

Web


- Easy Q-web



416 - 419

Plate


- Plate adapters



420 - 423

Posts

Baluster posts




MOD 4921

	304 Satin				€/ pc.
INDOOR	<input type="checkbox"/>				
134921-040-12	40 x 40 x 2,0	Q5-59	471	1	77,05
316 Satin					
OUTDOOR	<input type="checkbox"/>				
144921-040-12	40 x 40 x 2,0	Q5-58	471	1	97,45




Posts

Baluster post tubes



MOD 4901

	304 Satin				€/ pc.
INDOOR	<input type="checkbox"/>				
134901-040-12	40 x 40 x 2,0			1	35,55



Posts

Cover caps




MOD 4511

	304 Satin				€/ pc.
INDOOR	<input type="checkbox"/>	H			
134511-040-12	108	25	2		14,15
316 Satin					
OUTDOOR	<input type="checkbox"/>				
144511-040-12	108	25	2		21,15

Posts

Base flanges

For stairs




MOD 4546


	304 Satin				€/ pc.
INDOOR	<input type="checkbox"/>	For tube	<input type="checkbox"/>	H	
134546-040	40 x 40 x 2,0	100	1		58,90




Q-INFO | MOD 4921 / 4901 / 4546




Q-INFO | MOD 4921 / 4901




Q-INFO | MOD 4546 / 4901






MOD 4972

304	Satin				
INDOOR					€/ pc.
134972-040-01-12	40 x 40 x 2,0	QS-59	471	1	89,95
304	Black Line				
INDOOR					
NEW 134972-040-01-82	40 x 40 x 2,0	QS-59	471	1	116,95
316	Satin				
OUTDOOR					
144972-040-01-12	40 x 40 x 2,0	QS-58	471	1	117,45



MOD 4972

304	Satin				
INDOOR					€/ pc.
134972-040-02-12	40 x 40 x 2,0	QS-59	471	1	89,95
316	Satin				
OUTDOOR					
144972-040-02-12	40 x 40 x 2,0	QS-58	471	1	117,45



MOD 4972

304	Satin				
INDOOR					€/ pc.
134972-040-90-12	40 x 40 x 2,0	QS-59	471	1	89,95
316	Satin				
OUTDOOR					
144972-040-90-12	40 x 40 x 2,0	QS-58	471	1	117,45




Cover caps




MOD 4511

304	Satin				
INDOOR		H			€/ pc.
134511-040-12	108	25	2		14,15
304	Black Line				
INDOOR					
NEW 134511-040-82	108	25	2		18,40
316	Satin				
OUTDOOR					
144511-040-12	108	25	2		21,15

Q-INFO



Q-INFO MOD 4972



Q-INFO 304



12

Satin

82 RAL 9005

Black, matt, textured


Powder coated

Posts

Base flanges

Adjustable angle

For glue connection



MOD 4943

304 Satin		For tube □	Q5-63	468	1	€ / pc.
INDOOR	134943-040-12	40 x 40 x 2,0	Q5-63	468	1	90,80
316 Satin						
OUTDOOR	144943-040-12	40 x 40 x 2,0	Q5-62	468	1	116,90



International Design Model Protection

Posts

Cover caps




MOD 4511

304 Satin		□	H		2	€ / pc.
INDOOR	134511-040-12	108	25		2	14,15
316 Satin						
OUTDOOR	144511-040-12	108	25		2	21,15

Posts

Base flanges

For glue connection



MOD 4942


304 Satin		For tube □	Q5-59	471	2	€ / pc.
INDOOR	134942-040	40 x 40 x 2,0	Q5-59	471	2	32,65
316 Satin						
OUTDOOR	144942-040	40 x 40 x 2,0	Q5-58	471	2	40,80



International Design Model Protection

Posts


Flanges for baluster posts



MOD 4940


304 Raw		□	∅	Q5-59	471	2	€ / pc.
INDOOR	134940-040	100	11	Q5-59	471	2	28,25
316 Raw							
OUTDOOR	144940-040	100	11	Q5-58	471	2	36,75

Q-INFO MOD 4942 / 4901 / 4511




SELL OUT Only while supplies last.

Q-INFO MOD 4943




Baluster brackets



MOD 4558

304 Satin		316 Satin		€/pc.
INDOOR	For tube □	INDOOR	For tube □	
134558-040-12	40 x 40	144558-040-12	40 x 40	81,00
QS-63	468	QS-62	468	
	1		1	




MOD 4551

304 Satin		316 Satin		€/pc.
INDOOR	For tube □	INDOOR	For tube □	
134551-040-12	40 x 40	144507-040-12	40 x 40	35,05
QS-33	468	QS-33	468	
	1		1	





MOD 0554

304 Satin		316 Satin		€/pc.
INDOOR	For tube □	INDOOR	For tube □	
130554-040-12	40 x 40	140554-040-12	40 x 40	29,40
SELL OUT	2		2	




MOD 4507

304 Satin		316 Satin		€/pc.
INDOOR	For tube □	INDOOR	For tube □	
134507-040-12	40 x 40	144507-040-12	40 x 40	35,05
	2		2	




For flat tube

**MOD 4710**

304 Satin								
INDOOR	For tube □			€ / pc.				
134710-000-00-12	40 x 40 x 2,0	QS-12	476	2	19,00			
304 Black Line								
INDOOR								
134710-000-00-82	40 x 40 x 2,0	QS-12	476	2	24,70			
316 Satin								
OUTDOOR								
144710-000-00-12	40 x 40 x 2,0	QS-13	476	2	24,70			




For flat tube to round tube

**MOD 4710**

304 Satin							
INDOOR	∅	For tube □			€ / pc.		
134710-042-00-12	42,4	40 x 40 x 2,0	QS-10	476	2	19,00	
134710-048-00-12	48,3	40 x 40 x 2,0	QS-10	476	2	19,00	
316 Satin							
OUTDOOR							
144710-042-00-12	42,4	40 x 40 x 2,0	QS-11	476	2	24,70	
144710-048-00-12	48,3	40 x 40 x 2,0	QS-11	476	2	24,70	




For flat tube

**MOD 4710**





304 Satin								
INDOOR	For tube □			€ / pc.				
134710-000-90-12	40 x 40 x 2,0	QS-12	476	2	19,00			
316 Satin								
OUTDOOR								
144710-000-90-12	40 x 40 x 2,0	QS-13	476	2	24,70			




For flat tube to round tube

**MOD 4710**

304 Satin							
INDOOR	∅	For tube □			€ / pc.		
134710-042-90-12	42,4	40 x 40 x 2,0	QS-10	476	2	19,00	
316 Satin							
OUTDOOR							
144710-042-90-12	42,4	40 x 40 x 2,0	QS-11	476	2	24,70	

**Q-INFO** | MOD 4710-000-00 / 4710-04x-00**Q-INFO** | MOD 4710-000-90 / 4710-042-90**Q-INFO** | 304**Q-INFO** | MOD 4710-000-90**Q-INFO** | MOD 4710-042-90

For flat tube




MOD 4718

304 Satin				€ / pc.
INDOOR	For tube □			
134718-000-12	40 x 40 x 2,0	QS-12 476	2	19,00
316 Satin				
OUTDOOR				
144718-000-12	40 x 40 x 2,0	QS-13 476	2	24,70



For flat tube to round tube




MOD 4718

304 Satin				€ / pc.	
INDOOR	∅	For tube □			
134718-042-12	42,4	40 x 40 x 2,0	QS-10 476	2	19,00
134718-048-12	48,3	40 x 40 x 2,0	QS-10 476	2	19,00
316 Satin					
OUTDOOR					
144718-042-12	42,4	40 x 40 x 2,0	QS-11 476	2	24,70

SELL OUT




Q-INFO



SELL OUT Only while supplies last.

For flat tube

**MOD 4727****304**


Satin

INDOOR	For tube □			€/ pc.
134727-12	40 x 40 x 2,0	QS-26	2	10,60

316


Satin

OUTDOOR	For tube □			€/ pc.
144727-12	40 x 40 x 2,0	QS-27	2	14,30

**MOD 4811****304**



Satin

INDOOR			€/ pc.
134811	QS-48	2	7,60

**MOD 1810**
 341**MOD 1801**
 341**MOD 1802**
 341**MOD 4733- EASY HIT®****304**

Satin

INDOOR	For tube □		€/ pc.
134733	40 x 40 x 2,0	2	9,65

**Q-INFO** | MOD 4727**Q-INFO** | MOD 4733 / 4811

Handrail brackets


Adjustable

Baluster post mounting

For flat tube



For flat tube to round tube



MOD 4133

304 Satin

INDOOR

SELL OUT	134133-000-12	QS-55	474 / QS-21	476 / QS-12	476	2	€/pc.
							26,30



MOD 4133

304 Satin

INDOOR

SELL OUT	134133-042-12	42,4	QS-55	474 / QS-21	476 / QS-10	476	2	€/pc.
								26,30




Handrail brackets

Adjustable

Glass mounting

For flat tube



MOD 4155

304 Satin


INDOOR

SELL OUT	134155-000-12	QS-12	476	2	€/pc.
					38,00




Only while supplies last.


Q-INFO



Q-INFO MOD 4155



For flat tube




MOD 4111

304	Satin			€/ pc.	
INDOOR					
134111-000-12	QS-1	475 / QS-54	476	2	19,25
316					
OUTDOOR					
144111-000-12	QS-2	475 / QS-70	476	2	25,10



For round tube




MOD 4111


304	Satin			€/ pc.		
INDOOR						
134111-042-12	42,4	QS-1	475 / QS-54	476	2	19,25



Q-INFO | MOD 4111-042




Q-INFO | MOD 4111-042



Handrail brackets

Wall mounting

For flat tube




MOD 4121

304 Satin				€/ pc.
INDOOR				
134121-000-12	QS-1 475 / QS-54 476	2		19,25
316 Satin				
OUTDOOR				
144121-000-12	QS-2 475 / QS-70 476	2		25,10



For flat tube



MOD 4112


304 Satin				€/ pc.
INDOOR				
134112-000-12	QS-5 475 / QS-54 476	2		19,25
316 Satin				
OUTDOOR				
NEW 144112-000-12	QS-6 475 / QS-70 476	2		25,10



Handrail brackets

Adjustable Wall mounting

For flat tube




MOD 4145

304 Satin				€/ pc.
INDOOR				
134145-000-12	QS-1 475 / QS-12 476	2		27,80
316 Satin				
OUTDOOR				
SELL OUT 144145-000-12	QS-2 475 / QS-13 476	2		36,15



For round tube




MOD 4145

304 Satin				€/ pc.
INDOOR				
134145-042-12	42,4 QS-1 475 / QS-10 476	2		27,80



Q-INFO MOD 4145



SELL OUT Only while supplies last.

Handrails

End caps



MOD 5728 - EASY HIT®

304 Satin		For tube □	⊞	€/pc.
INDOOR				
135728-040-12	40 x 40 x 2,0		2	6,35
304 Black Line				
INDOOR				
NEW 135728-040-82	40 x 40 x 2,0		2	8,25
316 Satin				
OUTDOOR				
145728-040-12	40 x 40 x 2,0		2	8,20




Handrails

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.




MOD 4900

304 Satin		For tube □	⊞	€/pc.
INDOOR				
134900-040-25-12	40 x 40 x 2,0		L = 2,5 m	72,55
134900-040-50-12	40 x 40 x 2,0		L = 5 m	145,10
304 Black Line				
INDOOR				
NEW 134900-040-50-82	40 x 40 x 2,0		L = 5 m	188,65
316 Satin				
OUTDOOR				
144900-040-25-12	40 x 40 x 2,0		L = 2,5 m	97,45
144900-040-50-12	40 x 40 x 2,0		L = 5 m	194,90



Handrails

Connectors



MOD 5794 - EASY HIT®

316 Raw		For tube □	⊞	€/pc.
OUTDOOR				
145794-040	40 x 40 x 2,0		2	17,80



International Design Model Protection




MOD 4790


304 Satin		For tube □	⊞	€/pc.
INDOOR				
134790-040-12	40 x 40 x 2,0		2	13,45
316 Satin				
OUTDOOR				
144790-040-12	40 x 40 x 2,0		2	17,80



Q-INFO | MOD 5794-040




Q-INFO | MOD 4900



Q-INFO | 304




Connectors



MOD 4301

304 Satin				
INDOOR	For tube □		€ / pc.	
134301-040-12	40 x 40 x 2,0	2	18,80	
316 Satin				
OUTDOOR				
144301-040-12	40 x 40 x 2,0	2	24,45	




MOD 4304

304 Satin				
INDOOR	For tube □		€ / pc.	
134304-12	40 x 40 x 2,0	2	22,30	
316 Satin				
OUTDOOR				
144304-12	40 x 40 x 2,0	2	28,95	




Connectors

Adjustable




MOD 4317

304 Satin				
INDOOR	For tube □		€ / pc.	
134317-01	40 x 40 x 2,0	2	45,75	



MOD 4317

304 Satin				
INDOOR	For tube □		€ / pc.	
134317-02	40 x 40 x 2,0	2	45,75	




MOD 4312

304 Satin				
INDOOR	For tube □		€ / pc.	
134312-040-12	40 x 40 x 2,0	2	27,15	
316 Satin				
OUTDOOR				
144312-040-12	40 x 40 x 2,0	2	35,35	



Wall flanges




MOD 4505


304 Satin				
INDOOR	For tube □		€ / pc.	
134505-040-12	40 x 40 x 2,0	QS-5 475	2	22,40
316 Satin				
OUTDOOR				
144505-040-12	40 x 40 x 2,0	QS-6 475	2	29,15



Q-INFO MOD 4317-01



Q-INFO MOD 4317-02





Designed for: Light to heavy use
Use: Indoor and outdoor
Variants: Top, in-floor and fascia mount
Applications: Balconies, galleries, walkways, dividers, stairs and Juliet balconies
Material: Stainless steel 316 (satin or powder coated RAL 9005 black)

Find all information about Square Line® 60x30 online:



<https://q-ne.ws/SquareLine63-23>

SQUARE LINE® 60x30



A simple design that delivers on strength

Square Line® 60x30 has an uncompromising look – ideal for when you want to make a bold statement. The system's stainless balusters and handrail assert themselves with simple geometric forms and are suitable for settings with a high-safety demand.

Square Line® 60x30	PL
Max. line loads (kN/m)	3,0
Max. post distance (meter)	1,4

Please refer to the respective certificates for specifications such as mounting details, glass dimensions and glass types.

Internationally tested/calculated/certified:



- 1 The extra-strong post makes Square Line® 60x30 ideal when you need a more robust balustrade.
- 2 Creates a contemporary look thanks to its industrial design.



SQUARE LINE® 60x30 INFILLS

Glass

- Glass frame tube
- Glass clamps
- Glass adapters
- Glass holders



390 - 394

Bar and tube


- Horizontal infills
- Vertical infills



395 - 407

Cable


- Fast Fix Ø 3,2 mm
- Fast Fix Ø 4,0 mm
- Easy Fix Ø 3,2 mm
- Easy Fix Ø 6,0 mm



408 - 415

Web


- Easy Q-web



416 - 419

Plate


- Plate adapters



420 - 423

Posts

Baluster posts




MOD 4901

316	Satin				
OUTDOOR					
144901-063-12	60 x 30 x 2,6	QS-559 469	1	€ / pc.	137,90
316	Black Line				
OUTDOOR					
NEW 144901-063-82	60 x 30 x 2,6	QS-559 469	1	€ / pc.	179,25



Posts

Baluster post tubes




MOD 4902

316	Satin				
OUTDOOR					
144902-063-12	60 x 30 x 2,6		1	€ / pc.	108,25

PREFIX

Posts

Cover caps



MOD 4513

316	Satin				
OUTDOOR					
144513-063-12			2	€ / pc.	23,45
316	Black Line				
OUTDOOR					
NEW 144513-063-82			2	€ / pc.	30,50




MOD 4512

316	Satin				
OUTDOOR					
144512-063			2	€ / pc.	14,35

Posts

Flanges for baluster posts




MOD 3503

316	Raw				
OUTDOOR					
143503-063		QS-559 469	2	€ / pc.	47,15




Q-INFO MOD 4901 / 4902




Q-INFO 316




Q-INFO MOD 4901 / 4513



Q-INFO MOD 4902 / 4512



Baluster brackets



MOD 4558


316	Satin				
OUTDOOR					€/ pc.
144558-063-12	60 x 30	QS-559	469	1	99,90

316	Black Line				
OUTDOOR					
NEW 144558-063-82	60 x 30	QS-559	469	1	129,85



International Design Model Protection

End caps



MOD 5728 - EASY HIT®

316	Satin				
OUTDOOR		For			€/ pc.
145728-063-12	60 x 30 x 2,6			2	19,50




International Design Model Protection

Tubes

Q-TUBE **DISCOUNT**

Ask for your personal discount or check your price in our online shop.




MOD 4900

316	Satin				
OUTDOOR					€/ pc.
144900-063-50-12	60 x 30 x 2,6			L = 5 m	294,35



Handrail adapters



MOD 4725


316	Satin				
OUTDOOR		For			€/ pc.
144725-12	60 x 30 x 2,6	QS-48	476	2	22,90




MOD 0811	MOD 0812	MOD 4811
339	339	300

MOD 1810	MOD 1801	MOD 1802
341	341	341


Q-INFO MOD 4725




Q-INFO MOD 4900



Q-INFO MOD 4558



For flat tube



MOD 4711

316

Satin

OUTDOOR	For □	QS-13	476	2	€/ pc.
144711-000-12	60 x 30 x 2,6	QS-13	476	2	31,90


316

Black Line

OUTDOOR	For □	QS-13	476	2	€/ pc.
144711-000-82	60 x 30 x 2,6	QS-13	476	2	41,45



For flat tube to round tube



MOD 4711

316

Satin

OUTDOOR	∅	For □	QS-13	476	2	€/ pc.
144711-042-12	42,4	60 x 30 x 2,6	QS-13	476	2	31,90
144711-048-12	48,3	60 x 30 x 2,6	QS-13	476	2	31,90

SELL OUT

316


Black Line

OUTDOOR	∅	For □	QS-13	476	2	€/ pc.
144711-042-82	42,4	60 x 30 x 2,6	QS-13	476	2	41,45

NEW



For flat tube



MOD 4719


316

Satin

OUTDOOR	For □	QS-13	476	2	€/ pc.
144719-000-12	60 x 30 x 2,6	QS-13	476	2	35,05



For flat tube to round tube



MOD 4719

316

Satin


OUTDOOR	∅	For □	QS-13	476	2	€/ pc.
144719-042-12	42,4	60 x 30 x 2,6	QS-13	476	2	35,05
144719-048-12	48,3	60 x 30 x 2,6	QS-13	476	2	35,05

SELL OUT




SELL OUT Only while supplies last.

Q-INFO MOD 4711




Q-INFO MOD 4719



Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 4900

316

Satin

OUTDOOR			€/pc.
144900-062-25-12	60 x 20 x 2,0	L = 2,5 m	105,50
144900-062-50-12	60 x 20 x 2,0	L = 5 m	210,95

316

Black Line

OUTDOOR			€/pc.
NEW 144900-062-50-82	60 x 20 x 2,0	L = 5 m	260,95




International Design Model Protection

Connectors

Adjustable



0 - 70°



MOD 4312

316


Satin

OUTDOOR	For tube		€/pc.
144312-062-12	60 x 20 x 2,0	2	42,15



International Design Model Protection

Connectors



MOD 5794 - EASY HIT®


316

Raw

OUTDOOR	For tube		€/pc.
145794-062	60 x 20 x 2,0	2	18,45



International Design Model Protection



MOD 4301

316

Satin

OUTDOOR	For tube		€/pc.
144301-062-12	60 x 20 x 2,0	2	38,00

316


Black Line

NEW

144301-062-82	60 x 20 x 2,0	2	49,40
---------------	---------------	---	-------



End caps



MOD 5728 - EASY HIT®

316

Satin

OUTDOOR	For tube		€/pc.
145728-062-12	60 x 20 x 2,0	2	17,65

316


Black Line

OUTDOOR			€/pc.
NEW 145728-062-82	60 x 20 x 2,0	2	22,95



International Design Model Protection

Wall flanges



MOD 4504


316

Satin


OUTDOOR	For tube		€/pc.
144504-062-12	60 x 20 x 2,0	QS-55 474 / QS-27 476	2 31,70



Q-INFO MOD 5794



Q-INFO MOD 4900



Q-INFO 316





Designed for:

Light to heavy use

Use:

Indoor and outdoor

Variants:

Top, in-floor and fascia mount

Applications:

Balconies, galleries, walkways, dividers, stairs and Juliet balconies

Material:

Stainless steel 304 and 316 (satin, mirror polished or powder coated RAL 9005 black)

Find all information about Q-line online:



[https://q-ne.ws/
QLine23](https://q-ne.ws/QLine23)

Q-LINE




A system that provides endless options

Q-line is, without doubt, our most versatile system. It comes with a mass of different components that can deal with most architectural challenges, and just about any special requirement. You can even create a railing with a totally polished finish. Or how about bringing in some parts from other systems to create a totally unique design? Let your imagination run wild.

Internationally tested/calculated/certified:



- 1 The Q-line range is extremely versatile, with various surface and infill options, top and fascia mounting and even stair solutions.
- 2 Q-line also provides a double-walled post (top and fascia), which lets you create a round-posted balustrade that can resist higher line loads.



Q-LINE INFILLS

Glass

- Glass frame tube
- Glass clamps
- Glass adapters
- Glass holders



▣ 390 - 394

Bar and tube


- Horizontal infills
- Vertical infills



▣ 395 - 407

Cable


- Fast Fix Ø 3,2 mm
- Fast Fix Ø 4,0 mm
- Easy Fix Ø 3,2 mm
- Easy Fix Ø 6,0 mm



▣ 408 - 415

Web


- Easy Q-web



▣ 416 - 419


Plate

- Plate adapters



▣ 420 - 423

Baluster posts



MOD 0921

304		Satin							
INDOOR	Ø	H	B			€/ pc.			
130921-242-12	42,4 x 2,0	989	75	QS-59	471	1	51,80		
130921-248-12	48,3 x 2,0	989	80	QS-59	471	1	67,35		
316		Satin							
OUTDOOR									
140921-242-12	42,4 x 2,0	989	75	QS-58	471	1	72,85		
140921-248-12	48,3 x 2,0	989	80	QS-58	471	1	83,60		
316		Mirror polished							
OUTDOOR									
140921-242-10	42,4 x 2,0	989	75	QS-58	471	1	90,60		


MOD 0944

316		Satin							
OUTDOOR	Ø	H	B			€/ pc.			
140944-242-12	42,4 x 2,0	1150	75	QS-58	471	1	80,35		
140944-248-12	48,3 x 2,0	1150	80	QS-58	471	1	94,50		

PREFIX



Flanges for baluster posts



MOD 0940


304		Raw							
INDOOR	Ø	B	D			€/ pc.			
130940-042	42,4	75	100	QS-59	471	2	11,05		
130940-048	48,3	80	100	QS-59	471	2	11,65		
316		Raw							
OUTDOOR									
140940-042	42,4	75	100	QS-58	471	2	14,85		
140940-048	48,3	80	100	QS-58	471	2	15,35		

MOD 0941

316		Raw							
OUTDOOR	Ø	B	D			€/ pc.			
140941-048	48,3	90	120	QS-58	471	2	22,40		



Cover caps



MOD 0512

304		Satin							
INDOOR	Ø	D		€/ pc.					
130512-042-12	42,4	105	2	7,65					
130512-048-12	48,3	105	2	7,65					
316		Satin							
OUTDOOR									
140512-042-12	42,4	105	2	9,65					
140512-048-12	48,3	105	2	9,65					
316		Mirror polished							
OUTDOOR									
140512-042-10	42,4	105	2	11,55					

MOD 0513

316		Satin							
OUTDOOR	Ø	D		€/ pc.					
140513-048-12	48,3	125	2	12,85					

Q-INFO 316

10




Mirror polished

12



Satin

Baluster posts




MOD 0912

304		Satin						
INDOOR	Ø	H	B	QS-35	471	1	€/pc.	
130912-242-12	42,4 x 2,0	989	80	QS-35	471	1	57,20	
316		Satin						
OUTDOOR	Ø	H	B	QS-34	471	1	€/pc.	
140912-242-12	42,4 x 2,0	989	80	QS-34	471	1	73,20	



Flanges for baluster posts




MOD 3502

304		Raw						
INDOOR	Ø	B	D	QS-35	471	2	€/pc.	
133502-042	42,4	80	105	QS-35	471	2	15,45	
133502-048	48,3	90	115	QS-35	471	2	17,20	
316		Raw						
OUTDOOR	Ø	B	D	QS-34	471	2	€/pc.	
143502-042	42,4	80	105	QS-34	471	2	20,10	
143502-048	48,3	90	115	QS-34	471	2	22,40	




Cover caps




MOD 0511

304		Satin						
INDOOR	Ø	D				2	€/pc.	
130511-042-12	42,4	110				2	15,45	
130511-048-12	48,3	120				2	16,50	
316		Satin						
OUTDOOR	Ø	D				2	€/pc.	
140511-042-12	42,4	110				2	20,50	
140511-048-12	48,3	120				2	21,35	




MOD 0916 - DOUBLE WALL THICKNESS 4,6 mm

304		Satin										
INDOOR	Ø	H			€/pc.							
130916-548-12	48,3 x 4,6	989	QS-272	468	1	112,80						
316		Satin										
OUTDOOR	Ø	H			€/pc.							
140916-548-12	48,3 x 4,6	989	QS-273	468	1	135,00						





MOD 0917 - DOUBLE WALL THICKNESS 4,6 mm

316		Satin										
OUTDOOR	Ø	H			€/pc.							
140917-548-12	48,3 x 4,6	1089	QS-273	468	1	141,20						



MOD 3505


316		Raw										
OUTDOOR	Ø	D			€/pc.							
143505-048	48,3	115	QS-273	468	2	34,25						




MOD 0511


304		Satin									
INDOOR	Ø	D			€/pc.						
130511-048-12	48,3	120		2	16,50						
316		Satin									
OUTDOOR	Ø	D			€/pc.						
140511-048-12	48,3	120		2	21,35						

Q-INFO MOD 0916 / 0917



Q-INFO MOD 0916 / 0917






MOD 9921

304	Satin								
INDOOR	Ø	H1	H2	H3			€ / pc.		
139921-242-01-12	42,4 x 2,0	175	869	120	QS-59	471	1	95,30	


316	Satin								
OUTDOOR	Ø	H1	H2	H3			€ / pc.		
149921-242-01-12	42,4 x 2,0	175	869	120	QS-58	471	1	133,40	



MOD 9921

304	Satin								
INDOOR	Ø	H1	H2	H3			€ / pc.		
139921-242-90-12	42,4 x 2,0	175	869	120	QS-59	471	1	117,75	

316	Satin								
OUTDOOR	Ø	H1	H2	H3			€ / pc.		
149921-242-90-12	42,4 x 2,0	175	869	120	QS-58	471	1	164,85	



MOD 9921

304	Satin								
INDOOR	Ø	H1	H2	H3			€ / pc.		
139921-242-02-12	42,4 x 2,0	175	869	120	QS-59	471	1	117,75	

316	Satin								
OUTDOOR	Ø	H1	H2	H3			€ / pc.		
149921-242-02-12	42,4 x 2,0	175	869	120	QS-58	471	1	164,85	



Infills

Rubber inlays for glass clamps MOD 2500



2 pieces per glass clamp

MOD 5025

Accessories

For monolithic glass	T		€ / pc.
205025-06	6	8	0,35
205025-08	8	8	0,35
205025-10	10	8	0,35
205025-12	12	8	0,35

For laminated glass

205025-07	6,76	8	0,35
205025-09	8,76	8	0,35
NEW 205025-44	9,52	8	0,35
205025-11	10,76	8	0,35
NEW 205025-54	11,52	8	0,35
205025-13	12,76	8	0,35



MOD 0710

328



MOD 0718


330




MOD 5015

478


Q-INFO




Q-INFO




Q-INFO






MOD 0962

316		Satin					
OUTDOOR		Ø	B			€/ pc.	
140962-242-01-12	42,4 x 2,0	75	QS-58		471	1	73,00
140962-248-01-12	48,3 x 2,0	80	QS-58		471	1	80,30



MOD 0962

316		Satin					
OUTDOOR		Ø	B			€/ pc.	
140962-242-02-12	42,4 x 2,0	75	QS-58		471	1	73,00
140962-248-02-12	48,3 x 2,0	80	QS-58		471	1	80,30




MOD 0962

316		Satin					
OUTDOOR		Ø	B			€/ pc.	
140962-242-90-12	42,4 x 2,0	75	QS-58		471	1	73,00
140962-248-90-12	48,3 x 2,0	80	QS-58		471	1	80,30




MOD 0512
319




MOD 2800
437

Q-INFO | MOD 0962



FLOWDRILL

Q-INFO




11
See our prefix options for bespoke baluster posts with glass clamps, crossbars holders, cable and web holders.

Posts

Base flanges

For glue connection




MOD 0942

304 Satin									
INDOOR	Ø	D1	D2	W x L	Q5-35	Q5-35	471	2	€/pc.
130942-233	33,7 x 2,0	100	80	9x28	Q5-35	Q5-35	471	2	28,75
130942-242	42,4 x 2,0	100	80	9x28	Q5-35	Q5-35	471	2	34,95
130942-248	48,3 x 2,0	100	80	9x28	Q5-35	Q5-35	471	2	36,75
SELL OUT 130942-060	60,3 x 2,0	120	90	11x30	Q5-35	Q5-35	471	2	43,35
316 Satin									
OUTDOOR	Ø	D1	D2	W x L	Q5-34	Q5-34	471	2	€/pc.
140942-233	33,7 x 2,0	100	80	9x28	Q5-34	Q5-34	471	2	34,75
140942-242	42,4 x 2,0	100	80	9x28	Q5-34	Q5-34	471	2	43,75
140942-248	48,3 x 2,0	100	80	9x28	Q5-34	Q5-34	471	2	46,00



International Design Model Protection




MOD 0946

304 Satin									
INDOOR	Ø	Q5-33	Q5-33	468	2	€/pc.			
130946-242-12	42,4 x 2,0	Q5-33	Q5-33	468	2	29,15			



Posts

Cover caps




MOD 0512

304 Satin									
INDOOR	Ø	D	Q5	Q5	471	2	€/pc.		
130512-033-12	33,7	105	Q5	Q5	471	2	7,65		
130512-042-12	42,4	105	Q5	Q5	471	2	7,65		
130512-048-12	48,3	105	Q5	Q5	471	2	7,65		
316 Satin									
OUTDOOR	Ø	D	Q5	Q5	471	2	€/pc.		
140512-033-12	33,7	105	Q5	Q5	471	2	9,65		
140512-042-12	42,4	105	Q5	Q5	471	2	9,65		
140512-048-12	48,3	105	Q5	Q5	471	2	9,65		
316 Mirror polished									
OUTDOOR	Ø	D	Q5	Q5	471	2	€/pc.		
140512-042-10	42,4	105	Q5	Q5	471	2	11,55		

MOD 0513


304 Satin									
INDOOR	Ø	D	Q5	Q5	471	2	€/pc.		
130513-042-12	42,4	125	Q5	Q5	471	2	9,65		
130513-048-12	48,3	125	Q5	Q5	471	2	9,65		
SELL OUT 130513-060-12	60,3	125	Q5	Q5	471	2	9,65		
316 Satin									
OUTDOOR	Ø	D	Q5	Q5	471	2	€/pc.		
140513-042-12	42,4	125	Q5	Q5	471	2	12,85		
140513-048-12	48,3	125	Q5	Q5	471	2	12,85		




MOD 0516

304 Satin									
INDOOR	Ø	Q5	Q5	471	2	€/pc.			
130516-033	33,7	Q5	Q5	471	2	4,75			
130516-042	42,4	Q5	Q5	471	2	4,75			


Q-INFO MOD 0942



Q-INFO MOD 0946



Q-INFO 316



SELL OUT Only while supplies last.

Posts



Base flanges

Adjustable angle

For glue connection



+45°
-45°



MOD 0945


304	Satin					
INDOOR	Ø	W			€/ pc.	
130945-242	42,4 x 2,0	59	QS-65	468	1	79,35
130945-248	48,3 x 2,0	65	QS-65	468	1	85,80

316	Satin					
OUTDOOR	Ø	W			€/ pc.	
140945-242	42,4 x 2,0	59	QS-64	468	1	107,10



Posts

Baluster post tubes




MOD 0901


304	Satin				
INDOOR	Ø			€/ pc.	
130901-242-12	42,4 x 2,0		1	27,10	

PREFIX


Q-INFO MOD 0901



Q-INFO MOD 0945



Baluster brackets




MOD 0557

304 Satin					
INDOOR		Ø			€/ pc.
130557-042-12	42,4	QS-33	468	1	54,50
130557-048-12	48,3	QS-33	468	1	58,45
316 Satin					
OUTDOOR					
140557-042-12	42,4	QS-32	468	1	71,85
140557-048-12	48,3	QS-32	468	1	75,95



International Design Model Protection



MOD 0558


304 Satin					
INDOOR		Ø			€/ pc.
130558-048-12	48,3	QS-33	468	1	67,20
316 Satin					
OUTDOOR					
140558-048-12	48,3	QS-275	468	1	77,80



International Design Model Protection

Baluster brackets

Adjustable angle




MOD 0556

304 Satin						
INDOOR		Ø			€/ pc.	
130556-042	42,4	QS-505	469 / QS-551	476	1	77,90




International Design Model Protection


Q-INFO MOD 0557 / 0558



Q-INFO MOD 0556



Baluster brackets



MOD 0551


304		Satin					€/pc.
INDOOR		Ø					
130551-042-12	42,4	QS-33	468	1			55,15

304		Mirror polished					€/pc.
INDOOR							
130551-042-10	42,4	QS-33	468	1			66,25

SELL OUT

316		Satin					€/pc.
OUTDOOR							
140551-042-12	42,4	QS-32	468	1			70,75
140551-048-12	48,3	QS-32	468	1			74,25

316		Mirror polished					€/pc.
OUTDOOR							
140551-042-10	42,4	QS-32	468	1			90,90



MOD 0552


316		Satin					€/pc.
OUTDOOR		Ø					
140552-042-12	42,4	QS-32	468	1			81,95
140552-048-12	48,3	QS-32	468	1			84,75



MOD 0550

304		Satin					€/pc.
INDOOR		Ø					
130550-042-12	42,4			2			22,05
130550-048-12	48,3			2			22,05

316		Satin					€/pc.
OUTDOOR							
140550-042-12	42,4			2			29,15
140550-048-12	48,3			2			29,15



MOD 0555

304		Satin					€/pc.
INDOOR		Ø					
130555-042-12	42,4	QS-33	468	1			106,25

316		Satin					€/pc.
OUTDOOR							
140555-042-12	42,4	QS-32	468	1			146,25
140555-048-12	48,3	QS-32	468	1			149,25

316		Mirror polished					€/pc.
OUTDOOR							
140555-042-10	42,4	QS-32	468	1			195,95



SELL OUT Only while supplies last.


BALUSTER RAILING SYSTEMS

Q-LINE


Q-INFO MOD 0551 / 0552 / 0555




Q-INFO 316




Q-INFO MOD 0551 / 0552 / 0555




Q-INFO MOD 0551 / 0552



Q-INFO MOD 0550



Baluster brackets




MOD 3507

304 Satin				
INDOOR	Ø		€/ pc.	
133507-033-12	33,7	2	14,55	



Not compatible with MOD 3508



MOD 3507

304 Satin					
INDOOR	Ø	W		€/ pc.	
133507-042-12	42,4	50	2	17,70	
133507-048-12	48,3	55	2	22,40	




316 Satin

OUTDOOR					
143507-042-12	42,4	50	2	22,05	
143507-048-12	48,3	55	2	27,15	

Mounting plate for MOD 3507



Fascia mount
For MOD 3507-04x
Fixing bolts for MOD 3507-04x are included




MOD 3508

304 Satin				
INDOOR			€/ pc.	
133508-156-12	461 - 467	1	18,35	

316 Satin				
OUTDOOR			€/ pc.	
143508-156-12	461 - 467	1	22,00	



Fascia mount
For MOD 3507-04x
Fixing bolts for MOD 3507-04x are included




MOD 3508

304 Satin				
INDOOR			€/ pc.	
133508-186-12	461 - 467	1	19,20	

316 Satin				
OUTDOOR			€/ pc.	
143508-186-12	461 - 467	1	23,05	



Fascia mount
For MOD 3507-04x
Fixing bolts for MOD 3507-04x are included




MOD 3508

304 Satin				
INDOOR			€/ pc.	
133508-151-12	461 - 467	1	28,45	


316 Satin				
OUTDOOR			€/ pc.	
143508-151-12	461 - 467	1	34,15	




Q-INFO MOD 3508-156 / 3507




Q-INFO MOD 3508-186 / 3507



Q-INFO MOD 3508-151 / 3507






Fascia mount




MOD 0951 - DOUBLE WALL THICKNESS 4,6 mm

304 Satin		Ø	H	📦	€/pc.
INDOOR					
130951-548-12	48,3 x 4,6	1250	1	121,50	
316 Satin					
OUTDOOR		Ø	H	📦	€/pc.
140951-548-12	48,3 x 4,6				



MOD 0952 - DOUBLE WALL THICKNESS 4,6 mm


304 Satin		Ø	H	📦	€/pc.
INDOOR					
130952-548-12	48,3 x 4,6	1350	1	127,00	
316 Satin					
OUTDOOR		Ø	H	📦	€/pc.
140952-548-12	48,3 x 4,6				




BALUSTER RAILING SYSTEMS

Q-LINE - EXTRA STRONG


Q-INFO



Q-INFO




Q-INFO




Baluster post tubes for crossbar holders, fascia mount

With threaded holes



MOD 0935

304	Satin							
INDOOR	Ø	H1	H2	H3		€/pc.		
130935-242-00-12	42,4 x 2,0	340	125	35	1	50,85		




MOD 0935

304	Satin							
INDOOR	Ø	H1	H2	H3		€/pc.		
130935-242-01-12	42,4 x 2,0	405	160	45	1	50,85		




Baluster post tubes for glass clamps, fascia mount

With threaded holes




MOD 0937

304	Satin							
INDOOR	Ø	H1	H2	H3		€/pc.		
130937-242-01-12	42,4 x 2,0	455	1130	120	1	43,05		




MOD 0937

304	Satin							
INDOOR	Ø	H1	H2	H3		€/pc.		
130937-242-02-12	42,4 x 2,0	455	1130	120	1	43,05		




MOD 0937

304	Satin							
INDOOR	Ø	H1	H2	H3		€/pc.		
130937-242-90-12	42,4 x 2,0	455	1130	120	1	43,05		



MOD 5735-242 340	MOD 5736-242 340	
MOD 0710 328	MOD 0718 330	MOD 0725, MOD 0770 337
MOD 0558 321	MOD 0551 322	


Q-INFO



Posts

Baluster posts

For stairs



MOD 0545


	304	Satin			
INDOOR	Ø	H		€/pc.	
130545	42,4 x 2,0	1150	1	76,15	



Posts

Stair flanges

For glue connection



MOD 0947

	304	Satin			
INDOOR	Ø	B		€/pc.	
130947-242	42,4 x 2,0	48	1	64,60	




International Design Model Protection




MOD 0947


Q-INFO MOD 0545



Q-INFO MOD 0947




Q-INFO MOD 0545



Posts

Inside core



MOD 3501

304 Raw

INDOOR

Ø



€/pc.


133501-242	42,4 x 2,0	QS-274 468	2	6,75
133501-042	42,4 x 2,6	QS-274 468	2	6,75

SELL OUT



Posts

Rosette



MOD 0501

304 Satin

INDOOR

Ø




€/pc.

130501-042	42,4 x 2,0 + 42,4 x 2,6		2	10,55
------------	-------------------------	--	---	-------

Posts

Washer



MOD 5080 / 5081

Accessories

Ø




€/pc.

205080	18	20	1,15
205081	12	20	1,15

Posts

Cover caps



MOD 0731

304 Satin

INDOOR




€/pc.


130731		2	11,75
--------	--	---	-------



Q-INFO MOD 3501



SELL OUT Only while supplies last.

For round tube
to flat tube

MOD 0709

304 Satin		D	H			€/pc.
INDOOR		D	H			€/pc.
130709-000-00-12	33,7 x 2,0	80	QS-12	476	2	14,00

MOD 0710

304 Satin		D	H			€/pc.
INDOOR		D	H			€/pc.
130710-000-00-12	42,4 x 2,0	81	QS-12	476	2	14,00
316 Satin		D	H			€/pc.
OUTDOOR		D	H			€/pc.
140710-000-00-12	42,4 x 2,0	81	QS-13	476	2	17,65

MOD 0711

304 Satin		D	H			€/pc.
INDOOR		D	H			€/pc.
130711-000-00-12	48,3 x 2,0	82	QS-12	476	2	14,00

MOD 0712


304 Satin		D	H			€/pc.
INDOOR		D	H			€/pc.
SELL OUT 130712-000-00-12	42,4 x 2,6	81	QS-12	476	2	14,00
316 Satin		D	H			€/pc.
OUTDOOR		D	H			€/pc.
SELL OUT 140712-000-00-12	42,4 x 2,6	81	QS-13	476	2	17,65

MOD 0713

316 Satin		D	H			€/pc.
OUTDOOR		D	H			€/pc.
140713-000-00-12	48,3 x 2,6	82	QS-13	476	2	17,65



For round tube



MOD 0709

304 Satin		D	Ø	H			€/pc.
INDOOR		D	Ø	H			€/pc.
130709-033-00-12	33,7 x 2,0	33,7	78	QS-10	476	2	14,00
130709-042-00-12	33,7 x 2,0	42,4	78	QS-10	476	2	14,00

MOD 0710

304 Satin		D	Ø	H			€/pc.
INDOOR		D	Ø	H			€/pc.
130710-042-00-12	42,4 x 2,0	42,4	79	QS-10	476	2	14,00
130710-048-00-12	42,4 x 2,0	48,3	79	QS-10	476	2	14,00

316 Satin		D	Ø	H			€/pc.
OUTDOOR		D	Ø	H			€/pc.
140710-042-00-12	42,4 x 2,0	42,4	79	QS-11	476	2	17,65

316 Mirror polished		D	Ø	H			€/pc.
OUTDOOR		D	Ø	H			€/pc.
140710-042-00-10	42,4 x 2,0	42,4	79	QS-11	476	2	22,65

MOD 0711

304 Satin		D	Ø	H			€/pc.
INDOOR		D	Ø	H			€/pc.
130711-048-00-12	48,3 x 2,0	48,3	80	QS-10	476	2	14,00

316 Satin		D	Ø	H			€/pc.
OUTDOOR		D	Ø	H			€/pc.
140711-048-00-12	48,3 x 2,0	48,3	80	QS-11	476	2	17,65

MOD 0712

304 Satin		D	Ø	H			€/pc.
INDOOR		D	Ø	H			€/pc.
SELL OUT 130712-042-00-12	42,4 x 2,6	42,4	79	QS-10	476	2	14,00
SELL OUT 130712-048-00-12	42,4 x 2,6	48,3	79	QS-10	476	2	14,00

316 Satin		D	Ø	H			€/pc.
OUTDOOR		D	Ø	H			€/pc.
SELL OUT 140712-042-00-12	42,4 x 2,6	42,4	79	QS-11	476	2	17,65


MOD 0713

304 Satin		D	Ø	H			€/pc.
INDOOR		D	Ø	H			€/pc.
130713-042-00-12	48,3 x 2,6	42,4	80	QS-10	476	2	14,00
130713-048-00-12	48,3 x 2,6	48,3	80	QS-10	476	2	14,00

316 Satin		D	Ø	H			€/pc.
OUTDOOR		D	Ø	H			€/pc.
140713-042-00-12	48,3 x 2,6	42,4	80	QS-11	476	2	17,65
140713-048-00-12	48,3 x 2,6	48,3	80	QS-11	476	2	17,65




Q-INFO 316




Mirror polished Satin

Q-INFO



SELL OUT Only while supplies last.

For round tube



MOD 0710

304 Satin		D	Ø	H			€/pc.
INDOOR							
130710-042-45-12	42,4 x 2,0	42,4	79	QS-10	476	2	15,20
316 Satin							
OUTDOOR							
140710-042-45-12	42,4 x 2,0	42,4	79	QS-11	476	2	18,80

MOD 0711


316 Satin		D	Ø	H			€/pc.
OUTDOOR							
140711-048-45-12	48,3 x 2,0	48,3	80	QS-11	476	2	18,80

MOD 0712


304 Satin		D	Ø	H			€/pc.
INDOOR							
SELL OUT 130712-042-45-12	42,4 x 2,6	42,4	79	QS-10	476	2	15,20
316 Satin							
OUTDOOR							
SELL OUT 140712-042-45-12	42,4 x 2,6	42,4	79	QS-11	476	2	18,80

MOD 0713

316 Satin		D	Ø	H			€/pc.
OUTDOOR							
140713-048-45-12	48,3 x 2,6	48,3	80	QS-11	476	2	18,80



For round tube



MOD 0709

304 Satin		D	Ø	H			€/pc.
INDOOR							
SELL OUT 130709-033-90-12	33,7 x 2,0	33,7	78	QS-10	476	2	15,20
SELL OUT 130709-042-90-12	33,7 x 2,0	42,4	78	QS-10	476	2	15,20

MOD 0710

304 Satin		D	Ø	H			€/pc.
INDOOR							
130710-042-90-12	42,4 x 2,0	42,4	79	QS-10	476	2	15,20
130710-048-90-12	42,4 x 2,0	48,3	79	QS-10	476	2	15,20
316 Satin							
OUTDOOR							
140710-042-90-12	42,4 x 2,0	42,4	79	QS-11	476	2	18,80

316 Mirror polished		D	Ø	H			€/pc.
OUTDOOR							
140710-042-90-10	42,4 x 2,0	42,4	79	QS-11	476	2	22,65

MOD 0711

304 Satin		D	Ø	H			€/pc.
INDOOR							
130711-048-90-12	48,3 x 2,0	48,3	80	QS-10	476	2	15,20
316 Satin							
OUTDOOR							
140711-048-90-12	48,3 x 2,0	48,3	80	QS-11	476	2	18,80

MOD 0712


304 Satin		D	Ø	H			€/pc.
INDOOR							
SELL OUT 130712-042-90-12	42,4 x 2,6	42,4	79	QS-10	476	2	15,20
316 Satin							
OUTDOOR							
SELL OUT 140712-042-90-12	42,4 x 2,6	42,4	79	QS-11	476	2	18,80

MOD 0713


304 Satin		D	Ø	H			€/pc.
INDOOR							
130713-042-90-12	48,3 x 2,6	42,4	80	QS-10	476	2	15,20
130713-048-90-12	48,3 x 2,6	48,3	80	QS-10	476	2	15,20
316 Satin							
OUTDOOR							
140713-048-90-12	48,3 x 2,6	48,3	80	QS-11	476	2	18,80




Q-INFO MOD 071x-04x-45




Q-INFO MOD 071x-04x-45




Q-INFO MOD 07xx-04x-90



Q-INFO MOD 07xx-04x-90



For round tube
to flat tube

MOD 0717

304 Satin

SELL OUT	INDOOR	D	H			€/pc.	
	130717-000-12	33,7 x 2,0	80	QS-12	476	2	15,20

MOD 0718

304 Satin

INDOOR	D	H			€/pc.	
130718-000-12	42,4 x 2,0	81	QS-12	476	2	15,20


MOD 0720

304 Satin

SELL OUT	INDOOR	D	H			€/pc.	
	130720-000-12	42,4 x 2,6	81	QS-12	476	2	15,20



For round tube



MOD 0717

304 Satin

INDOOR	D	Ø	H			€/pc.	
130717-033-12	33,7 x 2,0	33,7	78	QS-10	476	2	15,20
130717-042-12	33,7 x 2,0	42,4	78	QS-10	476	2	15,20

MOD 0718

304 Satin

INDOOR	D	Ø	H			€/pc.	
130718-042-12	42,4 x 2,0	42,4	79	QS-10	476	2	15,20
130718-048-12	42,4 x 2,0	48,3	79	QS-10	476	2	15,20

316 Satin

OUTDOOR

140718-042-12	42,4 x 2,0	42,4	79	QS-11	476	2	18,80
140718-048-12	42,4 x 2,0	48,3	79	QS-11	476	2	18,80

316 Mirror polished

OUTDOOR

140718-042-10	42,4 x 2,0	42,4	79	QS-11	476	2	22,65
---------------	------------	------	----	-------	-----	---	-------

MOD 0719

304 Satin

INDOOR	D	Ø	H			€/pc.	
130719-048-12	48,3 x 2,0	48,3	80	QS-10	476	2	15,20

316 Satin

OUTDOOR

140719-048-12	48,3 x 2,0	48,3	80	QS-11	476	2	18,80
---------------	------------	------	----	-------	-----	---	-------

MOD 0720

304 Satin

SELL OUT	INDOOR	D	Ø	H			€/pc.	
	130720-042-12	42,4 x 2,6	42,4	79	QS-10	476	2	15,20
	130720-048-12	42,4 x 2,6	48,3	79	QS-10	476	2	15,20

316 Satin

OUTDOOR

140720-042-12	42,4 x 2,6	42,4	79	QS-11	476	2	18,80
---------------	------------	------	----	-------	-----	---	-------

MOD 0721

304 Satin

INDOOR	D	Ø	H			€/pc.	
130721-042-12	48,3 x 2,6	42,4	80	QS-10	476	2	15,20
130721-048-12	48,3 x 2,6	48,3	80	QS-10	476	2	15,20


316 Satin

OUTDOOR

140721-042-12	48,3 x 2,6	42,4	80	QS-11	476	2	18,80
140721-048-12	48,3 x 2,6	48,3	80	QS-11	476	2	18,80




Q-INFO 304 316




Mirror polished Satin

Q-INFO



Q-INFO




SELL OUT Only while supplies last.



For round tube

Adjustable height



MOD 0697

304		Satin								
INDOOR	D	Ø			€ / pc.					
130697-042	42,4 x 2,0	42,4	QS-10	476	2	19,95				
316		Satin								
OUTDOOR	D	Ø			€ / pc.					
140697-042	42,4 x 2,0	42,4	QS-11	476	2	26,00				


MOD 0699

304		Satin								
INDOOR	D	Ø			€ / pc.					
130699-048	48,3 x 2,0	48,3	QS-10	476	2	22,15				
316		Satin								
OUTDOOR	D	Ø			€ / pc.					
140699-048	48,3 x 2,0	48,3	QS-11	476	2	28,85				




For round tube

Adjustable height



MOD 0714

304		Satin							
INDOOR	D	Ø			€ / pc.				
130714-042	42,4 x 2,6	42,4	2	24,55					
130714-048	48,3 x 2,6	48,3	2	26,75					



MOD 0695


304		Satin							
INDOOR	D	H			€ / pc.				
130695	42,4 x 2,0	79	2	11,75					
316		Satin							
OUTDOOR	D	H			€ / pc.				
140695	42,4 x 2,0	79	2	14,20					

MOD 0696


316		Satin							
OUTDOOR	D	H			€ / pc.				
140696	48,3 x 2,0	80	2	14,20					




Q-INFO MOD 0714




Q-INFO MOD 0697 / 0699



Q-INFO MOD 0697 / 0699





MOD 0693

316	Satin						€/pc.	
OUTDOOR	D	Ø	W			476	2	
140693-042-12	42,4 x 2,0	42,4	170	QS-11			2	42,90


MOD 0694

316	Satin						€/pc.	
OUTDOOR	D	Ø	W			476	2	
140694-048-12	48,3 x 2,0	48,3	194	QS-11			2	42,90



International Design Model Protection

Tubular bends




MOD 0906


304	Satin				€/pc.
INDOOR	Ø	R			
130906-242-12	42,4 x 2,0	85	1		31,85
130906-248-12	48,3 x 2,0	97	1		43,40

316	Satin				€/pc.
OUTDOOR	Ø	R			
140906-242-12	42,4 x 2,0	85	1		41,70
140906-248-12	48,3 x 2,0	97	1		66,85


Q-INFO MOD 0693 / 0694



Q-INFO MOD 0693 / 0694 / 0906



For round tube




MOD 0706

304		Satin								
INDOOR	D	Ø			€/pc.					
130706	42,4 x 2,0	42,4	QS-83	476	2	35,30				
316		Satin								
OUTDOOR	D	Ø			€/pc.					
140706	42,4 x 2,0	42,4	QS-84	476	2	45,90				



International Design Model Protection

For round tube




MOD 0704

316		Satin								
OUTDOOR	D	Ø			€/pc.					
140704	42,4 x 2,0	42,4	QS-84	476	2	45,90				



International Design Model Protection

For round tube



MOD 0736


304		Satin							
INDOOR	D	Ø	H	L		€/pc.			
130736-242	42,4 x 2,0	42,4 x 2,0	100	27	2	41,30			
316		Satin							
OUTDOOR	D	Ø	H	L		€/pc.			
140736-242	42,4 x 2,0	42,4 x 2,0	100	27	2	53,70			

MOD 0737


316		Satin							
OUTDOOR	D	Ø	H	L		€/pc.			
140737-248	48,3 x 2,0	48,3 x 2,0	100	30	2	66,20			




Q-INFO MOD 0704



Q-INFO MOD 0706



Q-INFO




Handrails

Handrail adapters

Baluster post mounting

For round tube to flat tube



MOD 0730

304 Satin				€/pc.
INDOOR	D			
130730-000	33,7 x 2,0	QS-26 476	2	8,30

MOD 0725

304 Satin				€/pc.
INDOOR	D			
130725-000	42,4 x 2,0	QS-26 476	2	9,40

316 Satin				€/pc.
OUTDOOR	D			
140725-000	42,4 x 2,0	QS-27 476	2	11,95

MOD 0727

304 Satin				€/pc.
INDOOR	D			
SELL OUT 130727-000	42,4 x 2,6	QS-26 476	2	9,40

316 Satin				€/pc.
OUTDOOR	D			
SELL OUT 140727-000	42,4 x 2,6	QS-27 476	2	11,95

MOD 0726

304 Satin				€/pc.
INDOOR	D			
130726-000	48,3 x 2,0	QS-26 476	2	11,10


MOD 0728

304 Satin				€/pc.
INDOOR	D			
SELL OUT 130728-000	48,3 x 2,6	QS 26 476	2	11,10



SELL OUT Only while supplies last.

Q-INFO MOD 0730 / 0725x



Handrails

Handrail adapters


Adjustable

Baluster post mounting

For round tube



0-70°



MOD 0776

304 Satin								€/pc.
INDOOR	D	Ø	H1	H2	H			
130776-042-12	42,4 x 2,0	42,4	27	35	62	QS-26 476	2	29,40

316 Satin								€/pc.
OUTDOOR	D	Ø	H1	H2	H			
140776-042-12	42,4 x 2,0	42,4	27	35	62	QS-27 476	2	37,60

MOD 0777


304 Satin								€/pc.
INDOOR	D	Ø	H1	H2	H			
130777-048-12	48,3 x 2,0	48,3	30	38	68	QS-26 476	2	35,40

316 Satin								€/pc.
OUTDOOR	D	Ø	H1	H2	H			
140777-048-12	48,3 x 2,0	48,3	30	38	68	QS-27 476	2	45,35




International Design Model Protection

Q-INFO MOD 0776 / 0777




For round tube

**MOD 0774**

304 Satin							
INDOOR	D	Ø	H			€/pc.	
130774-12	33,7 x 2,0	33,7	8	QS-26	476	2	8,30

Compatible with MOD 0303 connectors

For round tube

**MOD 0770**

304 Satin							
INDOOR	D	Ø	H			€/pc.	
130770-042-12	42,4 x 2,0	42,4	9	QS-26	476	2	9,40
316 Satin							
OUTDOOR	D	Ø	H			€/pc.	
140770-042-12	42,4 x 2,0	42,4	9	QS-27	476	2	11,95
316 Mirror polished							
OUTDOOR	D	Ø	H			€/pc.	
140770-042-10	42,4 x 2,0	42,4	9	QS-27	476	2	14,45

MOD 0772

304 Satin							
INDOOR	D	Ø	H			€/pc.	
<small>SELL OUT</small> 130772-042-12	42,4 x 2,6	42,4	9	QS-26	476	2	9,40
316 Satin							
OUTDOOR	D	Ø	H			€/pc.	
<small>SELL OUT</small> 140772-042-12	42,4 x 2,6	42,4	9	QS-27	476	2	11,95

MOD 0771

304 Satin							
INDOOR	D	Ø	H			€/pc.	
130771-048-12	48,3 x 2,0	48,3	11	QS-26	476	2	11,10
316 Satin							
OUTDOOR	D	Ø	H			€/pc.	
140771-048-12	48,3 x 2,0	48,3	11	QS-27	476	2	14,50


MOD 0773

304 Satin							
INDOOR	D	Ø	H			€/pc.	
130773-048-12	48,3 x 2,6	48,3	11	QS-26	476	2	11,10
316 Satin							
OUTDOOR	D	Ø	H			€/pc.	
140773-048-12	48,3 x 2,6	48,3	11	QS-27	476	2	14,50



Compatible with MOD 0303 connectors

For round tube

**MOD 0730**


304 Satin							
INDOOR	D	Ø	H			€/pc.	
130730-042	33,7 x 2,0	42,4	8	QS-26	476	2	8,30

MOD 0725



304 Satin							
INDOOR	D	Ø	H			€/pc.	
130725-048	42,4 x 2,0	48,3	9	QS-26	476	2	9,40
316 Satin							
OUTDOOR	D	Ø	H			€/pc.	
140725-048	42,4 x 2,0	48,3	9	QS-27	476	2	11,95




Not compatible with MOD 0303 connectors

Q-INFO 316

Mirror polished Satin

Q-INFO MOD 077x**Q-INFO** MOD 077x


For flat tube

**MOD 0810****304** Satin**INDOOR**

SELL OUT	130810-000-00	QS-12 476	2	€/pc.
				11,15



For round tube

**MOD 0810****304** Satin**INDOOR**


SELL OUT	130810-042-00	42,4	QS-10 476	2	€/pc.
	130810-048-00	48,3	QS-10 476	2	11,15

316 Satin**OUTDOOR**

	140810-042-00	42,4	QS-11 476	2	14,60
	140810-048-00	48,3	QS-11 476	2	14,60




For flat tube

**MOD 0818****304** Satin**INDOOR**

SELL OUT	130818-000	QS-12 476	2	€/pc.
				11,95



For round tube

**MOD 0818****304** Satin**INDOOR**



SELL OUT	130818-042	42,4	QS-10 476	2	€/pc.
	130818-048	48,3	QS-10 476	2	11,95

316 Satin**OUTDOOR**


	140818-042	42,4	QS-11 476	2	15,60
	140818-048	48,3	QS-11 476	2	15,60



SELL OUT Only while supplies last.


Q-INFO MOD 0810**Q-INFO** MOD 0818

For round tube



MOD 0810

304		Satin				
INDOOR	Ø					€/ pc.
130810-042-90	42,4	QS-10	476	2		11,55
130810-048-90	48,3	QS-10	476	2		11,55
316		Satin				
OUTDOOR						
140810-042-90	42,4	QS-11	476	2		15,20
140810-048-90	48,3	QS-11	476	2		15,20



MOD 0811

304		Satin				
INDOOR						€/ pc.
130811		QS-48	476	2		3,80
316		Satin				
OUTDOOR						
140811		QS-89	476	2		5,70



MOD 4811

300



MOD 4733

300




MOD 0812


304		Satin				
INDOOR						€/ pc.
130812		QS-48	476	2		6,50
316		Satin				
OUTDOOR						
140812		QS-89	476	2		8,45




Q-INFO MOD 0810-04x-90



Q-INFO MOD 0811 / 0812




**MOD 5735 - EASY HIT®****304** Satin**INDOOR**

	Ø		€/ pc.
135735-242	42,4 x 2,0	2	5,85
SELL OUT 135735-042	42,4 x 2,6	2	5,85
135735-248	48,3 x 2,0	2	7,65
135735-048	48,3 x 2,6	2	7,65

316 Satin**OUTDOOR**

145735-242	42,4 x 2,0	2	7,65
SELL OUT 145735-042	42,4 x 2,6	2	7,65
145735-248	48,3 x 2,0	2	10,00
145735-048	48,3 x 2,6	2	10,00
SELL OUT 145735-060	60,3 x 2,0	2	11,05

**MOD 5736 - EASY HIT®****304** Satin**INDOOR**


	Ø		€/ pc.
135736-242	42,4 x 2,0	2	5,85
SELL OUT 135736-042	42,4 x 2,6	2	5,85
135736-248	48,3 x 2,0	2	7,65
135736-048	48,3 x 2,6	2	7,65

316 Satin**OUTDOOR**

145736-242	42,4 x 2,0	2	7,65
145736-248	48,3 x 2,0	2	10,00




For flat tube

**MOD 3302****316** Satin**OUTDOOR**

	Ø		€/ pc.
143302-000-12	QS-12 476	2	7,05



For round tube

**MOD 3302****316** Satin**OUTDOOR**

	Ø		€/ pc.	
143302-042-12	42,4	QS-11 476	2	7,05
143302-048-12	48,3	QS-11 476	2	7,05



Handrail connection plates

For flat tube



MOD 1810

304 Satin				
INDOOR				€/ pc.
131810-000-12	QS-48 476 / QS-10 476		8	2,75
316 Satin				
OUTDOOR				
141810-000-12	QS-89 476 / QS-11 476		8	4,65



For round tube




MOD 1810

304 Satin					
INDOOR		Ø			€/ pc.
131810-033-12	33,7	QS-48 476 / QS-10 476		8	2,75
131810-042-12	42,4	QS-48 476 / QS-10 476		8	2,75
131810-048-12	48,3	QS-48 476 / QS-10 476		8	2,75
316 Satin					
OUTDOOR					
141810-042-12	42,4	QS-89 476 / QS-11 476		8	4,65
141810-048-12	48,3	QS-89 476 / QS-11 476		8	4,65



For flat tube




MOD 1802

304 Satin				
INDOOR				€/ pc.
131802-000	QS-48 476 / QS-10 476		8	3,80



For round tube




MOD 1802

304 Satin					
INDOOR		Ø			€/ pc.
131802-042	42,4	QS-48 476 / QS-10 476		8	3,80
131802-048	48,3	QS-48 476 / QS-10 476		8	3,80



For flat tube




MOD 1801

304 Satin				
INDOOR				€/ pc.
131801-000	QS-48 476 / QS-10 476		8	3,80



For round tube




MOD 1801

304 Satin					
INDOOR		Ø			€/ pc.
131801-042	42,4	QS-48 476 / QS-10 476		8	3,80
131801-048	48,3	QS-48 476 / QS-10 476		8	3,80

SELL
OUT

For round tube




MOD 1820

316 Satin					
OUTDOOR		Ø			€/ pc.
141820-042-12	42,4	QS-89 476 / QS-11 476		8	5,85

Compatible with MOD 0305 connectors
International Design Model Protection

For flat tube




MOD 0123

304 Satin				€/pc.	
INDOOR					
130123-000-12	QS-12	476 / QS-21	476	2	14,75
316 Satin					
OUTDOOR					
140123-000-12	QS-13	476 / QS-22	476	2	18,80



International Design Model Protection

For flat tube to round tube




MOD 0123

304 Satin				€/pc.		
INDOOR						
130123-042-12	42,4	QS-10	476 / QS-21	476	2	14,75
130123-048-12	48,3	QS-10	476 / QS-21	476	2	14,75
316 Satin						
OUTDOOR						
140123-042-12	42,4	QS-11	476 / QS-22	476	2	18,80



International Design Model Protection

For round tube



MOD 0124

304 Satin				€/pc.			
INDOOR							
130124-042-12	42,4	42,4	QS-10	476 / QS-21	476	2	14,75
316 Satin							
OUTDOOR							
140124-042-12	42,4	42,4	QS-11	476 / QS-22	476	2	18,80


MOD 0125

304 Satin				€/pc.			
INDOOR							
130125-042-12	48,3	42,4	QS-10	476 / QS-21	476	2	14,75
130125-048-12	48,3	48,3	QS-10	476 / QS-21	476	2	14,75
316 Satin							
OUTDOOR							
140125-048-12	48,3	48,3	QS-11	476 / QS-22	476	2	18,80




International Design Model Protection


Q-INFO



Q-INFO



For flat tube to round tube
Adjustable height



MOD 0147

304 Satin

SELL OUT	INDOOR	Ø			€/pc.	
130147-044	42,4 / 48,3	QS-21	476 / QS-25	476	2	20,75


316 Satin

SELL OUT	OUTDOOR	Ø			€/pc.	
140147-044	42,4 / 48,3	QS-22	476 / QS-71	476	2	26,75



International Design Model Protection

For round tube
Adjustable height



MOD 0143

304 Satin

SELL OUT	INDOOR	D	Ø			€/pc.	
130143-044-12	42,4	42,4 / 48,3	QS-21	476 / QS-25	476	2	20,75

MOD 0144


304 Satin

SELL OUT	INDOOR	D	Ø			€/pc.	
130144-044-12	48,3	42,4 / 48,3	QS-21	476 / QS-25	476	2	20,75



International Design Model Protection

For round tube



MOD 9330


304 Satin

SELL OUT	INDOOR	D	Ø			€/pc.	
139330-042	42,4	42,4	QS-21	476 / QS-25	476	2	24,95




SELL OUT Only while supplies last.


Q-INFO MOD 0147 / 0143 / 0144



Q-INFO MOD 9330





Q-INFO MOD 0147 / 0143 / 0144



For flat tube

Adjustable height



MOD 0148

304

Satin

INDOOR



SELL OUT	130148-000-12	QS-24	476	2	€ / pc.
					30,90



International Design Model Protection

For round tube

Adjustable height



MOD 0148

304

Satin

INDOOR

SELL OUT	130148-044-12	42,4 / 48,3	QS-25	476	2	€ / pc.
						30,90

316 Satin


OUTDOOR

SELL OUT	140148-044-12	42,4 / 48,3	QS-71	476	2	€ / pc.
						40,15



International Design Model Protection

For round tube



MOD 9350

304

Satin

INDOOR

SELL OUT	139350-042	42,4	QS-25	476	2	€ / pc.
						37,10
	139350-048	48,3	QS-25	476	2	37,10

316 Satin


OUTDOOR

SELL OUT	149350-042	42,4	QS-71	476	2	€ / pc.
						48,30
	149350-048 <td>48,3 <td>QS-71 <td>476</td> <td>2</td> <td>48,30</td> </td></td>	48,3 <td>QS-71 <td>476</td> <td>2</td> <td>48,30</td> </td>	QS-71 <td>476</td> <td>2</td> <td>48,30</td>	476	2	48,30




SELL OUT Only while supplies last.


Q-INFO MOD 0148-044




Q-INFO MOD 9350




Q-INFO MOD 0148-044



Q-INFO MOD 0148-044



For flat tube




MOD 0117

304 Satin				€/ pc.
INDOOR				
130117-000-12	QS-12	476	2	20,35
316 Satin				
OUTDOOR				
140117-000-12	QS-13	476	2	26,45



For round tube




MOD 0117

304 Satin				€/ pc.	
INDOOR					
130117-033-12	33,7	QS-10	476	2	20,35
130117-042-12	42,4	QS-10	476	2	20,35
130117-048-12	48,3	QS-10	476	2	20,35
316 Satin					
OUTDOOR					
140117-042-12	42,4	QS-11	476	2	26,45
140117-048-12	48,3	QS-11	476	2	26,45
316 Mirror polished					
OUTDOOR					
140117-042-10	42,4	QS-11	476	2	32,65
140117-048-10	48,3	QS-11	476	2	32,65



For flat tube




MOD 0129

304 Satin				€/ pc.
INDOOR				
130129-000-12	QS-12	476	2	28,30
316 Satin				
OUTDOOR				
140129-000-12	QS-13	476	2	35,40



For round tube




MOD 0129


304 Satin				€/ pc.	
INDOOR					
130129-042-12	42,4	QS-10	476	2	28,30
130129-048-12	48,3	QS-10	476	2	28,30
316 Satin					
OUTDOOR					
140129-042-12	42,4	QS-11	476	2	35,40
140129-048-12	48,3	QS-11	476	2	35,40




Q-INFO MOD 0117




Q-INFO 316




Q-INFO MOD 0129



Q-INFO



For flat tube




MOD 0100

304 Satin				€/ pc.
INDOOR				
130100-000-12	QS-7 475 / QS-12 476 / QS-87 474			2 12,15
304 Black Line				
INDOOR				
130100-000-82	QS-7 475 / QS-12 476 / QS-87 474			2 15,80
316 Satin				
OUTDOOR				
140100-000-12	QS-50 475 / QS-13 476 / QS-87 474			2 17,45



For round tube




MOD 0100

304 Satin				€/ pc.
INDOOR				
130100-042-12	42,4 QS-7 475 / QS-10 476 / QS-87 474			2 12,15
130100-048-12	48,3 QS-7 475 / QS-10 476 / QS-87 474			2 12,15
316 Satin				
OUTDOOR				
140100-042-12	42,4 QS-50 475 / QS-11 476 / QS-87 474			2 17,45
140100-048-12	48,3 QS-50 475 / QS-11 476 / QS-87 474			2 17,45



For flat tube




MOD 0809

304 Satin				€/ pc.
INDOOR				
130809-000-12	QS-12 476			2 19,20
316 Satin				
OUTDOOR				
140809-000-12	QS-13 476			2 23,05



For round tube



MOD 0809


304 Satin				€/ pc.
INDOOR				
130809-042-12	42,4 QS-10 476			2 19,20
130809-048-12	48,3 QS-10 476			2 19,20
316 Satin				
OUTDOOR				
140809-042-12	42,4 QS-11 476			2 23,05
140809-048-12	48,3 QS-11 476			2 23,05



BALUSTER RAILING SYSTEMS

Q-LINE

Flanges for handrail brackets MOD 0809




MOD 1938

304 Satin				€/ pc.
INDOOR				
131938-12	QS-7 475			2 4,45
316 Satin				
OUTDOOR				
141938-12	QS-50 475			2 5,65




MOD 0100
With cable duct
264


Q-INFO MOD 0100 / 0809



Q-INFO MOD 0809 / 1938



For flat tube




MOD 0111

304 Satin				€/pc.
INDOOR				
130111-000-12	QS-12 476	2		12,15
316 Satin				
OUTDOOR				
140111-000-12	QS-13 476	2		17,45



For round tube




MOD 0111

304 Satin				€/pc.
INDOOR				
130111-033-12	33,7	QS-10 476	2	12,15
130111-042-12	42,4	QS-10 476	2	12,15
130111-048-12	48,3	QS-10 476	2	12,15
304 Mirror polished				
INDOOR				
SELL OUT 130111-042-10	42,4	QS-10 476	2	14,55
304 Black Line				
INDOOR				
NEW 130111-042-82	42,4	QS-10 476	2	15,80
316 Satin				
OUTDOOR				
140111-042-12	42,4	QS-11 476	2	17,45
140111-048-12	48,3	QS-11 476	2	17,45
316 Mirror polished				
OUTDOOR				
140111-042-10	42,4	QS-11 476	2	20,85




SELL OUT Only while supplies last.


Q-INFO



Q-INFO



Q-INFO 316 304



For round tube



MOD 0112

304 Satin

INDOOR

Product Code	Height	Material	Color	Qty	Price		
130112-033-12	33,7	QS-7	475 / QS-10	476 / QS-87	474	2	10,60
130112-042-12	42,4	QS-7	475 / QS-10	476 / QS-87	474	2	10,60
130112-048-12	48,3	QS-7	475 / QS-10	476 / QS-87	474	2	10,60

304 Mirror polished

INDOOR

Product Code	Height	Material	Color	Qty	Price		
130112-042-10	42,4	QS-7	475 / QS-10	476 / QS-87	474	2	12,65

316 Satin

OUTDOOR

Product Code	Height	Material	Color	Qty	Price		
140112-042-12	42,4	QS-50	475 / QS-11	476 / QS-87	474	2	13,90

316 Mirror polished

OUTDOOR

Product Code	Height	Material	Color	Qty	Price		
140112-042-10	42,4	QS-50	475 / QS-11	476 / QS-87	474	2	16,75


Zamak Stainless steel effect

INDOOR

Product Code	Height	Material	Color	Qty	Price		
100112-042	42,4	QS-7	475 / QS-10	476 / QS-87	474	2	7,65



For round tube



MOD 0115


304 Satin

INDOOR

Product Code	Height	Material	Color	Qty	Price		
130115	42,4	QS-7	475 / QS-10	476 / QS-87	474	2	13,10



For flat tube



MOD 0102


304 Satin

INDOOR

Product Code	Material	Color	Qty	Price		
130102-000-12	QS-7	475 / QS-12	476 / QS-87	474	2	14,80



For round tube



MOD 0102

304 Satin

INDOOR

Product Code	Height	Material	Color	Qty	Price		
130102-042-12	42,4	QS-7	475 / QS-10	476 / QS-87	474	2	14,80
130102-048-12	48,3	QS-7	475 / QS-10	476 / QS-87	474	2	14,80


316 Satin

OUTDOOR


Product Code	Height	Material	Color	Qty	Price		
140102-042-12	42,4	QS-50	475 / QS-11	476 / QS-87	474	2	19,40
140102-048-12	48,3	QS-50	475 / QS-11	476 / QS-87	474	2	19,40




Q-INFO




Q-INFO 304 316






MOD 0113

304	Satin			
INDOOR				€/ pc.
130113	QS-7 475 / QS-87 474		2	8,20
316	Satin			
OUTDOOR				
140113	QS-50 475 / QS-87 474		2	10,70




MOD 0109

304	Satin			
INDOOR				€/ pc.
130109	QS-7 475 / QS-87 474		2	9,65



MOD 0114

304	Satin			
INDOOR				€/ pc.
SELL OUT 130114	QS-1 475		2	10,60
316	Satin			
OUTDOOR				
SELL OUT 140114	QS-2 475		2	13,90



MOD 0118

304	Satin			
INDOOR				€/ pc.
130118	QS-7 475 / QS-87 474		2	9,40




MOD 0519


316	Satin			
OUTDOOR				€/ pc.
140519			2	11,40
Zamak	Stainless steel effect			
INDOOR				
SELL OUT 100519			2	5,60

SELL OUT Only while supplies last.


Q-INFO | MOD 0118



Q-INFO | MOD 0519



For flat tube




MOD 0126

304 Satin				
INDOOR				€/ pc.
130126-000-12	QS-12	476	2	20,05
316 Satin				
OUTDOOR				
140126-000-12	QS-13	476	2	26,35



International Design Model Protection

For round tube




MOD 0126

304 Satin					
INDOOR		Ø			€/ pc.
130126-042-12	42,4	QS-10	476	2	20,05
130126-048-12	48,3	QS-10	476	2	20,05
316 Satin					
OUTDOOR		Ø			
140126-042-12	42,4	QS-11	476	2	26,35




Cover caps




MOD 0520

304 Satin				
INDOOR				€/ pc.
130520-12		2		6,70
316 Satin				
OUTDOOR				
140520-12		2		8,70

Q-INFO | MOD 0126



For round tube



MOD 0142

304

Satin

INDOOR

Ø



€/ pc.

SELL OUT	130142-044-12	42,4 / 48,3	QS-25 476	2	20,75
----------	---------------	-------------	-----------	---	-------

316

Satin


OUTDOOR

Ø

SELL OUT	140142-044-12	42,4 / 48,3	QS-71 476	2	26,75
----------	---------------	-------------	-----------	---	-------



Cover caps



MOD 0520

304

Satin

INDOOR



€/ pc.

	130520-12			2	6,70
--	-----------	--	--	---	------


316

Satin


OUTDOOR

	140520-12			2	8,70
--	-----------	--	--	---	------


Q-INFO MOD 0142



Q-INFO MOD 0520



Q-INFO MOD 0142



For round tube




MOD 0110

316	Satin				
OUTDOOR	Ø			€/pc.	
140110	42,4	QS-11	476	2	17,45



International Design Model Protection

For round tube



MOD 9320

304	Satin					
INDOOR	Ø			€/pc.		
139320-042	42,4	QS-1	475 / QS-25	476	2	28,20




MOD 0509


316	Satin				
OUTDOOR				€/pc.	
140509		2		2,65	

International Design Model Protection


Q-INFO | MOD 9320




Q-INFO | MOD 0110 / 0509



Q-INFO | MOD 9320



For flat tube



MOD 0708

304 Satin				
INDOOR				€/pc.
130708-000-12	QS-5 475 / QS-12 476	2		11,35



For round tube



MOD 0708


304 Satin				
INDOOR		Ø		€/pc.
130708-042-12	42,4	QS-5 475 / QS-10 476	2	11,35
130708-048-12	48,3	QS-5 475 / QS-10 476	2	11,35



316 Satin

OUTDOOR				
140708-042-12	42,4	QS-6 475 / QS-11 476	2	14,90
140708-048-12	48,3	QS-6 475 / QS-11 476	2	14,90

For round tube to flat tube



MOD 0625

304 Satin				
INDOOR		Ø		€/pc.
130625-033-12	33,7	QS-3 475 / QS-29 476	4	8,45
130625-042-12	42,4	QS-3 475 / QS-29 476	4	8,45

316 Satin

OUTDOOR				
140625-042-12	42,4	QS-4 475 / QS-30 476	4	11,55



For round tube




MOD 0627


304 Satin				
INDOOR		D	Ø	€/pc.
130627-042-12	42,4	42,4	QS-29 476	8,75




Q-INFO MOD 0708



Q-INFO MOD 0625



Q-INFO MOD 0627





Q-TUBE ▼ DISCOUNT

STAINLESS STEEL TUBES FROM Q-RAILING SAVE ON TOP QUALITY


Q-railing's stainless steel tubes are hard to beat for quality. But of course, nobody wants to pay too much, even for a top-quality product. So, to make sure you always get the best deal, we will adjust your discount on a monthly basis.

Want to see what your discount looks like today?

Just call, send an email or go to www.q-railing.com to check in our online shop.



Ask for your personal discount or check your price in our online shop.

**MOD 0900**

Ø 33,7 mm

304 Satin				
INDOOR		X		€/ pc.
130900-233-50-12	2,0		L = 5 m	82,45
316 Satin				
OUTDOOR				
140900-233-50-12	2,0		L = 5 m	112,70

Ø 42,4 mm

304 Satin				
INDOOR		X		€/ pc.
SELL OUT 130900-242-25-12	2,0		L = 2,5 m	51,10
130900-242-50-12	2,0		L = 5 m	102,15
SELL OUT 130900-042-50-12	2,6		L = 5 m	133,25

304 Mirror polished				
INDOOR				
SELL OUT 130900-242-50-10	2,0		L = 5 m	153,25

304 Black Line				
INDOOR				
NEW 130900-242-50-82	2,0		L = 5 m	152,15

316 Satin				
OUTDOOR				
140900-242-25-12	2,0		L = 2,5 m	72,55
140900-242-50-12	2,0		L = 5 m	145,10
SELL OUT 140900-042-50-12	2,6		L = 5 m	182,95

316 Mirror polished				
OUTDOOR				
140900-242-50-10	2,0		L = 5 m	200,80

Ø 48,3 mm

304 Satin				
INDOOR		X		€/ pc.
130900-248-25-12	2,0		L = 2,5 m	61,90
130900-248-50-12	2,0		L = 5 m	123,85
130900-048-50-12	2,6		L = 5 m	147,60

316 Satin				
OUTDOOR				
140900-248-25-12	2,0		L = 2,5 m	81,10
140900-248-50-12	2,0		L = 5 m	162,10
SELL OUT 140900-048-25-12	2,6		L = 2,5 m	100,40
140900-048-50-12	2,6		L = 5 m	200,80


Ø 60,3 mm

304 Satin				
INDOOR		X		€/ pc.
SELL OUT 130900-060-50-12	2,0		L = 5 m	153,25




SELL OUT Only while supplies last.


Q-INFO



Q-INFO 316 304



Mirror polished



Satin



Black, matt, textured

Q-INFO



Save time and money with Q-tube

Q-tube has a far tighter tolerance than a standard commercial tube. Even the welding seam of Q-tube has been specially adapted to our fittings. Therefore the tube fits perfectly in conjunction with our fittings, in order for you to be able to work fast and effectively. To prevent damage, and to guarantee the quality, each tube section is separately packaged.

Connectors



MOD 5792 - EASY HIT®

304 Raw

INDOOR		For tube Ø		€/ pc.
SELL OUT	135792-242	42,4 x 2,0	2	8,05
SELL OUT	135792-042	42,4 x 2,6	2	8,05
SELL OUT	135792-248	48,3 x 2,0	2	10,40
316 Raw				
OUTDOOR				
	145792-233	33,7 x 2,0	2	9,30
	145792-242	42,4 x 2,0	2	10,40
SELL OUT	145792-042	42,4 x 2,6	2	10,40
	145792-248	48,3 x 2,0	2	13,45
	145792-048	48,3 x 2,6	2	13,45



International Design Model Protection



MOD 0790

304 Satin

INDOOR		For tube Ø		€/ pc.
	130790-233-12	33,7 x 2,0	2	7,15
	130790-242-12	42,4 x 2,0	2	8,65
SELL OUT	130790-042-12	42,4 x 2,6	2	8,65
	130790-248-12	48,3 x 2,0	2	11,10
	130790-048-12	48,3 x 2,6	2	11,10
316 Satin				
OUTDOOR				
	140790-242-12	42,4 x 2,0	2	11,20
SELL OUT	140790-042-12	42,4 x 2,6	2	11,20
	140790-248-12	48,3 x 2,0	2	14,55




Tubular bends



MOD 0903

304 Satin

INDOOR		Ø	R		€/ pc.
	130903-242-12	42,4 x 2,0	85	1	23,55
	130903-248-12	48,3 x 2,0	97	1	33,85




MOD 0906

304 Satin


INDOOR		Ø	R		€/ pc.
	130906-242-12	42,4 x 2,0	85	1	31,85
	130906-248-12	48,3 x 2,0	97	1	43,40
316 Satin					
OUTDOOR					
	140906-242-12	42,4 x 2,0	85	1	41,70
	140906-248-12	48,3 x 2,0	97	1	66,85

Q-INFO | MOD 5792



Only while supplies last.

Connectors



MOD 0303

304

Satin

INDOOR	For tube Ø	H	☐	€/pc.
130303-233-12	33,7 x 2,0	25	2	12,50
130303-242-12	42,4 x 2,0	30	2	17,45
SELL OUT 130303-042-12	42,4 x 2,6	30	2	17,45
130303-248-12	48,3 x 2,0	35	2	22,95
130303-048-12	48,3 x 2,6	35	2	22,95
SELL OUT 130303-060-12	60,3 x 2,0	40	2	28,85

316

Satin

OUTDOOR

140303-242-12	42,4 x 2,0	30	2	22,45
SELL OUT 140303-042-12	42,4 x 2,6	30	2	22,45
140303-248-12	48,3 x 2,0	35	2	29,75
140303-048-12	48,3 x 2,6	35	2	29,75

316


Mirror polished

OUTDOOR

140303-242-10	42,4 x 2,0	30	2	26,95
---------------	------------	----	---	-------



Use in conjunction with 90° MOD 0710, 0810 and 4710 handrail brackets



MOD 0300

304

Satin


INDOOR	For tube Ø	H	☐	€/pc.
130300-242-12	42,4 x 2,0	30	2	17,45
130300-042-12	42,4 x 2,6	30	2	17,45
SELL OUT 130300-248-12	48,3 x 2,0	35	2	22,95

316

Satin

OUTDOOR

140300-242-12	42,4 x 2,0	30	2	22,45
140300-248-12	48,3 x 2,0	35	2	29,75



MOD 0305

304

Satin


INDOOR	For tube Ø	H	☐	€/pc.
130305-233-12	33,7 x 2,0	25	2	12,50
130305-242-12	42,4 x 2,0	30	2	17,45
130305-248-12	48,3 x 2,0	35	2	22,95

316

Satin

OUTDOOR

140305-242-12	42,4 x 2,0	30	2	22,45
SELL OUT 140305-042-12	42,4 x 2,6	30	2	22,45
140305-248-12	48,3 x 2,0	35	2	29,75
140305-048-12	48,3 x 2,6	35	2	29,75

Use in conjunction with MOD 1820 handrail connection plates
Not compatible with MOD 0710, 0810 and 4710 handrail brackets

MOD 0301

304

Satin

INDOOR	For tube Ø	H	☐	€/pc.
SELL OUT 130301-233-12	33,7 x 2,0	25	2	12,50
SELL OUT 130301-242-12	42,4 x 2,0	30	2	17,45

316

Satin

OUTDOOR

SELL OUT 140301-242-12	42,4 x 2,0	30	2	22,45
SELL OUT 140301-248-12	48,3 x 2,0	35	2	29,75



Not compatible with 90° MOD 0710, 0810 and 4710 handrail brackets

MOD 1820
☐341MOD 0710
☐329MOD 0810
☐339MOD 4710
☐298

Q-INFO | 304 | 316

10




Mirror polished

12



Satin

Connectors



MOD 0304


304 Satin

SELL OUT	INDOOR	For tube Ø	H	⊞	€/ pc.
	130304-233-12	33,7 x 2,0	25	2	14,65
	130304-242-12	42,4 x 2,0	30	2	20,60
	130304-248-12	48,3 x 2,0	35	2	26,30

316 Satin

OUTDOOR


	140304-242-12	42,4 x 2,0	30	2	26,55
SELL OUT	140304-042-12	42,4 x 2,6	30	2	26,55
	140304-248-12	48,3 x 2,0	35	2	34,10
SELL OUT	140304-048-12	48,3 x 2,6	35	2	34,10



MOD 0309

304 Satin

INDOOR	For tube Ø	H	H/2	⊞	€/ pc.
130309-242-12	42,4 x 2,0	60	30	2	29,45



MOD 0307


304 Satin

INDOOR	For tube Ø	H	H/2	⊞	€/ pc.
130307-233-12	33,7 x 2,0	50	25	2	16,70
130307-242-12	42,4 x 2,0	60	30	2	21,00
130307-248-12	48,3 x 2,0	70	35	2	30,00

316 Satin

OUTDOOR

140307-242-12	42,4 x 2,0	60	30	2	27,80
140307-248-12	48,3 x 2,0	70	35	2	38,95
140307-048-12	48,3 x 2,6	70	35	2	38,95




MOD 0306

304 Satin


INDOOR	For tube Ø	H	L	⊞	€/ pc.
130306-233	33,7 x 2,0	25	223	2	24,70
130306-242	42,4 x 2,0	30	228	2	28,75



Q-INFO MOD 0306




Q-INFO



SELL OUT Only while supplies last.

Upwards right
Downwards left

0 - 70°


**MOD 0317****304**

Satin

INDOOR	For tube Ø	H1	H2	H3		€/ pc.
130317-242-01	42,4 x 2,0	27	60	30	2	38,95
130317-248-01	48,3 x 2,0	30	65	35	2	47,90

Upwards left
Downwards right

0 - 70°


**MOD 0317****304**

Satin

INDOOR	For tube Ø	H1	H2	H3		€/ pc.
130317-242-02	42,4 x 2,0	27	60	30	2	38,95
130317-248-02	48,3 x 2,0	30	65	35	2	47,90



0 - 90°

**MOD 0791****304**



Satin

INDOOR	For tube Ø	H		€/ pc.
130791-242-12	42,4 x 2,0	30	2	22,00
130791-248-12	48,3 x 2,0	35	2	29,80

316


Satin

OUTDOOR	For tube Ø	H		€/ pc.
140791-242-12	42,4 x 2,0	30	2	28,65

**Q-INFO** MOD 0317-24x-01**Q-INFO** MOD 0317-24x-02



-90°
+90°



MOD 0302

304

Satin

INDOOR	For tube Ø	H	☐	€/ pc.
130302-233-12	33,7 x 2,0	22	2	17,95
130302-242-12	42,4 x 2,0	27	2	29,90
130302-248-12	48,3 x 2,0	30	2	38,95

316


Satin

OUTDOOR

SELL OUT	INDOOR	For tube Ø	H	☐	€/ pc.
	140302-233-12	33,7 x 2,0	27	2	26,75
	140302-242-12	42,4 x 2,0	27	2	38,70
	140302-248-12	48,3 x 2,0	30	2	50,50



40 - 70°



MOD 0319

316

Satin


OUTDOOR	For tube Ø	H1	H2	☐	€/ pc.
140319-242-12	42,4 x 2,0	27	35	2	47,20
140319-248-12	48,3 x 2,0	30	40	2	58,40



International Design Model Protection



0 - 70°



MOD 0312

304

Satin

SELL OUT	INDOOR	For tube Ø	H	☐	€/ pc.
	130312-233-12	33,7 x 2,0	22	2	17,80
	130312-242-12	42,4 x 2,0	27	2	29,15
	130312-042-12	42,4 x 2,6	27	2	29,15
	130312-248-12	48,3 x 2,0	30	2	36,90
	130312-048-12	48,3 x 2,6	30	2	36,90

316

Satin

OUTDOOR

SELL OUT	INDOOR	For tube Ø	H	☐	€/ pc.
	140312-242-12	42,4 x 2,0	27	2	36,90
	140312-042-12	42,4 x 2,6	27	2	36,90
	140312-248-12	48,3 x 2,0	30	2	48,65
	140312-048-12	48,3 x 2,6	30	2	48,65
	140312-060-12	60,3 x 2,0	33	2	58,65

316

Mirror polished

OUTDOOR


	140312-242-10	42,4 x 2,0	27	2	44,35
--	---------------	------------	----	---	-------




International Design Model Protection

SELL OUT Only while supplies last.


Q-INFO MOD 0312 / 0319



Q-INFO 304 316



End caps




MOD 5729 - EASY HIT®

304 Satin

INDOOR	For tube Ø		€/ pc.
135729-233-12	33,7 x 2,0	2	4,25
135729-242-12	42,4 x 2,0	2	4,55
SELL OUT 135729-042-12	42,4 x 2,6	2	4,55
135729-248-12	48,3 x 2,0	2	4,65
135729-048-12	48,3 x 2,6	2	4,65
SELL OUT 135729-060-12	60,3 x 2,0	2	5,70

316 Satin

OUTDOOR			€/ pc.
145729-233-12	33,7 x 2,0	2	5,60
145729-242-12	42,4 x 2,0	2	5,80
SELL OUT 145729-042-12	42,4 x 2,6	2	5,80
145729-248-12	48,3 x 2,0	2	6,00
145729-048-12	48,3 x 2,6	2	6,00



MOD 5732 - EASY HIT®

304 Satin

INDOOR	For tube Ø		€/ pc.
135732-233-12	33,7 x 2,0	2	4,25
135732-242-12	42,4 x 2,0	2	4,55
SELL OUT 135732-042-12	42,4 x 2,6	2	4,55
135732-248-12	48,3 x 2,0	2	4,65
135732-048-12	48,3 x 2,6	2	4,65

304 Black Line


INDOOR

NEW 135732-242-82	42,4 x 2,0	2	5,90
-------------------	------------	---	------

316 Satin

OUTDOOR

145732-233-12	33,7 x 2,0	2	5,60
145732-242-12	42,4 x 2,0	2	5,80
SELL OUT 145732-042-12	42,4 x 2,6	2	5,80
145732-248-12	48,3 x 2,0	2	6,00
145732-048-12	48,3 x 2,6	2	6,00




MOD 5730 - EASY HIT®

304 Satin

INDOOR	For tube Ø	H		€/ pc.
135730-233-12	33,7 x 2,0	17	2	4,85
135730-242-12	42,4 x 2,0	21	2	5,05
SELL OUT 135730-042-12	42,4 x 2,6	21	2	5,05
SELL OUT 135730-248-12	48,3 x 2,0	24	2	5,85

316 Satin


OUTDOOR				€/ pc.
145730-242-12	42,4 x 2,0	21	2	6,55



MOD 5729 - EASY HIT®

Plastic Stainless steel effect

INDOOR	For tube Ø	H		€/ pc.
155729-233	33,7 x 2,0	8	2	2,65
155729-242	42,4 x 2,0	9	2	2,70
155729-248	48,3 x 2,0	9	2	2,75



MOD 0729

304 Satin


INDOOR	For tube Ø	H		€/ pc.
SELL OUT 130729-242-10	42,4 x 2,0	9	2	5,65

316 Mirror polished


OUTDOOR				€/ pc.
140729-242-10	42,4 x 2,0	9	2	8,05




Q-INFO MOD 5729 / 5730 / 5732



Q-INFO MOD 0729



End scrolls



MOD 0739

304 Satin

INDOOR	For tube Ø	L		€/ pc.
130739-233-12	33,7 x 2,0	77	2	13,45
130739-242-12	42,4 x 2,0	81	2	19,40
SELL OUT 130739-042-12	42,4 x 2,6	81	2	19,40
130739-248-12	48,3 x 2,0	84	2	24,85
130739-048-12	48,3 x 2,6	84	2	24,85


316 Satin

OUTDOOR

140739-242-12	42,4 x 2,0	81	2	24,65
SELL OUT 140739-042-12	42,4 x 2,6	81	2	24,65
140739-248-12	48,3 x 2,0	84	2	31,95
140739-048-12	48,3 x 2,6	84	2	31,95



For stairs



MOD 0738

304 Satin

INDOOR	For tube Ø	L		€/ pc.
130738-242-12	42,4 x 2,0	60	2	15,05
130738-248-12	48,3 x 2,0	65	2	18,65

316 Satin


OUTDOOR

140738-242-12	42,4 x 2,0	60	2	19,95
---------------	------------	----	---	-------




International Design Model Protection


Q-INFO MOD 0738

**SELL OUT** Only while supplies last.


Q-INFO MOD 0739



Mounting option B




Wall flanges



MOD 0504

304		Satin									
INDOOR	Ø	D	H					€/pc.			
130504-033-12	33,7	41	30	QS-55	474 / QS-21	476	2	9,40			
130504-042-12	42,4	50	35	QS-55	474 / QS-21	476	2	12,50			
130504-048-12	48,3	56	35	QS-55	474 / QS-21	476	2	15,35			
316		Satin									
OUTDOOR	Ø	D	H					€/pc.			
140504-033-12	33,7	41	30	QS-55	474 / QS-22	476	2	12,35			
140504-042-12	42,4	50	35	QS-55	474 / QS-22	476	2	16,25			
140504-048-12	48,3	56	35	QS-55	474 / QS-22	476	2	19,95			



MOD 0505

304		Satin									
INDOOR	For tube Ø	D	H					€/pc.			
130505-033-12	33,7	85	30	QS-7	475	475	2	9,65			
130505-042-12	42,4	95	30	QS-7	475	475	2	14,00			
130505-048-12	48,3	100	35	QS-7	475	475	2	19,05			
130505-060-12	60,3	115	40	QS-7	475	475	2	21,70			
316		Satin									
OUTDOOR	For tube Ø	D	H					€/pc.			
140505-033-12	33,7	85	30	QS-50	475	475	2	12,75			
140505-042-12	42,4	95	30	QS-50	475	475	2	18,35			
140505-048-12	48,3	100	35	QS-50	475	475	2	24,65			
316		Mirror polished									
OUTDOOR	For tube Ø	D	H					€/pc.			
140505-042-10	42,4	95	30	QS-50	475	475	2	22,00			

SELL OUT

NEW




Wall flanges

Adjustable



0 - 50°




MOD 0506

304		Satin									
INDOOR	For tube Ø	D	H					€/pc.			
SELL OUT 130506-033-12	33,7 x 2,0	70	26	QS-7	475	475	2	30,70			
SELL OUT 130506-042-12	42,4 x 2,0	75	30	QS-7	475	475	2	38,15			
SELL OUT 130506-048-12	48,3 x 2,0	80	33	QS-7	475	475	2	45,90			
316		Satin									
OUTDOOR	For tube Ø	D	H					€/pc.			
NEW 140506-033-12	33,7 x 2,0	70	26	QS-50	475	475	2	34,50			
NEW 140506-042-12	42,4 x 2,0	75	30	QS-50	475	475	2	45,80			




International Design Model Protection

Q-INFO 304 316



Mirror polished Satin

Q-INFO MOD 0504





Find all information
about Barrier Line online:





[https://q-ne.ws/
BarrierLine23](https://q-ne.ws/BarrierLine23)



BARRIER LINE

Hoop barriers




MOD 0090

316 Satin					
OUTDOOR		W	Ø	☐	€/pc.
140090-248-09-12	900	48,3 x 2,0	1		257,65
140090-248-12-12	1200	48,3 x 2,0	1		288,90

MOD 0091

316 Satin					
OUTDOOR		W	Ø	☐	€/pc.
140091-248-09-12	900	48,3 x 2,0	1		342,70
140091-248-12-12	1200	48,3 x 2,0	1		383,75


Cover caps



MOD 0511

316 Satin					
OUTDOOR		Ø	D	☐	€/pc.
140511-048-12	48,3	120	2		21,35


Q-INFO MOD 0090 / 0091




Q-INFO MOD 0090 / 0091



Q-INFO




Q-INFO





Find all information
about mirror polished
products online:




[https://q-ne.ws/
Polished23](https://q-ne.ws/Polished23)

MIRROR POLISHED

Posts

Baluster posts



MOD 0921

316	Mirror polished					
OUTDOOR	Ø	H	B	QS-58	471	1
140921-242-10	42,4 x 2,0	989	75			



Posts

Cover caps




MOD 0512

316	Mirror polished			
OUTDOOR	Ø	D		€/pc.
140512-042-10	42,4	105	2	11,55



Posts

Baluster brackets



MOD 0551


304	Mirror polished			
INDOOR	Ø	QS-33	468	1
130551-042-10	42,4			
316	Mirror polished			
OUTDOOR	Ø	QS-32	468	1
140551-042-10	42,4			

SELL OUT



Posts

Baluster brackets



MOD 0555

316	Mirror polished			
OUTDOOR	Ø	QS-32	468	1
140555-042-10	42,4			




BAUSTER RAILING SYSTEMS


Q-LINE - MIRROR POLISHED

SELL OUT Only while supplies last.

Q-INFO MOD 0551 / 0555




Q-INFO MOD 0921



Q-INFO MOD 0551 / 0552




For round tube

**MOD 0710****316** Mirror polished

OUTDOOR	D	Ø	H	QS-11	476	2	€/pc.
140710-042-00-10	42,4 x 2,0	42,4	79	QS-11	476	2	22,65




For round tube

**MOD 0710****316** Mirror polished





OUTDOOR	D	Ø	H	QS-11	476	2	€/pc.
140710-042-90-10	42,4 x 2,0	42,4	79	QS-11	476	2	22,65




For round tube

**MOD 0718****316** Mirror polished

OUTDOOR	D	Ø	H	QS-11	476	2	€/pc.
140718-042-10	42,4 x 2,0	42,4	79	QS-11	476	2	22,65

**Q-INFO** MOD 071x-042-00**Q-INFO** MOD 0718**Q-INFO** MOD 071x-04x-90**Q-INFO** MOD 071x-04x-90

For round tube



MOD 0770

316


Mirror polished

OUTDOOR	D	Ø	H			€/pc.	
140770-042-10	42,4 x 2,0	42,4	9	QS-27	476	2	14,45



Compatible with MOD 0303 connectors

For round tube



MOD 0117


316

Mirror polished


OUTDOOR	Ø			€/pc.	
140117-042-10	42,4	QS-11	476	2	32,65
140117-048-10	48,3	QS-11	476	2	32,65




Q-INFO MOD 0770




Q-INFO MOD 0117



Q-INFO MOD 0117



For round tube



MOD 0111

304 Mirror polished

INDOOR

Ø



€/pc.

SELL OUT

130111-042-10 42,4 QS-10 476 2 14,55


316 Mirror polished

OUTDOOR

140111-042-10 42,4 QS-11 476 2 20,85



For round tube



MOD 0112

304 Mirror polished

INDOOR

Ø



€/pc.

SELL OUT

130112-042-10 42,4 QS-7 475 / QS-10 476 / QS-87 474 2 12,65

316 Mirror polished


OUTDOOR

140112-042-10 42,4 QS-50 475 / QS-11 476 / QS-87 474 2 16,75




SELL OUT Only while supplies last.

Q-INFO MOD 0111




Q-INFO



Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 0900

304 Mirror polished


SELL OUT	INDOOR	Ø	X	Icon	€/pc.
	130900-242-50-10	42,4	2,0	L = 5 m	153,25

316 Mirror polished

OUTDOOR	For tube Ø	H	Icon	€/pc.
140900-242-50-10	42,4	2,0	L = 5 m	200,80



Connectors




MOD 0303

316 Mirror polished

OUTDOOR	For tube Ø	H	Icon	€/pc.
140303-242-10	42,4 x 2,0	30	2	26,95



Use in conjunction with MOD 0710, 0810 and 4710 handrail brackets



MOD 5792 - EASY HIT®

304 Raw

SELL OUT	INDOOR	For tube Ø	Icon	€/pc.
	135792-242	42,4 x 2,0	2	8,05


316 Raw

OUTDOOR	For tube Ø	Icon	€/pc.
145792-242	42,4 x 2,0	2	10,40




International Design Model Protection

Q-INFO MOD 5792




Q-INFO MOD 0900





0-70°

**MOD 0312****316**


Mirror polished

OUTDOOR	For tube Ø	H		€/pc.
140312-242-10	42,4 x 2,0	27	2	44,35



International Design Model Protection

End caps

**MOD 0729****304**

Mirror polished

INDOOR	For tube Ø	H		€/pc.
130729-242-10	42,4 x 2,0	9	2	5,65

SELL OUT


316

Mirror polished

OUTDOOR	For tube Ø	H		€/pc.
140729-242-10	42,4 x 2,0	9	2	8,05



Wall flanges

**MOD 0505****316**


Mirror polished

OUTDOOR	For Ø	D	H			€/pc.
140505-042-10	42,4	95	30	QS-50 ■475	2	22,00



Crossbar holders

For round tube



MOD 0831

316	Mirror polished				
OUTDOOR	D	Ø			€/pc.
140831-042-10	42,4	12	QS-16 476	4	8,20



Bars

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.




MOD 1910

316	Mirror polished			
OUTDOOR	Ø			€/pc.
141910-012-50-10	12	L = 5 m		125,50



Q-INFO MOD 1910



Q-INFO MOD 0831





Plate adapters - MOD 2800

For flat tube



MOD 2800

304 Mirror polished

INDOOR W T € / pc.

SELL OUT	132800-000-10	34	See MOD 5028	QS-26	478	4	14,80
----------	---------------	----	--------------	-------	-----	---	-------

316 Mirror polished


OUTDOOR W T € / pc.

	142800-000-10	34	See MOD 5028	QS-27	478	4	16,80
--	---------------	----	--------------	-------	-----	---	-------



International Design Model Protection

For round tube



MOD 2800

304 Mirror polished

INDOOR D W T € / pc.

SELL OUT	132800-042-10	42,4	34	See MOD 5028	QS-47	478	4	14,80
----------	---------------	------	----	--------------	-------	-----	---	-------

316 Mirror polished

OUTDOOR D W T € / pc.

	142800-042-10	42,4	34	See MOD 5028	QS-45	478	4	16,80
--	---------------	------	----	--------------	-------	-----	---	-------



International Design Model Protection

Rubber inlays for plate adapters MOD 2800



2 pieces per plate adapter

MOD 5028


Accessories

	T	€ / pc.
205028-02	2	0,45
205028-03	3	0,45
205028-04	4	0,45



MOD 2800 Glass clamps - mirror polished
437

Security pin




Optional for MOD 2800

MOD 5015

Accessories

	L	€ / pc.
205015-22	22	1,65

Q-INFO




Please order security pins and fixing bolts separately.

SELL OUT Only while supplies last.

Plate adapters - MOD 4200

For flat tube

Security plate included



MOD 4200


316 Mirror polished						€/pc.
OUTDOOR	W	T				
144200-000-10	28	See MOD 5042	QS-27	478	4	18,20



International Design Model Protection

For round tube

Security plate included



MOD 4200

316 Mirror polished						€/pc.
OUTDOOR	D	W	T			
144200-042-10	42,4	28	See MOD 5042	QS-45	478	4
144200-048-10	48,3	28	See MOD 5042	QS-45	478	4



International Design Model Protection

Rubber inlays for plate adapters MOD 4200




2 pieces per plate adapter

MOD 5042

Accessories				€/pc.
	T			
205042-02	2		8	0,45
205042-03	3		8	0,45
205042-04	4		8	0,45

Security pins



Optional for MOD 4200


MOD 5015

Accessories				€/pc.
	L			
205015-22	22		4	1,65




MOD 4200 Glass clamps - mirror polished
438

Q-INFO





Find all information about
welding parts online:




[https://q-ne.ws/
Welding23](https://q-ne.ws/Welding23)



WELDING PARTS

Flanges for baluster posts




MOD 0940

304 Raw										
INDOOR	Ø	B	D			€/pc.				
130940-042	42,4	75	100	QS-59	471	2	11,05			
130940-048	48,3	80	100	QS-59	471	2	11,65			
316 Raw										
OUTDOOR	Ø	B	D			€/pc.				
140940-042	42,4	75	100	QS-58	471	2	14,85			
140940-048	48,3	80	100	QS-58	471	2	15,35			


MOD 0941

316 Raw										
OUTDOOR	Ø	B	D			€/pc.				
140941-048	48,3	90	120	QS-58	471	2	22,40			




MOD 3504

304 Raw									
INDOOR	Ø	B	D			€/pc.			
133504-042	42,4	80	105	QS-272	468 / QS-59	471	2	17,00	
133504-048	48,3	90	115	QS-272	468 / QS-59	471	2	18,95	
316 Raw									
OUTDOOR	Ø	B	D			€/pc.			
143504-042	42,4	80	105	QS-273	468 / QS-58	471	2	23,05	
143504-048	48,3	90	115	QS-273	468 / QS-58	471	2	25,80	



MOD 3502

304 Raw									
INDOOR	Ø	B	D			€/pc.			
133502-042	42,4	80	105	QS-35	471	2	15,45		
133502-048	48,3	90	115	QS-35	471	2	17,20		
316 Raw									
OUTDOOR	Ø	B	D			€/pc.			
143502-042	42,4	80	105	QS-34	471	2	20,10		
143502-048	48,3	90	115	QS-34	471	2	22,40		




MOD 3505


316 Raw									
OUTDOOR	Ø	B	D			€/pc.			
143505-048	48,3	115	140	QS-273	468	2	34,25		



Q-INFO MOD 3504




Q-INFO MOD 0940




Q-INFO MOD 0941



Q-INFO MOD 3502 / 3505 / 3504




Flanges for baluster posts




MOD 4940

304 Raw		Ø	B			€/pc.
INDOOR						
134940-040	100	11	75	QS-59	471	2
						28,25
316 Raw		Ø	B			€/pc.
OUTDOOR						
144940-040	100	11	75	QS-58	471	2
						36,75




MOD 3503

316 Raw		Ø	B			€/pc.
OUTDOOR						
143503-063				QS-559	469	2
						47,15



MOD 0948

316 Raw		Ø			€/pc.
OUTDOOR					
140948-042-00		42,4	QS-225	477	2
					29,75
140948-048-00		48,3	QS-225	477	2
					29,75




MOD 0949

316 Raw		Ø			€/pc.
OUTDOOR					
140949-042-00		42,4	QS-225	477	2
					29,75
140949-048-00		48,3	QS-225	477	2
					29,75



Cover caps for MOD 0948




MOD 0514

316 Satin		Ø		€/pc.
OUTDOOR				
140514-042-12		42,4		2
				19,95
140514-048-12		48,3		2
				19,95



Cover caps for MOD 0949



MOD 0515


316 Satin		Ø		€/pc.
OUTDOOR				
140515-042-12		42,4		2
				19,95
140515-048-12		48,3		2
				19,95



Q-INFO MOD 4940



Q-INFO MOD 3503




Q-INFO MOD 0948



Q-INFO MOD 0949




Handrail brackets




MOD 0113

304 Satin				€/ pc.
INDOOR				
130113	QS-7 475 / QS-87 474	2		8,20
316 Satin				
OUTDOOR				
140113	QS-50 475 / QS-87 474	2		10,70




MOD 0114

304 Satin				€/ pc.
INDOOR				
SELL OUT 130114	QS-1 475	2		10,60
316 Satin				
OUTDOOR				
SELL OUT 140114	QS-2 475	2		13,90



MOD 0109

304 Satin				€/ pc.
INDOOR				
130109	QS-7 475 / QS-87 474	2		9,65



MOD 0695


304 Satin				€/ pc.
INDOOR				
	D	H		
130695	42,4 x 2,0	79	2	11,75
316 Satin				
OUTDOOR				
140695	42,4 x 2,0	79	2	14,20

MOD 0696

316 Satin				€/ pc.
OUTDOOR				
	D	H		
140696	48,3 x 2,0	80	2	14,20




Flanges for handrail brackets




MOD 1937

304	Satin		
INDOOR			€/pc.
131937		4	3,30



MOD 1936

304	Satin		
INDOOR			€/pc.
131936		QS-56	4 5,80



MOD 1939

304	Satin		
INDOOR			€/pc.
131939		QS-3	8 4,95



MOD 1810
 383




MOD 1801
 383




MOD 1802
 383

Welding parts for handrail brackets




MOD 0813

304	Satin		
INDOOR			€/pc.
130813		QS-14	2 4,25




MOD 0814

304	Satin		
INDOOR			€/pc.
130814-670		2	4,25



MOD 0815

304	Satin		
INDOOR			€/pc.
130815		2	4,25




MOD 0816


304	Satin		
INDOOR			€/pc.
130816		QS-14	2 4,25




Q-INFO MOD 0813




Q-INFO MOD 0814



Q-INFO MOD 0815



Q-INFO MOD 0816



Cover caps



MOD 4511

304 Satin					
INDOOR		H		€/pc.	
134511-040-12	108	25	2	14,15	
316 Satin					
OUTDOOR					
144511-040-12	108	25	2	21,15	



MOD 4513

316 Satin					
OUTDOOR				€/pc.	
144513-063-12			2	23,45	



MOD 0519

316 Satin					
OUTDOOR				€/pc.	
140519			2	11,40	
Zamak Stainless steel effect					
INDOOR					
100519			2	5,60	



MOD 1514

304 Satin					
INDOOR	Ø			€/pc.	
131514-012	12,0		2	3,40	
131514-014	14,0		2	3,40	



MOD 1515

304 Satin					
INDOOR	Ø			€/pc.	
131515-012	12,0		2	4,10	




MOD 0512

304 Satin					
INDOOR	Ø	D		€/pc.	
130512-033-12	33,7	105	2	7,65	
130512-042-12	42,4	105	2	7,65	
130512-048-12	48,3	105	2	7,65	
316 Satin					
OUTDOOR					
140512-033-12	33,7	105	2	9,65	
140512-042-12	42,4	105	2	9,65	
140512-048-12	48,3	105	2	9,65	
316 Mirror polished					
OUTDOOR					
140512-042-10	42,4	105	2	11,55	
140512-048-10	48,3	105	2	10,90	

MOD 0513

304 Satin					
INDOOR	Ø	D		€/pc.	
130513-042-12	42,4	125	2	9,65	
130513-048-12	48,3	125	2	9,65	
130513-060-12	60,3	125	2	9,65	
316 Satin					
OUTDOOR					
140513-042-12	42,4	125	2	12,85	
140513-048-12	48,3	125	2	12,85	




MOD 0511


304 Satin					
INDOOR	Ø	D		€/pc.	
130511-042-12	42,4	110	2	15,45	
130511-048-12	48,3	120	2	16,50	
316 Satin					
OUTDOOR					
140511-042-12	42,4	110	2	20,50	
140511-048-12	48,3	120	2	21,35	

Q-INFO MOD 0519

For MOD 0109,
0113 and 0114



MOD 0519



MOD 0519

SELL OUT Only while supplies last.



Handrail connection plates

For flat tube




MOD 1810

304 Satin				
INDOOR				€/pc.
131810-000-12	QS-48 476 / QS-10 476		8	2,75
316 Satin				
OUTDOOR				
141810-000-12	QS-89 476 / QS-11 476		8	4,65



For round tube




MOD 1810

304 Satin					
INDOOR		Ø			€/pc.
131810-033-12	33,7	QS-48 476 / QS-10 476		8	2,75
131810-042-12	42,4	QS-48 476 / QS-10 476		8	2,75
131810-048-12	48,3	QS-48 476 / QS-10 476		8	2,75
316 Satin					
OUTDOOR					
141810-042-12	42,4	QS-89 476 / QS-11 476		8	4,65
141810-048-12	48,3	QS-89 476 / QS-11 476		8	4,65



For flat tube




MOD 1802

304 Satin				
INDOOR				€/pc.
131802-000	QS-48 476 / QS-10 476		8	3,80



For round tube




MOD 1802

304 Satin					
INDOOR		Ø			€/pc.
131802-042	42,4	QS-48 476 / QS-10 476		8	3,80
131802-048	48,3	QS-48 476 / QS-10 476		8	3,80



For flat tube




MOD 1801

304 Satin				
INDOOR				€/pc.
SELL OUT 131801-000	QS-48 476 / QS-10 476		8	3,80



For round tube



MOD 1801

304 Satin					
INDOOR		Ø			€/pc.
131801-042	42,4	QS-48 476 / QS-10 476		8	3,80
SELL OUT 131801-048	48,3	QS-48 476 / QS-10 476		8	3,80




MOD 0811 339	MOD 0812 339	MOD 5735, 5736 340
-----------------	-----------------	-----------------------

MOD 1936 380	MOD 1937 380	MOD 1939 380
-----------------	-----------------	-----------------

MOD 4811 300	MOD 4733 300
-----------------	-----------------

For round tube



MOD 1820

316 Satin					
OUTDOOR		Ø			€/pc.
141820-042-12	42,4	QS-89 476 / QS-11 476		8	5,85

Compatible with MOD 0305 connectors
International Design Model Protection


SELL OUT Only while supplies last.



d line
HANDRAIL SYSTEM

Danish design by *Knud Holscher.*

"The attitude of expressive and minimalist design in stainless steel is carried through completely in the d line handrail system. It is a product group that is beautiful and functional in use and also easy to install, modify or repair. The d line handrail system can be adapted to the most challenging architecture without compromising the aesthetics."



Check the d line catalogue on
<https://q-ne.ws/DLine23>



reddot




Q-railing




BENDYWOOD

NATURAIL

Find all information
about wood online:



[https://q-ne.ws/
Wood23](https://q-ne.ws/Wood23)

**MOD 0990****Beech** Untreated wood

INDOOR	Ø		€/pc.
170990-042-36-39	42,0	L = 3,6 m	530,90
170990-042-66-39	42,0	L = 6,6 m	973,45

PREFIX




Please refer to the installation instructions supplied with the product. Wood is a natural product. Colours can differ.


Q-INFO**Q-INFO**

Ø 42 R_{min} : 840 mm

If kept in their packaging, manipulation is possible for four months after delivery.

Q-INFO


Handrails



MOD 0950

Beech	Untreated wood			
INDOOR	Ø		€ / pc.	
170950-042-25-39	42,0	L = 2,5 m	70,35	


PREFIX



MOD 0950

Beech	Lacquered			
INDOOR	Ø		€ / pc.	
170950-042-25-40	42,0	L = 2,5 m	78,15	


PREFIX



MOD 0950

Oak	Lacquered			
INDOOR	Ø		€ / pc.	
170950-042-25-43	42,0	L = 2,5 m	165,75	

PREFIX




MOD 0950

Kambala	Untreated wood			
OUTDOOR	Ø		€ / pc.	
170950-042-25-47	42,0	L = 2,5 m	142,25	

PREFIX

Accessories

Dowels




MOD 0203

Wood				
INDOOR	QS		€ / 50 pcs.	
200203	QS-512	50	10,00	

Handrails

Connectors



MOD 0793

304	Satin			
INDOOR	Ø		€ / pc.	
170793-042	42,0	QS-7 475	2	13,60
316	Satin			
OUTDOOR				
180793-042	42,0	QS-50 475	2	17,65



Q-INFO | MOD 0950


PREFIX






Q-INFO

Wood is a natural product. Colours can differ.


Q-INFO | MOD 0950



Q-INFO | MOD 0950 / 0203




Q-INFO | MOD 0950





MOD 0313

316	Satin				
OUTDOOR	Ø			€/ pc.	
180313-042	42,0	QS-50	2	43,80	



MOD 0308

304	Satin				
INDOOR	Ø			€/ pc.	
170308-042	42,0	QS-7	2	33,80	



Adapters



MOD 0301

304	Satin				
INDOOR	Ø			€/ pc.	
170301-042	42,0	QS-7	2	23,55	

316	Satin				
OUTDOOR					
180301-042	42,0	QS-50	2	30,70	



Not compatible with MOD 0710, 0810 and 4710 handrail brackets.



MOD 0792

304	Raw				
INDOOR	Ø			€/ pc.	
170792-042	42,0	QS-7	2	4,55	

316	Raw				
OUTDOOR					
180792-042	42,0	QS-50	2	5,90	



End caps



MOD 0732

304	Satin				
INDOOR	Ø			€/ pc.	
170732-042	42,0	QS-7	2	10,15	

316	Satin				
OUTDOOR					
180732-042	42,0	QS-50	2	13,15	




MOD 0739

304	Satin				
INDOOR	Ø			€/ pc.	
170739-042	42,0	QS-7	2	23,75	




Q-INFO





Find all information about
glass infills online:



g-ne.ws/Infills23

Q-GLASS

INFILLS – GLASS

Order glass at the same time as you
order the rest of your baluster railing

Bespoke made glass


- From 6 mm monolithic glass to 21,52 mm toughened laminated glass
- Optional coloured or SentryGlas® interlayers
- Radius corners and polished edges on request
- Optional pre-drilled holes

Glass from stock

- Available immediately
- Toughened laminated glass
- 8,76 mm, 6 widths
- Smooth, arised and polished edges
- Rounded corners

■ CE marked ■ High quality ■ Accurate delivery times and notification ■ Clearly quoted competitive prices ■ Straightforward ordering

Q-GLASS (Toughened safety glass)



MOD 5009

Safety glass		Laminated			
OUTDOOR	H	W	T	€/pc.	
195009-070-08	800	700	8,76	54,95	
195009-080-08	800	800	8,76	62,05	
195009-090-08	800	900	8,76	69,05	
195009-095-08	800	950	8,76	70,65	
195009-100-08	800	1000	8,76	76,25	
195009-150-08	800	1500	8,76	108,40	



Q-glass is directly available from stock.


Q-INFO

Calculation

$$H (m) \times W (m) \times 2,5 \times 8 = \text{kg}$$



Example





H	W	Tg
0,8 m	1,0 m	8 mm
$0,8 \times 1,0 \times 2,5 \times 8 = 16,00 \text{ kg}$		



Q-INFO


Laminated safety glass



-  Smooth edges
-  Rounded corners
-  Arrised edges
-  Polished edges

Brackets

For flat tube




MOD 0860

304 Satin				
INDOOR	Ø		€ / pc.	
130860-000	30	2	11,05	
316 Satin				
OUTDOOR				
140860-000	30	2	13,85	

International Design
Model Protection

For round tube




MOD 0860

304 Satin				
INDOOR	D	Ø	€ / pc.	
130860-042	42,4	30	12,60	
316 Satin				
OUTDOOR				
140860-042	42,4	30	15,75	
140860-048	48,3	30	15,75	


SELL
OUTInternational Design
Model Protection

Glass frame tube




MOD 6930

304 Satin				
INDOOR	Ø	U	€ / pc.	
SELL OUT 136930-25-12	30	14	L = 2,5 m	76,70
136930-50-12	30	14	L = 5 m	153,40
316 Satin				
OUTDOOR				
SELL OUT 146930-25-12	30	14	L = 2,5 m	99,70
146930-50-12	30	14	L = 5 m	199,40



Glass Wing® rubbers




MOD 5114

Accessories				
For monolithic glass	U	T	€ / pc.	
205114-050-08	14	8	L = 5 m	31,05
205114-050-10	14	10	L = 5 m	31,05
For laminated glass				
205114-050-08	14	8,76 - 9,52	L = 5 m	31,05
205114-050-10	14	10,76	L = 5 m	31,05


International Design Model Protection

SELL OUT Only while supplies last.


Q-INFO MOD 6930



Q-INFO MOD 6930



Q-INFO MOD 0860





GLASS FRAME TUBE

Q-railing

Connectors



MOD 6793

304		Satin		
INDOOR	For tube Ø			€/ pc.
136793-030-12	30 x 1,5		2	10,35
316		Satin		
OUTDOOR	For tube Ø			€/ pc.
146793-030-12	30 x 1,5		2	13,00



MOD 6333

304		Satin		
INDOOR	For tube Ø	H		€/ pc.
136333-12	30 x 1,5	25	2	16,85
316		Satin		
OUTDOOR	For tube Ø	H		€/ pc.
146333-12	30 x 1,5	25	2	21,90




Connectors

Adjustable



MOD 6332

316		Satin		
OUTDOOR	For tube Ø	H		€/ pc.
146332-02-12	30 x 1,5	25	2	34,10



MOD 6332

316		Satin		
OUTDOOR	For tube Ø	H		€/ pc.
146332-01-12	30 x 1,5	25	2	34,10



End caps




MOD 6733

304		Satin		
INDOOR	For tube Ø			€/ pc.
136733-030-12	30 x 1,5		2	8,40
316		Satin		
OUTDOOR	For tube Ø			€/ pc.
146733-030-12	30 x 1,5		2	10,60



Find all information about
bar and tube infills online:



q-ne.ws/Infills23


INFILLS - BAR AND TUBE

Infills

Bars

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 1910

304		Satin		
INDOOR	Ø		€ / pc.	
131910-012-25-12	12	L = 2,5 m	24,60	
131910-012-50-12	12	L = 5 m	49,20	
316		Satin		
OUTDOOR				
141910-012-25-12	12	L = 2,5 m	33,55	
141910-012-50-12	12	L = 5 m	67,20	
316		Mirror polished		
OUTDOOR				
141910-012-50-10	12	L = 5 m	125,50	




Infills

Tubes

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 1900

304		Satin		
INDOOR	Ø	€ / pc.		
131900-112-25-12	12	L = 2,5 m	8,75	
131900-112-50-12	12	L = 5 m	17,50	
304		Satin		
INDOOR				
131900-016-50-12	16	L = 5 m	25,30	
316		Satin		
OUTDOOR				
141900-016-50-12	16	L = 5 m	31,00	



Infills


Connectors

Adjustable



For bar

-90°
+90°




MOD 1312

304		Satin		
INDOOR	Ø	H	€ / pc.	
131312-012-12	12	36	11,65	6
316		Satin		
OUTDOOR				
141312-012-12	12	36	14,55	6



-90°
+90°




MOD 1302

304		Satin		
INDOOR	For tube Ø	€ / pc.		
131302-016-12	16 x 1,0	11,60	6	
316		Satin		
OUTDOOR				
141302-016-12	16 x 1,0	15,05	6	



Infills

Connectors




MOD 1790

304		Satin		
INDOOR	For tube Ø	H	€ / pc.	
131790-112-12	12 x 1,0	5	3,30	4
131790-016-12	16 x 1,0	6	3,80	4
316		Satin		
OUTDOOR				
141790-016-12	16 x 1,0	6	5,15	4



Q-INFO | MOD 1910 / 1900




End caps



MOD 1729

304 Satin					
INDOOR	For tube \varnothing	H		€/ pc.	
131729-016-12	16,0 x 1,0	4	2	1,60	


316 Satin					
OUTDOOR					
141729-016-12	16,0 x 1,0	4	2	2,05	



MOD 1759 - EASY HIT®

304 Satin					
INDOOR	For tube \varnothing		€/ pc.		
131759-112-12	12 x 1,0	4	3,40		

316 Satin					
OUTDOOR					
NEW 141759-112-12	12 x 1,0	4	4,75		



MOD 1759 - EASY HIT®

Plastic		Stainless steel effect			
INDOOR	For tube \varnothing	H		€/ pc.	
151759-112	12 x 1,0	3	4	1,30	
151759-016	16 x 1,0	4	4	1,55	




MOD 0735

304 Satin					
INDOOR	\varnothing			€/ pc.	
130735-012-12	12	QS-5 475	4	1,70	

316 Satin					
OUTDOOR					
140735-012-12	12	QS-6 475	4	2,05	



End fittings




MOD 0220

304 Satin					
INDOOR	\varnothing	H	d		€/ pc.
130220-020	20	ca. 18,5	M6	6	2,65
130220-025	25	ca. 23,5	M8	6	3,55
130220-030	30	ca. 28,5	M8	6	5,15
130220-050	50	ca. 48,5	M8	2	19,40

SELL OUT

316 Satin					
OUTDOOR					
SELL OUT 140220-020	20	ca. 18,5	M6	6	3,80
140220-025	25	ca. 23,5	M8	6	5,70
SELL OUT 140220-040	40	ca. 38,5	M8	2	15,05




MOD 1221

304 Satin					
INDOOR	\varnothing	H		€/ pc.	
131221-012	12	ca. 17,5	6	2,65	

316 Satin					
OUTDOOR					
141221-012	12	ca. 17,5	6	3,50	





Q-INFO MOD 0735



SELL OUT Only while supplies last.

Crossbar holders

For flat tube





MOD 0830

304 Satin					
INDOOR		Ø			€/pc.
130830-000-12	12	QS-15	476	4	3,10
316 Satin					
OUTDOOR					
140830-000-12	12	QS-16	476	4	5,35



For flat tube





MOD 0831

304 Satin					
INDOOR		Ø			€/pc.
130831-000-12	12	QS-15	476	4	3,50
316 Satin					
OUTDOOR					
140831-000-12	12	QS-16	476	4	6,55



For flat tube





MOD 0840

304 Satin					
INDOOR		Ø			€/pc.
130840-000-12	16	QS-19	476	4	5,85



For flat tube





MOD 0832

304 Satin					
INDOOR		Ø			€/pc.
130832-000-12	12	QS-15	476	4	3,50
316 Satin					
OUTDOOR					
140832-000-12	12	QS-16	476	4	6,55



For flat tube




MOD 0833

304 Satin					
INDOOR		Ø			€/pc.
130833-000-12	12	QS-15	476	4	3,50
316 Satin					
OUTDOOR					
140833-000-12	12	QS-16	476	4	6,55





Q-INFO MOD 0830 / 0831 / 0840



Crossbar holders

For round tube



MOD 0830

304 Satin



SELL OUT	INDOOR	D	Ø			€/pc.
	130830-033-12	33,7	12	QS-15	4	3,10
	130830-042-12	42,4	12	QS-15	4	3,10
	130830-048-12	48,3	12	QS-15	4	3,10

316 Satin

OUTDOOR						
	140830-042-12	42,4	12	QS-16	4	5,35
	140830-048-12	48,3	12	QS-16	4	5,35



For round tube



MOD 0831

304 Satin

SELL OUT	INDOOR	D	Ø			€/pc.
	130831-033-12	33,7	12	QS-15	4	3,50
	130831-042-12	42,4	12	QS-15	4	3,50
	130831-048-12	48,3	12	QS-15	4	3,50

316 Satin



OUTDOOR						
	140831-042-12	42,4	12	QS-16	4	6,55
	140831-048-12	48,3	12	QS-16	4	6,55

316 Mirror polished

OUTDOOR						
	140831-042-10	42,4	12	QS-16	4	8,20



For round tube



MOD 0840

304 Satin



SELL OUT	INDOOR	D	Ø			€/pc.
	130840-042-12	42,4	16	QS-19	4	5,85

316 Satin

OUTDOOR						
	140840-042-12	42,4	16	QS-20	4	7,70
	140840-048-12	48,3	16	QS-20	4	7,70



For round tube



MOD 0832

304 Satin



SELL OUT	INDOOR	D	Ø			€/pc.
	130832-033-12	33,7	12	QS-15	4	3,50
	130832-042-12	42,4	12	QS-15	4	3,50
	130832-048-12	48,3	12	QS-15	4	3,50

316 Satin

OUTDOOR						
	140832-042-12	42,4	12	QS-16	4	6,55



For round tube



MOD 0833

304 Satin

SELL OUT	INDOOR	D	Ø			€/pc.
	130833-033-12	33,7	12	QS-15	4	3,50
	130833-042-12	42,4	12	QS-15	4	3,50
	130833-048-12	48,3	12	QS-15	4	3,50


316 Satin

OUTDOOR						
	140833-042-12	42,4	12	QS-16	4	6,55




Q-INFO | 304 | 316

10



Mirror polished

12




Satin

Only while supplies last.

Crossbar holders

For round tube



Inner corner

MOD 0834

304 Satin

INDOOR	D	Ø	QS-15 476	4	€/pc.
130834-042-12	42,4	12	QS-15 476	4	13,20
130834-048-12	48,3	12	QS-15 476	4	13,20


316 Satin

OUTDOOR	D	Ø	QS-16 476	4	€/pc.
140834-042-12	42,4	12	QS-16 476	4	17,15
140834-048-12	48,3	12	QS-16 476	4	17,15



International Design Model Protection

For round tube



Outer corner

MOD 0839

304 Satin

INDOOR	D	Ø	QS-15 476	4	€/pc.
130839-042-12	42,4	12	QS-15 476	4	12,10
130839-048-12	48,3	12	QS-15 476	4	12,10

316 Satin


OUTDOOR	D	Ø	QS-16 476	4	€/pc.
140839-042-12	42,4	12	QS-16 476	4	15,70
140839-048-12	48,3	12	QS-16 476	4	15,70



International Design Model Protection

Glass adapters

Ø 25 mm



MOD 0755

304 Satin

INDOOR	Ø	4	€/pc.
130755-16	16	4	10,00


316 Satin

OUTDOOR	Ø	4	€/pc.
140755-12	12	4	15,05



Crossbar holders

Bar mounting



MOD 0827

304 Satin

INDOOR	D	Ø	4	€/pc.
130827-012	12	12	4	8,20
130827-016	16	12	4	8,20




INFILLS - BAR AND TUBE


BALUSTER RAILING SYSTEMS

SELL OUT Only while supplies last.


Q-INFO MOD 0834 / 0839



Q-INFO MOD 0755




Q-INFO MOD 0827



Bar holders

For flat tube



MOD 0850

304

Satin

INDOOR

130850-000	QS-23 476	4	€ / pc.	8,60
------------	-----------	---	---------	------

316


Satin

OUTDOOR

SELL OUT 140850-000	QS-53 476	4	€ / pc.	9,65
---------------------	-----------	---	---------	------



For round tube



MOD 0850

304

Satin

INDOOR

130850-042	D 42,4	QS-23 476	4	€ / pc.	8,60
------------	--------	-----------	---	---------	------

316

Satin

OUTDOOR

140850-042	D 42,4	QS-53 476	4	€ / pc.	9,65
------------	--------	-----------	---	---------	------




Bar holders

Adjustable

For flat tube



-90°
+90°



MOD 0855

304

Satin

INDOOR


130855-000	QS-15 476	4	€ / pc.	15,20
------------	-----------	---	---------	-------



For round tube



-90°
+90°



MOD 0855

304


Satin

INDOOR

130855-042	D 42,4	QS-15 476	4	€ / pc.	15,20
------------	--------	-----------	---	---------	-------




Q-INFO MOD 0850-042








Ask for your personal discount or check your price in our online shop.





MOD 1940

304	Satin			
INDOOR				€/ pc.
131940-021-50-12		20 x 10 x 1,0	L = 5 m	57,40
316	Satin			
OUTDOOR				
141940-021-50-12		20 x 10 x 1,0	L = 5 m	70,70





MOD 1712

304	Satin			
INDOOR		For tube 		€/ pc.
131712-021-12		20 x 10 x 1,0	4	3,55
316	Satin			
OUTDOOR				
141712-021-12		20 x 10 x 1,0	4	4,20







International Design Model Protection

For flat tube



MOD 4827



304	Satin			
INDOOR		For tube 		€/ pc.
134827-12		20 x 10 x 1,0	QS-15  476	4
316	Satin			
OUTDOOR				
144827-12		20 x 10 x 1,0	QS-16  476	4



International Design Model Protection

Q-INFO


Q-INFO MOD 1940





Infills

Tubes for vertical bar infills (picket rail)




MOD 0926

316	Satin		
OUTDOOR			
140926-233-25-12	L = 2,5 m		€ / pc. 111,15



Infills

Adapters for vertical bar infills (picket rail)



MOD 0521

Plastic	Stainless steel effect		
OUTDOOR			
SELL OUT 150521	D = 33,7		€ / pc. 0,35

Infills

Bars for vertical bar infills (picket rail)

Q-TUBE ▼ DISCOUNT

Ask for your personal discount or check your price in our online shop.



MOD 1910


316	Satin		
OUTDOOR	∅		€ / pc.
141910-012-25-12	12	L = 2,5 m	33,55
141910-012-50-12	12	L = 5 m	67,20




BAUSTERAILING SYSTEMS

INFILLS - BAR AND TUBE


Q-INFO MOD 0926



Q-INFO MOD 1910




Q-INFO



SELL OUT Only while supplies last.

Tube adapters

For round tube



MOD 0629

316		Satin			
OUTDOOR		Ø			€/pc.
140629-033	33,7	QS-53	476	4	11,10
140629-042	42,4	QS-53	476	4	11,10

SELL OUT



International Design Model Protection

Adapters for tube adapters MOD 0629

For flat tube




MOD 0785

316		Satin			
OUTDOOR				€/pc.	
140785-000-12	QS-16	476	4	5,65	



For round tube




MOD 0785

316		Satin			
OUTDOOR		D			€/pc.
140785-042-12	42,4	QS-16	476	4	5,65
140785-048-12	48,3	QS-16	476	4	5,65



Connectors




MOD 5792 - EASY HIT®

316		Raw			
OUTDOOR		For tube Ø		€/pc.	
145792-233	33,7 x 2,0		2	9,30	




International Design Model Protection

Q-INFO MOD 5792




SELL OUT Only while supplies last.

End caps



MOD 5729 - EASY HIT®

316	Satin				
OUTDOOR		For tube Ø		€/ pc.	
145729-233-12		33,7 x 2,0	2	5,60	




MOD 5732 - EASY HIT®

316	Satin				
OUTDOOR		For tube Ø		€/ pc.	
145732-233-12		33,7 x 2,0	2	5,60	



Wall flanges




MOD 0504

316	Satin					
OUTDOOR	Ø	D	H			€/ pc.
140504-033-12	33,7	41	30	QS-55 474 / QS-22 476	2	12,35




Q-INFO MOD 0504






Find all information about
cable infills online:



q-ne.ws/Infills23


INFILLS - CABLE



Infills

Cable system, 3,2 mm

Complete set



Ø 3,2 mm = (1 x 19)


MOD 7901

316 Satin			
OUTDOOR	Cable Ø		€/ pc.
147901-003-01	3,2	L = 1 m	30,60
147901-003-02	3,2	L = 2,5 m	34,00
147901-003-05	3,2	L = 5 m	40,80
147901-003-07	3,2	L = 7,5 m	47,60
147901-003-10	3,2	L = 10 m	54,50
147901-003-12	3,2	L = 12,5 m	61,25
147901-003-20	3,2	L = 20 m	77,90

Infills

End caps

For MOD 7240



MOD 7245

316 Satin			
OUTDOOR			€/ pc.
147245		8	2,90

Infills

Release tool



MOD 7802

316 Satin				
OUTDOOR	For cable Ø		€/ pc.	
207802-003	3,2	1	7,45	

Infills

Adapters




MOD 7240

316 Satin				
OUTDOOR	For cable Ø	D	€/ pc.	
147240-003	3,2	9,3	14,50	

International Design Model Protection

Infills

Cable stopper



MOD 7400


316 Satin				
OUTDOOR	For cable Ø	D	€/ pc.	
147400-003	3,2 - 4,0	18	5,80	



Q-INFO MOD 7400

Always use a cable stopper to distribute load across more than one post.


Q-INFO MOD 7901-003



Infills

Cable system, 4,0 mm

Complete set



Ø 4,0 mm = (1 x 19)


MOD 7901

316		Satin		€/pc.
OUTDOOR		Cable Ø		
147901-004-01	4,0	L = 1 m		36,90
147901-004-02	4,0	L = 2,5 m		41,95
147901-004-05	4,0	L = 5 m		49,45
147901-004-07	4,0	L = 7,5 m		56,95
147901-004-10	4,0	L = 10 m		64,45
147901-004-12	4,0	L = 12,5 m		71,95
147901-004-20	4,0	L = 20 m		94,55

Infills

End caps

For MOD 7240



MOD 7245

316		Satin		€/pc.
OUTDOOR				
147245			8	2,90

Infills

Release tool



MOD 7802


316		Satin		€/pc.
OUTDOOR		For cable Ø		
207802-004	4,0		1	7,45

Infills

Adapters



Self clamping




MOD 7240

316		Satin		€/pc.
OUTDOOR		For cable Ø	D	
147240-004	4,0		11,3	15,70

International Design Model Protection

Infills

Cable stopper



MOD 7400


316		Satin		€/pc.
OUTDOOR		For cable Ø	D	
147400-003	3,2 - 4,0		18	5,80



Q-INFO MOD 7400 / 7401



Always use a cable stopper to distribute load across more than one post.

Q-INFO MOD 7901-004



Cable stoppers for diagonal installation

For flat tube



Downwards



+/- 35°

MOD 7401

304 Satin		316 Satin	
INDOOR	For cable Ø		€/ pc.
137401-000-02	3,2 - 4,0	6	4,95
OUTDOOR			
147401-000-02	3,2 - 4,0	6	6,15



For round tube



Downwards



+/- 35°

MOD 7401

304 Satin		316 Satin	
INDOOR	D	For cable Ø	€/ pc.
137401-042-02	42,4	3,2 - 4,0	4,95
OUTDOOR			
147401-042-02	42,4	3,2 - 4,0	6,15



For flat tube



Upwards



+/- 35°

MOD 7401

304 Satin		316 Satin	
INDOOR	For cable Ø		€/ pc.
137401-000-01	3,2 - 4,0	6	4,95
OUTDOOR			
147401-000-01	3,2 - 4,0	6	6,15



For round tube



Upwards

+/- 35°

MOD 7401


304 Satin		316 Satin	
INDOOR	D	For cable Ø	€/ pc.
137401-042-01	42,4	3,2 - 4,0	4,95
OUTDOOR			
147401-042-01	42,4	3,2 - 4,0	6,15




Adapters for diagonal installation

For flat tube

Top and bottom



+/- 35°




MOD 7403


304 Satin		316 Satin	
INDOOR	For cable Ø		€/ pc.
137403-000	3,2 - 4,0	6	3,95
OUTDOOR			
147403-000	3,2 - 4,0	6	4,75

For round tube

Top and bottom



+/- 35°




MOD 7403

304 Satin		316 Satin	
INDOOR	D	For cable Ø	€/ pc.
137403-042	42,4	3,2 - 4,0	3,95
OUTDOOR			
147403-042	42,4	3,2 - 4,0	4,75

International Design Model Protection


International Design Model Protection

Q-INFO MOD 7403



Infills

Tensioners




MOD 7250

304		Satin				
INDOOR	For cable Ø	D	H	L	☐	€/pc.
137250-003	3,2	5	90	155 - 230	2	21,90
137250-006	6,0	9	125	270 - 325	2	38,75
316		Satin				
OUTDOOR						
147250-003	3,2	5	90	155 - 230	2	25,20
147250-006	6,0	9	125	270 - 325	2	40,60



Infills

Cables



MOD 7900

304		Satin		
INDOOR	Ø	☐	L	€/pc.
137900-003-10	3,2	L = 10 m		16,50
137900-003-50	3,2	L = 50 m		80,80
137900-003-01	3,2	L = 100 m		146,35
137900-006-10	6,0	L = 10 m		58,55
137900-006-50	6,0	L = 50 m		273,25
137900-006-01	6,0	L = 100 m		526,95
316		Satin		
OUTDOOR				
147900-003-10	3,2	L = 10 m		18,50
147900-003-50	3,2	L = 50 m		87,75
147900-003-01	3,2	L = 100 m		165,85
147900-006-10	6,0	L = 10 m		65,30
147900-006-50	6,0	L = 50 m		307,40
147900-006-01	6,0	L = 100 m		595,30


SELL OUT

SELL OUT Only while supplies last.

Q-INFO | MOD 7400

Always use a cable stopper to distribute load across more than one post.

Q-INFO | MOD 7900-006



Q-INFO

Cable cutter



MOD 7800

☐ 489

Infills

Terminals



MOD 7300

304		Satin				
INDOOR	For cable Ø	D	L	☐	€/pc.	
137300-003	3,2	5	50	2	13,45	
137300-006	6,0	9	97	2	27,15	
316		Satin				
OUTDOOR						
147300-003	3,2	5	50	2	14,50	
147300-006	6,0	9	97	2	30,90	



Infills

Eye bolts




MOD 7350

304		Satin				
INDOOR	d	Ø	For cable Ø	L	☐	€/pc.
137350-619	M6	6	3,2	19	10	4,65
137350-130	M10	9	6,0	30	10	4,65
316		Satin				
OUTDOOR						
147350-619	M6	6	3,2	19	10	5,80
147350-130	M10	9	6,0	30	10	5,80

Infills

Cable stopper




MOD 7400


304		Satin			
INDOOR	For cable Ø	D	☐	€/pc.	
137400-003	3,2	18	6	4,65	
137400-006	6,0	20	6	4,65	
316		Satin			
OUTDOOR					
147400-003	3,2	18	6	5,80	
147400-006	6,0	20	6	5,80	





Q-INFO




Q-INFO



Q-INFO





Q-INFO



Cable stoppers for diagonal installation

For flat tube



Downwards



+/- 35°

MOD 7401

304 Satin				
INDOOR	For cable Ø		€ / pc.	
137401-000-02	3,2	6	4,95	
316 Satin				
OUTDOOR	For cable Ø		€ / pc.	
147401-000-02	3,2	6	6,15	



For round tube



Downwards



+/- 35°

MOD 7401

304 Satin					
INDOOR	D	For cable Ø	€ / pc.		
137401-042-02	42,4	3,2	4,95	6	
316 Satin					
OUTDOOR	D	For cable Ø	€ / pc.		
147401-042-02	42,4	3,2	6,15	6	



For flat tube



Upwards



+/- 35°

MOD 7401

304 Satin				
INDOOR	For cable Ø		€ / pc.	
137401-000-01	3,2	6	4,95	
316 Satin				
OUTDOOR	For cable Ø		€ / pc.	
147401-000-01	3,2	6	6,15	



For round tube



Upwards


+/- 35°

MOD 7401


304 Satin					
INDOOR	D	For cable Ø	€ / pc.		
137401-042-01	42,4	3,2	4,95	6	
316 Satin					
OUTDOOR	D	For cable Ø	€ / pc.		
147401-042-01	42,4	3,2	6,15	6	



Q-INFO | MOD 7250 / 7401-042 / 7300




Cable holders



For flat tube
Left

MOD 7450


304 Satin				€/pc.
INDOOR				
137450-000-01	QS-15 476	4		5,80



For flat tube
Right

MOD 7450


304 Satin				€/pc.
INDOOR				
137450-000-02	QS-15 476	4		5,80



For flat tube
Intermediate


MOD 7450

304 Satin				€/pc.
INDOOR				
137450-000-00	QS-15 476	4		5,80



MOD 7500

304 Satin				€/pc.
INDOOR				
137500		4		15,45
316 Satin				
OUTDOOR				
147500		4		17,80




For round tube
Left

MOD 7450

304 Satin				€/pc.
INDOOR		D		
137450-042-01	QS-15 476	42,4	4	5,80

316 Satin

OUTDOOR				
147450-042-01	QS-16 476	4		7,65




For round tube
Right

MOD 7450

304 Satin				€/pc.
INDOOR		D		
137450-042-02	QS-15 476	42,4	4	5,80

316 Satin

OUTDOOR				
147450-042-02	QS-16 476	4		7,65



For round tube
Intermediate

MOD 7450


304 Satin				€/pc.
INDOOR		D		
137450-042-00	QS-15 476	42,4	4	5,80

316 Satin

OUTDOOR				
147450-042-00	QS-16 476	4		7,65



Q-INFO | MOD 7450 / 7500 / 7900






Find all information about
web infills online:



<https://q-ne.ws/QWeb23>

INFILLS - WEB



Infills

Cables



MOD 7900

316 Satin				
OUTDOOR		Ø		€/ pc.
147900-006-10	6,0		L = 10 m	65,30
147900-006-50	6,0		L = 50 m	307,40
147900-006-01	6,0		L = 100 m	595,30

Infills

Tensioners



MOD 7260

316 Satin						
OUTDOOR		Ø	H	L		€/ pc.
147260-006	6	125	340-360	2		54,50

Infills

Adapters


For flat tube



MOD 7723

316 Satin				
OUTDOOR				€/ pc.
147723-000		12		5,70

For round tube




MOD 7723

316 Satin					
OUTDOOR		D			€/ pc.
147723-042		42,4	12		5,70
147723-048		48,3	12		5,70

Infills

Cable holders

For round tube




MOD 7356

316 Satin				
OUTDOOR		D		€/ pc.
147356-042		42,4	2	31,10



Infills

Eye bolts



MOD 7355

316 Satin				
OUTDOOR				€/ pc.
147355-010		12		8,20

Accessories


Cable ties




MOD 1050

Accessories					
		Q	L		€/ 100 pcs.
201050	Q-50	300	100		5,00



Q-INFO MOD 7900-006



Q-INFO MOD 7356-042




Q-INFO MOD 7355 / 7723



Infills

Web




MOD 7910

316 Satin				€/pc.
OUTDOOR		H		
147910-050-06	600	L = 5 m		387,05
147910-100-06	600	L = 10 m		745,35
147910-500-06	600	L = 50 m		3.583,95
147910-050-08	800	L = 5 m		517,65
147910-100-08	800	L = 10 m		993,95
147910-500-08	800	L = 50 m		4.776,65

Infills

Cables




MOD 7911

316 Satin				€/pc.
OUTDOOR		Ø		
147911-100	1,5	L = 10 m		27,25
147911-500	1,5	L = 50 m		78,00
147911-001	1,5	L = 100 m		146,35

Infills

Vertical cable convector




MOD 7780

316 Satin					€/pc.
OUTDOOR		Ø	L		
147780	8	800	1		73,30

Infills

Inclination clamp



MOD 7810

316 Satin				€/pc.
OUTDOOR				
147810		12		1,05

Infills

Vertical clamp



MOD 7820

316 Satin				€/pc.
OUTDOOR				
147820		12		1,25

International Design Model Protection

Infills

Connectors



MOD 7830

316 Satin				€/pc.
OUTDOOR				
147830		12		1,90

Q-INFO | MOD 7260 / 7810 / 7820


Quantity required

MOD 7260		1x per 10 m
MOD 7810		20 pieces per m (10x top and 10x base)
MOD 7820	H = 600 mm	10 pieces each side (left end and right end)
	H = 800 mm	13 pieces each side (left end and right end)





Find all information about
plate infills online:



q-ne.ws/Infills23

COMPONENTS FOR INFILLS - PLATE






Plate adapters - MOD 2800

For flat tube



For round tube



MOD 2800

304 Satin										
INDOOR	W	T			€ / pc.					
132800-000-12	34	See MOD 5028	QS-26	478	4	12,25				
304 Mirror polished										
INDOOR										
132800-000-10	34	See MOD 5028	QS-26	478	4	14,80				
316 Satin										
OUTDOOR										
142800-000-12	34	See MOD 5028	QS-27	478	4	13,85				
316 Mirror polished										
OUTDOOR										
142800-000-10	34	See MOD 5028	QS-27	478	4	16,80				
316 Black Line										
OUTDOOR										
142800-000-82	34	See MOD 5028	QS-27	478	4	18,00				
Zamak										
INDOOR										
102800-000-...	36	See MOD 5028	QS-28	478	4	Q-info				

MOD 2800

304 Satin										
INDOOR	D	W	T			€ / pc.				
132800-042-12	42,4	34	See MOD 5028	QS-47	478	4	12,25			
132800-048-12	48,3	34	See MOD 5028	QS-47	478	4	12,25			
304 Mirror polished										
INDOOR										
132800-042-10	42,4	34	See MOD 5028	QS-47	478	4	14,80			
132800-048-10	48,3	34	See MOD 5028	QS-47	478	4	14,80			
316 Satin										
OUTDOOR										
142800-042-12	42,4	34	See MOD 5028	QS-45	478	4	13,85			
142800-048-12	48,3	34	See MOD 5028	QS-45	478	4	13,85			
316 Mirror polished										
OUTDOOR										
142800-042-10	42,4	34	See MOD 5028	QS-45	478	4	16,80			
142800-048-10	42,4	34	See MOD 5028	QS-45	478	4	16,80			
Zamak										
INDOOR										
102800-042-...	42,4	36	See MOD 5028	QS-46	478	4	Q-info			
102800-048-...	48,3	36	See MOD 5028	QS-46	478	4	Q-info			



International Design Model Protection



International Design Model Protection

Rubber inlays for plate adapters MOD 2800



2 pieces per plate adapter


MOD 5028

Accessories					
	T			€ / pc.	
205028-02	2	8		0,45	
205028-03	3	8		0,45	
205028-04	4	8		0,45	

Only while supplies last.

Please order fixing bolts separately.

Q-INFO MOD 5015 / 2800



Q-INFO 304 316 MOD 2800 Finishes

10	12	82 RAL 9005
Mirror polished	Satin	Powder coated
		Black, matt, textured

Q-INFO Zamak MOD 2800 Finishes

00	17	19	82 RAL 9005	89 RAL 9005
Raw	Chrome plated	Stainless steel effect	Powder coated	Powder coated INDOOR
102800-000-00	102800-000-17	102800-000-19	102800-000-82	102800-000-89
€ / pc. 5,00	8,00	8,00	7,25	6,40
102800-04x-00		102800-04x-19	102800-04x-82	102800-04x-89
€ / pc. 5,00		8,00	7,25	6,40


Q-INFO

00	RAL 00
	.00 finish is ready for powder coating.

Plate adapters - MOD 4200


For flat tube

Security plate included



For round tube

Security plate included



MOD 4200

304 Satin												
INDOOR	W	T			€ / pc.							
134200-000-12	28	See MOD 5042	QS-26	478	4	13,20						
316 Satin												
OUTDOOR												
144200-000-12	28	See MOD 5042	QS-27	478	4	14,95						
316 Black Line												
OUTDOOR												
144200-000-82	28	See MOD 5042	QS-27	478	4	19,45						
316 Mirror polished												
OUTDOOR												
144200-000-10	28	See MOD 5042	QS-27	478	4	18,20						
Zamak												
INDOOR												
104200-000-...	30	See MOD 5042	QS-28	478	4	Q-info						

MOD 4200

304 Satin													
INDOOR	D	W	T		€ / pc.								
134200-042-12	42,4	28	See MOD 5042	QS-47	478	4	13,20						
134200-048-12	48,3	28	See MOD 5042	QS-47	478	4	13,20						
304 Black Line													
INDOOR													
NEW 134200-042-82	42,4	28	See MOD 5042	QS-47	478	4	17,15						
316 Satin													
OUTDOOR													
144200-042-12	42,4	28	See MOD 5042	QS-45	478	4	14,95						
144200-048-12	48,3	28	See MOD 5042	QS-45	478	4	14,95						
316 Mirror polished													
OUTDOOR													
144200-042-10	42,4	28	See MOD 5042	QS-45	478	4	18,20						
144200-048-10	48,3	28	See MOD 5042	QS-45	478	4	18,20						
Zamak													
INDOOR													
SELL OUT 104200-042-...	42,4	30	See MOD 5042	QS-46	478	4	Q-info						
SELL OUT 104200-048-...	48,3	30	See MOD 5042	QS-46	478	4	Q-info						



International Design Model Protection



International Design Model Protection


Q-INFO 304 316 MOD 4200 Finishes




Q-INFO



Q-INFO MOD 5015 / 4200



Q-INFO Zamak MOD 4200 Finishes



104200-000-00	104200-000-17	104200-000-19	104200-000-32	104200-000-33	104200-000-36	104200-000-82	104200-000-89
€ / pc. 5,35	8,55	8,55	6,80	6,80	6,80	7,50	6,80
104200-04x-00		104200-04x-19				104200-042-82	104200-042-89
€ / pc. 5,35		8,55				7,50	6,80


Rubber inlays for plate adapters MOD 4200

2 pieces per
plate adapter

MOD 5042

Accessories		T		€ / pc.
205042-02		2	8	0,45
205042-03		3	8	0,45
205042-04		4	8	0,45

Security pins


Optional for
MOD 4200

MOD 5015

Accessories		L		€ / pc.
205015-22		22	4	1,65

Plate adapters - MOD 0743

For flat tube




MOD 0743

304 Satin				€ / pc.
INDOOR				
130743-000	QS-17 476		4	8,80



For round tube



MOD 0743

304 Satin				€ / pc.
INDOOR	D			
130743-042	42,4	QS-17 476	4	8,80
130743-048	48,3	QS-17 476	4	8,80





5

GLASS INFILL HOLDERS

How to find your glass infill holder427 - 434

Glass clamps434 - 446

Glass holders448 - 449

Glass connectors450 - 452

Hinges and door locks452 - 453

Glass adapters455 - 457



GLASS HOLDERS


448 - 449



Find all information about
glass clamps online:




[https://q-ne.ws/
GlassClamps23](https://q-ne.ws/GlassClamps23)



GLASS CLAMPS

434 - 446



GLASS CONNECTORS

450 - 452

GLASS ADAPTERS

455 - 457



HINGES AND DOOR LOCKS

452 - 453




CRYSTAL CLEAR, ABSOLUTELY SAFE

Although you may think of glass as a fragile material, it is actually extremely strong. This makes it an excellent choice for a railing infill. And when you combine it with Q-railing's highly robust glass infill holders, you have a practically indestructible railing. We know because we have tried! At our in-house testing facility, we continually subject our products to rigorous tests. In addition, extensive testing is carried out by certified independent testing institutions and leading authorities.

As a result, you can expect our glass clamps – tested in accordance with the EN-12600 international standards – to resist dynamic loads of up to 50 kg. This is true, whether you choose to combine them with toughened, laminated glass or monolithic glass (6 - 21,52 mm). Both options comply with international DIN- and BS-standards, and are AbZ approved.

CERTIFICATION

Our glass clamps have been tested according to the DIN/EN 12600 testing method, resulting in the German AbZ approval.



SAFETY

Fascia mount? Safety first!


Use security pins or security plates.




(MOD 5015)



(Included in MOD 2300, 2400, 2600, 4200)





Dimensions (mm)	min.	max.
W Glass width	500	See table
T Glass thickness	See table	See table
H Glass height	800	1000
h1 Handrail - top glass panel	10	50 without edge protection 120 with edge protection
h2 Floor - base glass panel	10	50 without edge protection 120 with edge protection
h3 Top glass panel - upper glass clamp	100 : MOD 2500, 2100, 2600, 2400 50 : MOD 2800 120 : MOD 4200	150
h4 Lower glass clamp - base glass panel	100 : MOD 2500, 2100, 2600, 2400 50 : MOD 2800 120 : MOD 4200	150

INDOOR

Glass clamps without security pin and without security plate.

MOD 2700

304

Zamak



Flat or tube
Ø 33,7 mm
Ø 42,4 mm

Glass type

Mono / ESG-H*

T (mm)

8

W_{max} (mm)

1200

MOD 2500

304

Zamak



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Glass type

VSG / TVG*

VSG / ESG*

Mono / ESG-H*

T (mm)

8,76

9,52

10,76

11,52

12,76

8,76

9,52

10,76

11,52

12,76

8

10

12

W_{max} (mm)

1500

1500

1500

1500

1500

1500

1500

1500

1500

1500

1500

1500

MOD 2800

304

Zamak



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Glass type

VSG / SPG*

VSG / TVG*

VSG / ESG*

Mono / ESG-H*

T (mm)

12,76

8,76

9,52

10,76

11,52

12,76

8,76

9,52

10,76

11,52

12,76

8

10

12

W_{max} (mm)

1500

1800

1800

1800

1800

1800

1800

1800

1800

1800

2000

1800

1800

1800

MOD 2100

304

Zamak



Flat or tube
Ø 42,4 mm

Glass type

VSG / ESG*

T (mm)

8,76

9,52

W_{max} (mm)

1200

1200

MOD 4200

304

Zamak



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Glass type

VSG / SPG*

VSG / TVG*

VSG / ESG*

Mono / ESG-H*

T (mm)

12,76

10,76

11,52

12,76

8,76

9,52

10,76

11,52

12,76

8

10

12

W_{max} (mm)

1600

1600

1600

1600

1800

1800

1800

1800

1800¹1800²

1800

1800

1800

¹ Zamak ² Stainless steel 304

MOD 2600

304

Zamak



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Glass type

VSG / TVG*

VSG / ESG*

Mono / ESG-H*

T (mm)

8,76

10,76

11,52

12,76

8,76

10,76

11,52

12,76

8

10

12

W_{max} (mm)

1400

1600

1600

1600

1400

1600

1600

1600

1600

1400

1600

1600

MOD 2400

304

Zamak



Flat or tube
Ø 48,3 mm

Glass type

VSG / SPG*

VSG / TVG*

VSG / ESG*

Mono / ESG-H*

T (mm)

12,76

13,52

16,76

17,52

12,76

13,52

16,76

17,52

12,76

13,52

16,76

17,52

12

15

W_{max} (mm)

1500

1500

1500

1500

1500

1500

1500

1500

1600

1600

1600

1600

1600



OUTDOOR

Possible glass width for outdoor use depending on wind factor, glass type and glass thickness without security pin and without security plate.

MOD 2500

316



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Wind pressure	Glass type T (mm)	VSG / TVG*		VSG / ESG*		Mono / ESG-H*	
		8,76	9,52	10,76	12,76	8	10
2,20 kN/m ²	W _{max} (mm)	-	-	-	-	800	800
1,60 kN/m ²		-	-	500	500	1000	1400
1,40 kN/m ²		-	-	500	500	1000	1400
1,04 kN/m ²		500	500	800	800	1400	1500
1,00 kN/m ²		500	500	1000	1000	1400	1500
0,64 kN/m ²		800	800	1200	1200	1500	1500

MOD 2800 / 4200

316



Flat or tube
Ø 42,4 mm
Ø 48,3 mm



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Wind pressure	Glass type T (mm)	VSG / SPG*			VSG / TVG*			VSG / ESG*				Mono / ESG-H*			
		12,76	8,76	9,52	10,76	11,52	12,76	8,76	9,52	10,76	11,52	12,76	8	10	12
2,20 kN/m ²	W _{max} (mm)	-	-	-	700	700	950	650	650	950	950	1100	1000	1500	1700
2,00 kN/m ²		-	-	-	700	700	1000	700	700	1000	1000	1200	1050	1600	1800
1,60 kN/m ²		-	-	-	800	800	1100	800	800	1100	1100	1200	1200	1600	1800
1,40 kN/m ²		-	600	600	900	900	1300	850	850	1200	1200	1400	1250	1600	1800
1,04 kN/m ²		-	700	700	1050	1050	1300	1000	1000	1300	1300	1400	1500	1700	1800
1,00 kN/m ²		-	700	700	1050	1050	1300	1000	1000	1300	1300	1400	1500	1700	1800
0,70 kN/m ²		-	900	900	1050	1050	1400	1100	1100	1400	1400	1500	1550	1700	1800

MOD 2600

316



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Wind pressure	Glass type T (mm)	VSG / TVG*				VSG / ESG*				Mono / ESG-H*		
		8,76	10,76	11,52	12,76	8,76	10,76	11,52	12,76	8	10	12
2,20 kN/m ²	W _{max} (mm)	-	-	-	500	500	800	800	800	800	1000	1400
1,60 kN/m ²		-	500	500	800	800	800	800	1000	1000	1400	1400
1,40 kN/m ²		-	800	800	800	800	1000	1000	1200	1200	1400	1400
1,04 kN/m ²		500	800	800	1000	800	1000	1000	1400	1400	1400	1400
1,00 kN/m ²		500	800	800	1000	800	1200	1200	1400	1400	1400	1400
0,64 kN/m ²		800	1000	1000	1200	1200	1400	1400	1400	1400	1400	1400

MOD 2400

316




Flat or tube
Ø 48,3 mm

Wind pressure	Glass type T (mm)	VSG / SPG*				VSG / TVG*				VSG / ESG*				Mono / ESG-H*	
		12,76	13,52	16,76	17,52	12,76	13,52	16,76	17,52	12,76	13,52	16,76	17,52	12	16
2,20 kN/m ²	W _{max} (mm)	500	500	800	800	500	500	1000	1000	500	500	1000	1000	1400	1600
1,60 kN/m ²		500	500	1000	1000	800	800	1200	1200	800	800	1200	1200	1500	1600
1,40 kN/m ²		800	800	1000	1000	800	800	1200	1200	800	800	1400	1400	1600	1600
1,04 kN/m ²		800	800	1200	1200	1000	1000	1500	1500	1200	1200	1600	1600	1600	1600
1,00 kN/m ²		1000	1000	1200	1200	1000	1000	1500	1500	1200	1200	1600	1600	1600	1600
0,64 kN/m ²		1200	1200	1500	1500	1500	1500	1500	1500	1500	1500	1600	1600	1600	1600

* VSG: Laminated glass
Mono: Single panel glass

SPG: Float/Annealed glass
TVG: Heat strengthened glass

ESG: Toughened glass
ESG-H: Heat soaked toughened glass



Dimensions (mm)		min.	max.
W	Glass width	500	See table
T	Glass thickness	See table	See table
H	Glass height	800	1000
h1	Handrail - top glass panel	10	50 without edge protection 120 with edge protection
h2	Floor - base glass panel	10	50 without edge protection 120 with edge protection
h3	Top glass panel - upper glass clamp	150 : MOD 2500 / MOD 2400 50 : MOD 2800 120 : MOD 4200	150
h4	Lower glass clamp - base glass panel	150 : MOD 2500 / MOD 2400 50 : MOD 2800 120 : MOD 4200	150

INDOOR

Glass clamps with security pin, without security plate.

MOD 2500

304

Zamak

Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Glass type	VSG / ESG*
T (mm)	12,76
W _{max} (mm)	1600

MOD 2800

304

Zamak

Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Glass type	VSG / TVG*					VSG / ESG*					Mono / ESG-H*		
T (mm)	8,76	9,52	10,76	11,52	12,76	8,76	9,52	10,76	11,52	12,76	8	10	12
W _{max} (mm)	1800	1800	1800	1800	1800	1800	1800	1800	1800	1800	1800	1800	1800

MOD 4200

304

Zamak

Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Glass type	VSG / SPG*	VSG / TVG*				VSG / ESG*					Mono / ESG-H*		
T (mm)	12,76	10,76	11,52	12,76	8,76	9,52	10,76	11,52	12,76	8	10	12	
W _{max} (mm)	1500	1600	1600	1600	1800	1800	1800	1800	1800	1800 ¹ 2000 ²	1800	1800	1800

¹ Zamak ² Stainless steel 304

MOD 2400

304

Zamak

Flat or tube
Ø 48,3 mm

Glass type	VSG / ESG*				Mono / ESG-H*	
T (mm)	12,76	13,52	16,76	17,52	12	15
W _{max} (mm)	1600	1600	1600	1600	1600	1600

* VSG: Laminated glass
Mono: Single panel glassSPG: Float/Annealed glass
TVG: Heat strengthened glassESG: Toughened glass
ESG-H: Heat soaked toughened glass



OUTDOOR



Possible glass width for outdoor use depending on wind factor, glass type and glass thickness with security pin, without security plate.

MOD 2500

316



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Wind pressure	Glass type	VSG / ESG*	
	T (mm)	12,76	
2,20 kN/m ²	W _{max} (mm)	1100	
2,00 kN/m ²		1200	
1,60 kN/m ²		1200	
1,40 kN/m ²		1400	
1,04 kN/m ²		1400	
1,00 kN/m ²		1400	
0,70 kN/m ²		1500	

MOD 2800 / 4200

316



Flat or tube
Ø 42,4 mm
Ø 48,3 mm



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Wind pressure	Glass type T (mm)	VSG / TVG*					VSG / ESG*					Mono / ESG-H*		
		8,76	9,52	10,76	11,52	12,76	8,76	9,52	10,76	11,52	12,76	8	10	12
2,20 kN/m ²	W _{max} (mm)	-	-	700	700	950	650	650	950	950	1100	1000	1500	1700
2,00 kN/m ²		-	-	700	700	1000	700	700	1000	1000	1200	1050	1600	1800
1,60 kN/m ²		-	-	800	800	1100	800	800	1100	1100	1200	1200	1600	1800
1,40 kN/m ²		600	600	900	900	1300	850	850	1200	1200	1400	1250	1600	1800
1,04 kN/m ²		700	700	1050	1050	1300	1000	1000	1300	1300	1400	1500	1700	1800
1,00 kN/m ²		700	700	1050	1050	1300	1000	1000	1300	1300	1400	1500	1700	1800
0,70 kN/m ²		900	900	1050	1050	1400	1100	1100	1400	1400	1500	1550	1700	1800


MOD 2400

316



Flat or tube
Ø 48,3 mm

Wind pressure	Glass type T (mm)	VSG / ESG*				Mono / ESG-H*	
		12,76	13,52	16,76	17,52	12	15
2,20 kN/m ²	W _{max} (mm)	500	500	1000	1000	1400	1600
1,60 kN/m ²		800	800	1200	1200	1500	1600
1,40 kN/m ²		800	800	1400	1400	1600	1600
1,04 kN/m ²		1200	1200	1600	1600	1600	1600
1,00 kN/m ²		1200	1200	1600	1600	1600	1600
0,64 kN/m ²		1500	1500	1600	1600	1600	1600



Dimensions (mm)		min.	max.
W	Glass width	500	See table
T	Glass thickness	See table	See table
H	Glass height	800	1000
h1	Handrail - top glass panel	10	50 without edge protection 120 with edge protection
h2	Floor - base glass panel	10	50 without edge protection 120 with edge protection
h3	Top glass panel - upper glass clamp	100 : MOD 2600, 2400 120 : MOD 4200	150
h4	Lower glass clamp - base glass panel	29 : MOD 2400 22 : MOD 2600 16,5: MOD 4200	29 : MOD 2400 22 : MOD 2600 16,5: MOD 4200

INDOOR



Glass clamps without security pin, with security plate.

MOD 4200

304 Zamak



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Glass type	VSG / SPG*		VSG / TVG*		VSG / ESG*				Mono / ESG-H*																	
	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)														
	12,76	1600	10,76	1600	11,52	1600	12,76	1600	8,76	1800	9,52	1800	10,76	1800	11,52	1800	12,76	1800	12,76	1800	8	1800	10	1800	12	1800

¹ Zamak ² Stainless steel 304

MOD 2600

304



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Glass type	VSG / ESG*				Mono / ESG-H*									
	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)						
	8,76	1400	10,76	1400	11,52	1400	12,76	1400	8	1400	10	1400	12	1400

MOD 2400

304 Zamak



Flat or tube
Ø 48,3 mm

Glass type	VSG / TVG*				VSG / ESG*				Mono / ESG-H*											
	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)	T (mm)	W _{max} (mm)										
	12,76	1500	13,52	1500	16,76	1500	17,52	1500	12,76	1600	13,52	1600	16,76	1600	17,52	1600	12	1600	15	1600

* VSG: Laminated glass
Mono: Single panel glass

SPG: Float/Annealed glass
TVG: Heat strengthened glass

ESG: Toughened glass
ESG-H: Heat soaked toughened glass



OUTDOOR



Possible glass width for outdoor use depending on wind factor, glass type and glass thickness without security pin and with security plate.

MOD 4200

316



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Wind pressure	Glass type T (mm)	VSG / TVG*					VSG / ESG*					Mono / ESG-H*		
		8,76	9,52	10,76	11,52	12,76	8,76	9,52	10,76	11,52	12,76	8	10	12
2,20 kN/m ²	W _{max} (mm)	-	-	700	700	1000	650	650	950	950	1100	1000	1500	1700
2,00 kN/m ²		-	-	750	750	1050	700	700	1000	1000	1300	1050	1600	1800
1,60 kN/m ²		-	-	850	850	1200	800	800	1100	1100	1300	1200	1600	1800
1,40 kN/m ²		600	600	950	950	1300	850	850	1200	1200	1500	1250	1600	1800
1,04 kN/m ²		700	700	1100	1100	1300	1000	1000	1400	1400	1500	1500	1700	1800
1,00 kN/m ²		700	700	1100	1100	1300	1000	1000	1400	1400	1500	1500	1700	1800
0,70 kN/m ²	900	900	1100	1100	1400	1050	1050	1500	1500	1600	1550	1700	1800	

MOD 2600

316



Flat or tube
Ø 42,4 mm
Ø 48,3 mm

Wind pressure	Glass type T (mm)	VSG / ESG*				Mono / ESG-H*		
		8,76	10,76	11,52	12,76	8	10	12
2,20 kN/m ²	W _{max} (mm)	500	800	800	800	800	1000	1400
1,60 kN/m ²		800	800	800	1000	1000	1400	1400
1,40 kN/m ²		800	1000	1000	1200	1200	1400	1400
1,04 kN/m ²		800	1000	1000	1400	1400	1400	1400
1,00 kN/m ²		800	1200	1200	1400	1400	1400	1400
0,64 kN/m ²		1200	1400	1400	1400	1400	1400	1400

MOD 2400

316



Flat or tube
Ø 48,3 mm

Wind pressure	Glass type T (mm)	VSG / TVG*				VSG / ESG*				Mono / ESG-H*	
		12,76	13,52	16,76	17,52	12,76	13,52	16,76	17,52	12	15
2,20 kN/m ²	W _{max} (mm)	500	500	500	500	500	500	1000	1000	1400	1600
1,60 kN/m ²		500	500	800	800	800	800	1200	1200	1500	1600
1,40 kN/m ²		500	500	1000	1000	800	800	1400	1400	1600	1600
1,04 kN/m ²		800	800	1200	1200	1200	1200	1500	1500	1600	1600
1,00 kN/m ²		800	800	1200	1200	1200	1200	1500	1500	1600	1600
0,64 kN/m ²		1500	1500	1500	1500	1500	1500	1600	1600	1600	1600


GLASS INFILL HOLDERS – GLASS THICKNESSES

		Monolithic glass						Laminated glass														
			Glass thickness (mm)						Glass thickness (mm)													
			6	8	10	12	15	19	6,76	8,38	8,76	9,52	10,76	11,52	12,76	13,52	16,76	17,52	20,76	21,52	25,52	
Glass clamps	MOD 2700	435	■	■	■				■		■		■									
	MOD 2500	436	■	■	■	■			■		■	■	■	■	■							
	MOD 2800	437	■	■	■	■					■	■	■	■	■							
	MOD 4200	438 - 439	■	■	■	■			■	■	■	■	■	■	■							
	MOD 2100	440	■	■	■				■		■	■										
	MOD 2600	441		■	■	■					■		■	■	■							
	MOD 2400	442					■	■					■	■	■	■	■	■				
	MOD 2300	443						■	■			■		■	■	■	■	■	■	■	■	■
	MOD 4400/4600	444		■	■						■		■									
	MOD 5100/5200	445		■	■						■		■									
	MOD 2900	446		■	■	■					■		■			■						
Glass holders	MOD 5500	448		■	■	■					■		■	■	■	■						
	MOD 5501	449		■	■	■					■		■	■	■	■						
Glass connectors	MOD 2870/2880/2890	450	■	■	■	■					■	■	■	■	■		■	■	■	■	■	
	MOD 4270/4280/4290	451	■	■	■	■			■	■	■	■	■	■	■		■	■	■	■	■	
	MOD 0742	452						■	■						■	■	■	■	■	■	■	
Hinges and door locks	MOD 0283/0281	453	■	■	■	■			■	■	■	■	■	■	■							
	MOD 0284/0282	452	■	■	■	■			■	■	■	■	■	■	■							
Glass adapters	MOD 0754	455		■	■	■	■			■	■	■	■	■	■	■	■	■				
	MOD 0746	456	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■				
	MOD 0740	456	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■				
	MOD 0755	456	■	■	■	■			■	■	■	■	■	■	■							
	MOD 0747/1747	457		■	■	■	■			■	■	■	■	■	■	■	■	■	■	■	■	

The Q-railing range offers glass infill holders in various finishes. Check the options and the corresponding codes for products in both zamak, stainless steel and aluminium at page 7.

Glass clamps - MOD 2700

For flat tube




MOD 2700

304 Satin							
INDOOR	W	T			€/ pc.		
132700-000-12	26	See MOD 5027	QS-26	478	4	8,90	
316 Satin							
OUTDOOR	W	T			€/ pc.		
142700-000-12	26	See MOD 5027	QS-27	478	4	10,70	
Zamak							
INDOOR	W	T			€/ pc.		
102700-000-...	28	See MOD 5027	QS-28	478	4	Q-info	

SELL OUT



For round tube



MOD 2700

304 Satin							
INDOOR	D	W	T			€/ pc.	
132700-033-12	33,7	26	See MOD 5027	QS-47	478	4	8,90
132700-042-12	42,4	26	See MOD 5027	QS-47	478	4	8,90
316 Satin							
OUTDOOR	D	W	T			€/ pc.	
142700-033-12	33,7	26	See MOD 5027	QS-45	478	4	10,70
142700-042-12	42,4	26	See MOD 5027	QS-45	478	4	10,70
Zamak							
INDOOR	D	W	T			€/ pc.	
102700-033-...	33,7	28	See MOD 5027	QS-46	478	4	Q-info
102700-042-...	42,4	28	See MOD 5027	QS-46	478	4	Q-info

SELL OUT



Rubber inlays for MOD 2700



2 pieces per glass clamp

MOD 5027

Accessories			
For monolithic glass	T		€/ pc.
205027-06	6	8	0,20
205027-08	8	8	0,20
205027-10	10	8	0,20
For laminated glass			
205027-07	6,76	8	0,20
205027-09	8,76	8	0,20
205027-11	10,76	8	0,20

SELL OUT Only while supplies last.

Please order fixing bolts separately.

Q-INFO




.00 finish is ready for powder coating.

Q-INFO Zamak MOD 2700 Finishes


	00	17	19
	Raw	Chrome plated	Stainless steel effect
102700-000-00	3,60	102700-000-17	5,75
102700-0xx-19			5,75

Q-INFO MOD 1062



Glass clamps - MOD 2500

For flat tube




MOD 2500

304 Satin										
INDOOR	W	T			€/pc.					
132500-000-12	30	See MOD 5025	QS-26	478	4	12,35				
316 Satin										
OUTDOOR	W	T			€/pc.					
142500-000-12	30	See MOD 5025	QS-27	478	4	13,95				
316 Mirror polished										
OUTDOOR	W	T			€/pc.					
142500-000-10	30	See MOD 5025	QS-27	478	4	16,90				
316 Black Line										
OUTDOOR	W	T			€/pc.					
142500-000-82	30	See MOD 5025	QS-27	478	4	18,15				
Zamak										
INDOOR	W	T			€/pc.					
102500-000-...	32	See MOD 5025	QS-28	478	4	Q-info				



For round tube



MOD 2500

304 Satin										
INDOOR	D	W	T			€/pc.				
132500-042-12	42,4	30	See MOD 5025	QS-47	478	4	12,35			
132500-048-12	48,3	30	See MOD 5025	QS-47	478	4	12,35			
316 Satin										
OUTDOOR	D	W	T			€/pc.				
142500-042-12	42,4	30	See MOD 5025	QS-45	478	4	13,95			
142500-048-12	48,3	30	See MOD 5025	QS-45	478	4	13,95			
316 Mirror polished										
OUTDOOR	D	W	T			€/pc.				
142500-042-10	42,4	30	See MOD 5025	QS-45	478	4	16,90			
142500-048-10	48,3	30	See MOD 5025	QS-45	478	4	16,90			
Zamak										
INDOOR	D	W	T			€/pc.				
102500-042-...	42,4	32	See MOD 5025	QS-46	478	4	Q-info			
102500-048-...	48,3	32	See MOD 5025	QS-46	478	4	Q-info			



Rubber inlays for MOD 2500




2 pieces per glass clamp

MOD 5025

Accessories					
For monolithic glass	T			€/pc.	
205025-06	6	8		0,35	
205025-08	8	8		0,35	
205025-10	10	8		0,35	
205025-12	12	8		0,35	
For laminated glass					
205025-07	6,76	8		0,35	
205025-09	8,76	8		0,35	
205025-44	9,52	8		0,35	
205025-11	10,76	8		0,35	
205025-54	11,52	8		0,35	
205025-13	12,76	8		0,35	

Security pins



Optional for MOD 2500

MOD 5015

Accessories					
	L			€/pc.	
205015-25	25	4		1,65	

Only while supplies last.


Q-INFO 316 MOD 2500 Finishes



Q-INFO Zamak MOD 2500 Finishes


00	17	19	32 RAL 9016	82 RAL 9005	89 RAL 9005
Raw	Chrome plated	Stainless steel effect	White, satin, plain	Black, matt, textured	Black, matt, plain
102500-000-00	102500-000-17	102500-000-19	102500-000-32	102500-000-82	102500-000-89
€/pc. 5,10	8,10	8,10	6,50	7,25	6,50
102500-04x-00		102500-04x-19			
€/pc. 5,10		8,10			

Q-INFO MOD 5015 / 2500



Glass clamps - MOD 2800

For flat tube



MOD 2800

304		Satin								
INDOOR	W	T			€ / pc.					
132800-000-12	34	See MOD 5028	QS-26	478	4	12,25				
304		Mirror polished								
INDOOR										
132800-000-10	34	See MOD 5028	QS-26	478	4	14,80				
316		Satin								
OUTDOOR										
142800-000-12	34	See MOD 5028	QS-27	478	4	13,85				
316		Mirror polished								
OUTDOOR										
142800-000-10	34	See MOD 5028	QS-27	478	4	16,80				
316		Black Line								
OUTDOOR										
142800-000-82	34	See MOD 5028	QS-27	478	4	18,00				
Zamak										
INDOOR										
102800-000-...	36	See MOD 5028	QS-28	478	4	Q-info				



International Design Model Protection

Rubber inlays for MOD 2800




2 pieces per glass clamp

MOD 5028

Accessories					
For monolithic glass	T		€ / pc.		
205028-06	6	8	0,45		
205028-08	8	8	0,45		
205028-10	10	8	0,45		
205028-12	12	8	0,45		
For laminated glass					
205028-09	8,76	8	0,45		
205028-44	9,52	8	0,45		
205028-11	10,76	8	0,45		
205028-54	11,52	8	0,45		
205028-13	12,76	8	0,45		

For round tube



MOD 2800


304		Satin									
INDOOR	D	W	T		€ / pc.						
132800-042-12	42,4	34	See MOD 5028	QS-47	478	4	12,25				
132800-048-12	48,3	34	See MOD 5028	QS-47	478	4	12,25				
304		Mirror polished									
INDOOR											
132800-042-10	42,4	34	See MOD 5028	QS-47	478	4	14,80				
132800-048-10	48,3	34	See MOD 5028	QS-47	478	4	14,80				
316		Satin									
OUTDOOR											
142800-042-12	42,4	34	See MOD 5028	QS-45	478	4	13,85				
142800-048-12	48,3	34	See MOD 5028	QS-45	478	4	13,85				
316		Mirror polished									
OUTDOOR											
142800-042-10	42,4	34	See MOD 5028	QS-45	478	4	16,80				
142800-048-10	42,4	34	See MOD 5028	QS-45	478	4	16,80				
Zamak											
INDOOR											
102800-042-...	42,4	36	See MOD 5028	QS-46	478	4	Q-info				
102800-048-...	48,3	36	See MOD 5028	QS-46	478	4	Q-info				



International Design Model Protection

Accessories

Security pins



Optional for MOD 2800

MOD 5015

Accessories					
	L		€ / pc.		
205015-22	22	4	1,65		


Q-INFO | 304 | 316 | MOD 2800 | Finishes



Q-INFO | Zamak | MOD 2800 | Finishes

	00	17	19	82 RAL 9005	89 RAL 9005
	Raw	Chrome plated	Stainless steel effect	Powder coated	Powder coated INDOOR
□	102800-000-00	102800-000-17	102800-000-19	102800-000-82	102800-000-89
€ / pc.	5,00	8,00	8,00	7,25	6,40
○	102800-04x-00		102800-04x-19	102800-04x-82	102800-04x-89
€ / pc.	5,00		8,00	7,25	6,40


Q-INFO | MOD 5015 / 2800



Glass clamps - MOD 4200


For flat tube

Security plate included



For round tube

Security plate included



MOD 4200

304 Satin											
INDOOR	W	T			€ / pc.						
134200-000-12	28	See MOD 5042	QS-26	478	4						
316 Satin											
OUTDOOR											
144200-000-12	28	See MOD 5042	QS-27	478	4	14,95					
316 Mirror polished											
OUTDOOR											
144200-000-10	28	See MOD 5042	QS-27	478	4	18,20					
316 Black Line											
OUTDOOR											
NEW 144200-000-82	28	See MOD 5042	QS-27	478	4	19,45					
Zamak											
INDOOR											
SELL OUT 104200-000-...	30	See MOD 5042	QS-28	478	4	Q-info					



International Design Model Protection

MOD 4200

304 Satin												
INDOOR	D	W	T		€ / pc.							
134200-042-12	42,4	28	See MOD 5042	QS-47	478	4	13,20					
134200-048-12	48,3	28	See MOD 5042	QS-47	478	4	13,20					
304 Black Line												
INDOOR												
NEW 134200-042-82	42,4	28	See MOD 5042	QS-47	478	4	17,15					
316 Satin												
OUTDOOR												
144200-042-12	42,4	28	See MOD 5042	QS-45	478	4	14,95					
144200-048-12	48,3	28	See MOD 5042	QS-45	478	4	14,95					
316 Mirror polished												
OUTDOOR												
144200-042-10	42,4	28	See MOD 5042	QS-45	478	4	18,20					
144200-048-10	48,3	28	See MOD 5042	QS-45	478	4	18,20					
Zamak												
INDOOR												
SELL OUT 104200-042-...	42,4	30	See MOD 5042	QS-46	478	4	Q-info					
SELL OUT 104200-048-...	48,3	30	See MOD 5042	QS-46	478	4	Q-info					



International Design Model Protection

Q-INFO 304 316 MOD 4200 Finishes



Q-INFO



Q-INFO



MOD 4200 is also available as a plate adapter


Q-INFO Zamak MOD 4200 Finishes

00	17	19	32 RAL 9016	33 RAL 7016	36 RAL 9006	82 RAL 9005	89 RAL 9005
Raw	Chrome plated	Stainless steel effect	Powder coated INDOOR	Powder coated	White aluminium satin, plain	Powder coated	Powder coated INDOOR
104200-000-00	104200-000-17	104200-000-19	104200-000-32	104200-000-33	104200-000-36	104200-000-82	104200-000-89
€ / pc. 5,35	8,55	8,55	6,80	6,80	6,80	7,50	6,80
104200-04x-00		104200-04x-19				104200-042-82	104200-042-89
€ / pc. 5,35		8,55				7,50	6,80

Glass clamps - MOD 4200

For flat tube

Security plate included



MOD 4200


Aluminium

INDOOR	W	T			€/pc.
164200-000-...	30	See MOD 5042	QS-26	4	Q-info



For round tube

Security plate included



MOD 4200

Aluminium

INDOOR	D	W	T			€/pc.
164200-042-...	42,4	30	See MOD 5042	QS-47	4	Q-info
164200-048-...	48,3	30	See MOD 5042	QS-47	4	Q-info



Rubber inlays for MOD 4200



MOD 5042


Accessories

For monolithic glass	T		€/pc.
205042-06	6	8	0,45
205042-08	8	8	0,45
205042-10	10	8	0,45
205042-12	12	8	0,45

For laminated glass

205042-07	6,76	8	0,45
205042-41	8,38	8	0,45
205042-09	8,76	8	0,45
205042-44	9,52	8	0,45
205042-11	10,76	8	0,45
205042-54	11,52	8	0,45
205042-13	12,76	8	0,45

Security pins




Optional for MOD 4200

MOD 5015

Accessories

	L		€/pc.
205015-22	22	4	1,65

Q-INFO




Eliminate the cost of drilling holes in the glass by fitting security plates in preference to the pins.

Q-INFO Aluminium MOD 4200 Finishes


00	32 RAL 9016	33 RAL 7016	36 RAL 9006	82 RAL 9005	89 RAL 9005
Mill finish	White, satin, plain	Anthracite grey, matt, plain	White aluminium satin, plain	Black, matt, textured	Black, matt, plain
164200-000-00	164200-000-32	164200-000-33	164200-000-36	164200-000-82	164200-000-89
€/pc. 4,80	6,10	6,10	6,10	6,60	6,10
164200-04x-00				164200-04x-82	
€/pc. 4,80				6,60	

Q-INFO MOD 5015 / 4200



Glass clamps - MOD 2100

For flat tube



MOD 2100

304		Satin									
INDOOR	W	T			€ / pc.						
132100-000-12	27	See MOD 5021	QS-26	478	4	10,70					

304		Black Line									
INDOOR	W	T			€ / pc.						
132100-000-82	27	See MOD 5021	QS-26	478	4	13,90					

NEW

316		Satin									
OUTDOOR	W	T			€ / pc.						
142100-000-12	27	See MOD 5021	QS-27	478	4	12,35					



MOD 2100 tested for INDOOR


MOD 2100

Zamak											
INDOOR	W	T			€ / pc.						
102100-000-...	29	See MOD 5021	QS-28	478	4	Q-info					

SELL OUT



For round tube



MOD 2100

304		Satin									
INDOOR	D	W	T		€ / pc.						
132100-042-12	42,4	27	See MOD 5021	QS-47	478	4	10,70				

316		Satin									
OUTDOOR	D	W	T		€ / pc.						
142100-042-12	42,4	27	See MOD 5021	QS-45	478	4	12,35				



MOD 2100 tested for INDOOR

MOD 2100

Zamak											
INDOOR	D	W	T		€ / pc.						
102100-042-...	42,4	29	See MOD 5021	QS-46	478	4	Q-info				

SELL OUT



Rubber inlays for MOD 2100




2 pieces per glass clamp

MOD 5021

Accessories							
For monolithic glass	T			€ / pc.			
205021-06	6		8	0,20			
205021-08	8		8	0,20			
205021-10	10		8	0,20			

For laminated glass							
				€ / pc.			
205021-07	6,76		8	0,20			
205021-09	8,76		8	0,20			
205021-44	9,52		8	0,20			

Q-INFO 304 316 Finishes



Satin




Black, matt, textured

Q-INFO Zamak MOD 2100 Finishes



Raw




Chrome plated




Stainless steel effect



White, satin, plain



Black, matt, textured



Black, matt, plain

€ / pc.
€ / pc.

102100-000-00	102100-000-17	102100-000-19	102100-000-32	102100-000-82	102100-000-89
4,20	6,25	6,25	5,75	6,75	5,95
102100-042-00		102100-042-19			
4,20		6,25			

Q-INFO




.00 finish is ready for powder coating.

Glass clamps - MOD 2600

For flat tube

Security plate included



MOD 2600

304

Satin

INDOOR

T



€/pc.

SELL OUT	132600-000-12	See MOD 5026	QS-26	478	4	18,35
----------	---------------	--------------	-------	-----	---	-------

316

Satin

OUTDOOR

SELL OUT	142600-000-12	See MOD 5026	QS-27	478	4	21,25
----------	---------------	--------------	-------	-----	---	-------



Rubber inlays for MOD 2600



2 pieces per glass clamp

MOD 5026

Accessories

For monolithic glass

T



€/pc.

SELL OUT	205026-08	8	8	0,55
SELL OUT	205026-10	10	8	0,55
SELL OUT	205026-12	12	8	0,55


For laminated glass

SELL OUT	205026-09	8,76	8	0,55
SELL OUT	205026-11	10,76	8	0,55
SELL OUT	205026-54	11,52	8	0,55
SELL OUT	205026-13	12,76	8	0,55

Only while supplies last.


Please order fixing bolts separately.

Q-INFO MOD 2600



For round tube

Security plate included



MOD 2600

304

Satin

INDOOR

D

T



€/pc.

SELL OUT	132600-042-12*	42,4	See MOD 5026	QS-47	478	4	18,35
SELL OUT	132600-048-12	48,3	See MOD 5026	QS-47	478	4	18,35

316

Satin


OUTDOOR

SELL OUT	142600-042-12*	42,4	See MOD 5026	QS-45	478	4	21,25
SELL OUT	142600-048-12	48,3	See MOD 5026	QS-45	478	4	21,25
SELL OUT	142600-060-12	60,3	See MOD 5026	QS-45	478	4	21,25



Accessories

Security pins



Optional for MOD 2600

MOD 5015

Accessories


L




€/pc.

205015-25	25	4	1,65
-----------	----	---	------

Q-INFO MOD 5015 / 2600




Q-INFO



Glass clamps - MOD 2400

For flat tube

Security plate included



MOD 2400

304 Satin

INDOOR T

SELL OUT	Product Code	See T in MOD 5024	QS-26	478	4	€/ pc.
	132400-000-12	See T in MOD 5024	QS-26	478	4	29,65

304 Mirror polished

INDOOR

	132400-000-10	See T in MOD 5024	QS-26	478	4	31,75
--	---------------	-------------------	-------	-----	---	-------

316 Satin

OUTDOOR

	142400-000-12	See T in MOD 5024	QS-27	478	4	34,00
--	---------------	-------------------	-------	-----	---	-------

316 Mirror polished

OUTDOOR

	142400-000-10	See T in MOD 5024	QS-27	478	4	36,10
--	---------------	-------------------	-------	-----	---	-------

Zamak


INDOOR

	102400-000-...	See T in MOD 5024	QS-28	478	4	Q-info
--	----------------	-------------------	-------	-----	---	--------



For round tube

Security plate included



MOD 2400

304 Satin

INDOOR D T

SELL OUT	Product Code	See T in MOD 5024	QS-47	478	4	€/ pc.
	132400-048-12	See T in MOD 5024	QS-47	478	4	29,65

316 Satin

OUTDOOR

	142400-048-12	See T in MOD 5024	QS-45	478	4	34,00
--	---------------	-------------------	-------	-----	---	-------

Zamak


INDOOR

	102400-048-...	See T in MOD 5024	QS-46	478	4	Q-info
--	----------------	-------------------	-------	-----	---	--------



Accessories

Security pins



Optional for MOD 2400

MOD 5015

Accessories

Product Code	L	4	€/ pc.
205015-24	30	4	1,65

Rubber inlays for MOD 2400



2 pieces per glass clamp

MOD 5024

Accessories

For monolithic glass T

SELL OUT	Product Code	T	8	€/ pc.
	205024-12	12	8	0,65
	205024-15	15	8	0,65

For laminated glass

SELL OUT	Product Code	9,52	8	€/ pc.
	205024-44	9,52	8	0,65
	205024-54	11,52	8	0,65
	205024-13	12,76	8	0,65
	205024-64	13,52	8	0,65
	205024-17	16,76	8	0,65
	205024-18	17,52	8	0,65

Q-INFO Zamak Finishes



Raw



Stainless steel effect



€/ pc.

102400-000-00

8,45



€/ pc.


102400-048-00

8,45


102400-000-19

16,80


Q-INFO MOD 5015 / 2400




Q-INFO



Q-INFO 304 316




Q-INFO



Glass clamps - MOD 2300

For flat tube + wall mounting

Security plate included




MOD 2300

304 Satin		T			€/ pc.
INDOOR		See T in MOD 5023	QS-26	4	34,70
NEW					
316 Satin					
OUTDOOR		See T in MOD 5023	QS-27	4	39,80



For round tube

Security plate included



MOD 2300

304 Satin		D	T			€/ pc.
INDOOR		48,3	See T in MOD 5023	QS-47	4	34,70
NEW						
316 Satin						
OUTDOOR		48,3	See T in MOD 5023	QS-45	4	39,80

NEW

Rubber inlays for MOD 2300



2 pieces per glass clamp

MOD 5023


Accessories		T		€/ pc.
For monolithic glass				
NEW	205023-12	12	8	0,65
NEW	205023-15	15	8	0,65
	205023-19	19	8	0,65

For laminated glass

NEW	205023-44	9,52	8	0,65
NEW	205023-54	11,52	8	0,65
NEW	205023-13	12,76	8	0,65
NEW	205023-64	13,52	8	0,65
NEW	205023-17	16,76	8	0,65
NEW	205023-18	17,52	8	0,65
	205023-21	20,76	8	0,65
	205023-22	21,52	8	0,65


Please order fixing bolts separately.

Q-INFO




Eliminate the cost of drilling holes in the glass by fitting security plates in preference to the pins.

Q-INFO MOD 5015 / 2300



Security pins



Optional for MOD 2300


MOD 5015

Accessories		L		€/ pc.
	205015-23	34	4	1,65


MOD 4901
308



Q-INFO MOD 2300




Glass clamps - MOD 4400 / 4600



MOD 4400

304 Satin					
INDOOR	T			€/ pc.	
134400-12	See T in MOD 5044	QS-47	478	4	19,35
316 Satin					
OUTDOOR	T				
144400-12	See T in MOD 5044	QS-45	478	4	23,40
Zamak Stainless steel effect					
OUTDOOR	T				
104400-20	See T in MOD 5044	QS-46	478	4	14,85



MOD 4600

304 Satin					
INDOOR	T				€/ pc.
134600-12	See T in MOD 5044	QS-47	478	4	18,70
316 Satin					
OUTDOOR	T				
144600-12	See T in MOD 5044	QS-45	478	4	22,80
Zamak Stainless steel effect					
OUTDOOR	T				
104600-20	See T in MOD 5044	QS-46	478	4	14,25



Adapters for MOD 4400 / 4600

For flat tube




MOD 0723

304 Satin				
INDOOR	D			€/ pc.
130723-000-12			4	5,10
316 Satin				
OUTDOOR	D			
140723-000-12			4	6,70
Zamak Stainless steel effect				
OUTDOOR	D			
100723-000			4	4,10

SELL OUT

For round tube



MOD 0723

304 Satin				
INDOOR	D			€/ pc.
130723-042-12	42,4		4	5,10
130723-048-12	48,3		4	5,10
316 Satin				
OUTDOOR	D			
140723-042-12	42,4		4	6,70
140723-048-12	48,3		4	6,70
Zamak Stainless steel effect				
OUTDOOR	D			
100723-042	42,4		4	4,10

SELL OUT

Rubber inlays for MOD 4400 / 4600




2 pieces for MOD 4400,
4 pieces for MOD 4600

MOD 5044



Accessories				
For monolithic glass	T			€/ pc.
205044-08	8		8	0,25
205044-10	10		8	0,25
205044-12	12		8	0,25
For laminated glass				
205044-09	8,76		8	0,25
205044-11	10,76		8	0,25
205044-13	12,76		8	0,25

SELL OUT Only while supplies last.

Q-INFO





Glass clamps - MOD 5100 / 5200



MOD 5100

304 Satin					
INDOOR	T			€/ pc.	
135100-12	See T in MOD 5051	QS-47	4	22,25	
316 Satin					
OUTDOOR					
145100-12	See T in MOD 5051	QS-45	4	28,60	




MOD 5200

304 Satin					
INDOOR	T			€/ pc.	
135200-12	See T in MOD 5051	QS-47	4	21,65	
316 Satin					
OUTDOOR					
145200-12	See T in MOD 5051	QS-45	4	28,00	



Adapters for MOD 5100 / 5200


For flat tube



MOD 0723

304 Satin					
INDOOR				€/ pc.	
130723-000-12		4		5,10	
316 Satin					
OUTDOOR					
140723-000-12		4		6,70	

For round tube



MOD 0723

304 Satin					
INDOOR	D			€/ pc.	
130723-042-12	42,4	4		5,10	
130723-048-12	48,3	4		5,10	
316 Satin					
OUTDOOR					
140723-042-12	42,4	4		6,70	
140723-048-12	48,3	4		6,70	

Rubber inlays for MOD 5100 / 5200




2 pieces for MOD 5100,
4 pieces for MOD 5200

MOD 5051


Accessories				
For monolithic glass	T			€/ pc.
205051-08	8	8		0,25
205051-10	10	8		0,25
For laminated glass				
205051-09	8,76	8		0,25
205051-11	10,76	8		0,25
205051-13	12,76	8		0,25

Q-INFO



Infills

Glass clamps - MOD 2900



Right

MOD 2900

316

Satin

OUTDOOR

T



€/pc.

SELL OUT

142900-01-12


See T in MOD 5029

2

18,90



International Design Model Protection



Left

MOD 2900

316

Satin

OUTDOOR

T



€/pc.

SELL OUT

142900-02-12


See T in MOD 5029

2

18,90



International Design Model Protection



MOD 2900

316

Satin

OUTDOOR

T



€/pc.

SELL OUT

142900-00-12

See T in MOD 5029

2


22,15



International Design Model Protection

Accessories

Security pins



Optional for MOD 2900

MOD 5015

Accessories

L



€/pc.

205015-22

22

4

1,65

Infills

Adapters for MOD 2900

For flat tube



MOD 0785

316

Satin

OUTDOOR



€/pc.

140785-000-12


QS-16 476

4

5,65



For round tube



MOD 0785

316

Satin

OUTDOOR

D



€/pc.

140785-042-12

42,4

QS-16 476

4

5,65

140785-048-12

48,3

QS-16 476

4


5,65



GLASS CLAMPS

GLASS INFILL HOLDERS


Q-INFO MOD 0785



Please order fixing bolts separately.

SELL OUT Only while supplies last.

Q-INFO MOD 2900



Infills

Rubber inlays for MOD 2900



2 pieces per glass clamp.
4 pieces for MOD 142900-00-12

MOD 5029

Accessories

For monolithic glass

T



€/pc.

SELL OUT

205029-08

8

4

0,35

SELL OUT

205029-10

10

4

0,35

SELL OUT

205029-12

12

4

0,35

For laminated glass

SELL OUT

205029-09

8,76

4

0,35

SELL OUT

205029-11

10,76

4

0,35

SELL OUT

205029-13

12,76

4

0,35

SELL OUT

205029-64

13,52

4


0,35



MOD 5500

 Q-railing

Glass holders - MOD 5500




MOD 5500

316 Satin				
OUTDOOR	T	H		€/pc.
145500-01-12	See T in MOD 5055	See H in MOD 5055	2	17,05



International Design Model Protection



MOD 5500

316 Satin				
OUTDOOR	T	H		€/pc.
145500-02-12	See T in MOD 5055	See H in MOD 5055	2	17,05




International Design Model Protection

Adapters for MOD 5500



MOD 0785

316 Satin				
OUTDOOR				€/pc.
140785-000-12	QS-16 476	4		5,65



MOD 0785

316 Satin				
OUTDOOR	D			€/pc.
140785-042-12	42,4	QS-16 476	4	5,65
140785-048-12	48,3	QS-16 476	4	5,65



Rubber inlays




MOD 5055


Accessories				
For monolithic glass	T	H		€/pc.
205055-08	8	15,5	2	1,50
205055-10	10	14,5	2	1,50
205055-12	12	13,5	2	1,50


For laminated glass				
	T	H		€/pc.
205055-08	8,76	15	2	1,50
205055-10	10,76	14,5	2	1,50
205055-54	11,52	14	2	1,50
205055-12	12,76	13,5	2	1,50
205055-64	13,52	13	2	1,50

Q-INFO MOD 0785



Q-INFO MOD 5500-02






MOD 5501

316	Satin				
OUTDOOR	T	H		€/ pc.	
145501-01-12	See T in MOD 5055	See H in MOD 5055	2	19,50	



International Design Model Protection



MOD 5501

316	Satin				
OUTDOOR	T	H		€/ pc.	
145501-02-12	See T in MOD 5055	See H in MOD 5055	2	19,50	




International Design Model Protection

Adapters for MOD 5501



MOD 0786

316	Satin				
OUTDOOR				€/ pc.	
140786-000-12	QS-16 476	2		5,65	




MOD 0786

316	Satin				
OUTDOOR	D			€/ pc.	
140786-042-12	42,4	QS-16 476	2	5,65	
140786-048-12	48,3	QS-16 476	2	5,65	




Security pins




MOD 5015

Accessories				
	L			€/ pc.
205015-25	25	4		1,65

Q-INFO MOD 5501



Glass connectors - MOD 2870 / 2880 / 2890



MOD 2870

304	Satin			
INDOOR		T		€/ pc.
132870-13-12		See T in MOD 5028	2	27,80
316	Satin			
OUTDOOR				
142870-13-12		See T in MOD 5028	2	34,75



International Design Model Protection




MOD 2880

316	Satin			
OUTDOOR		T		€/ pc.
142880-13-12		See T in MOD 5028	2	45,30



International Design Model Protection

Rubber inlays for MOD 2870 / 2880 / 2890



MOD 2890

304	Satin			
INDOOR		T		€/ pc.
132890-13-12		See T in MOD 5028	2	36,30
316	Satin			
OUTDOOR				
142890-13-12		See T in MOD 5028	2	45,30



International Design Model Protection




4 pieces per glass connector

MOD 5028

Accessories				
For monolithic glass		T		€/ pc.
205028-06		6	8	0,45
205028-08		8	8	0,45
205028-10		10	8	0,45
205028-12		12	8	0,45
For laminated glass				
205028-09		8,76	8	0,45
205028-44		9,52	8	0,45
205028-11		10,76	8	0,45
205028-54		11,52	8	0,45
205028-13		12,76	8	0,45

Security pins




Optional for MOD 2870 / 2880 / 2890


MOD 5015

Accessories				
	L			€/ pc.
205015-22	22	4		1,65


Q-INFO MOD 2870




Q-INFO MOD 2880



Q-INFO MOD 2890



Glass connectors - MOD 4270 / 4280 / 4290




MOD 4270

304	Satin			
INDOOR	T		€/ pc.	
134270-13-12	See T in MOD 5042	2	27,80	
316	Satin			
OUTDOOR	T		€/ pc.	
144270-13-12	See T in MOD 5042	2	34,75	



International Design Model Protection




MOD 4280

316	Satin			
OUTDOOR	T		€/ pc.	
144280-13-12	See T in MOD 5042	2	45,30	



International Design Model Protection

Rubber inlays for MOD 4270 / 4280 / 4290




MOD 4290

304	Satin			
INDOOR	T		€/ pc.	
134290-13-12	See T in MOD 5042	2	36,30	
316	Satin			
OUTDOOR	T		€/ pc.	
144290-13-12	See T in MOD 5042	2	45,30	




MOD 5042

Accessories			
For monolithic glass	T		€/ pc.
205042-06	6	8	0,45
205042-08	8	8	0,45
205042-10	10	8	0,45
205042-12	12	8	0,45
For laminated glass			
205042-07	6,76	8	0,45
205042-41	8,38	8	0,45
205042-09	8,76	8	0,45
205042-44	9,52	8	0,45
205042-11	10,76	8	0,45
205042-54	11,52	8	0,45
205042-13	12,76	8	0,45




Security pins




MOD 5015

Accessories			
	L		€/ pc.
205015-22	22	4	1,65


Q-INFO MOD 4270




Q-INFO MOD 4280



Q-INFO MOD 4290



Glass - glass




MOD 0742

304	Satin		€/pc.
INDOOR			
130742-12		2	18,40
316 Satin			
OUTDOOR			
140742-12		2	24,80
316 Mirror polished			
OUTDOOR			
140742-10		2	29,75



Door locks

For flat tube




MOD 0282

316	Satin		€/pc.
OUTDOOR			
140282-000		1	64,80



International Design Model Protection

For round tube




MOD 0282

316	Satin	D		€/pc.
OUTDOOR				
140282-042		42,4	1	64,80
140282-048		48,3	1	64,80



International Design Model Protection

Glass - glass



MOD 0284


316	Satin		€/pc.
OUTDOOR			
140284		1	69,55




International Design Model Protection

Please order fixing bolts separately.


Q-INFO 304 316




Q-INFO MOD 0742



Q-INFO MOD 0284




Q-INFO MOD 0282



Hinges

For flat tube




MOD 0281

316	Satin			€/pc.
OUTDOOR				
140281-000	QS-13	476	2	47,20



International Design Model Protection

For round tube




MOD 0281

316	Satin			€/pc.	
OUTDOOR	D				
140281-042	42,4	QS-13	476	2	47,20
140281-048	48,3	QS-13	476	2	47,20



International Design Model Protection

Glass - glass




MOD 0283

316	Satin		€/pc.
OUTDOOR			
140283		2	70,75




International Design Model Protection

Q-INFO MOD 0283




Q-INFO MOD 0281





MOD 0754

For flat tube




MOD 0754

316	Satin			€/pc.
OUTDOOR				
140754-000-12	QS-30	476	4	29,40



International Design Model Protection

For round tube



MOD 0754


316	Satin			€/pc.	
OUTDOOR					
	D				
140754-042-12	42,4	QS-30	476	4	29,40
140754-048-12	48,3	QS-30	476	4	29,40



International Design Model Protection

Please order fixing bolts separately.

Q-INFO



For flat tube



MOD 0746

304 Satin						
INDOOR	H	L	L1		€/pc.	
130746-015-12	15	50	10 - 22	4	8,80	
130746-020-12	20	60	14 - 26	4	10,95	
130746-030-12	30	70	14 - 26	4	11,70	
130746-040-12	40	80	14 - 26	4	14,00	
130746-050-12	50	90	14 - 26	4	16,45	

316 Satin						
OUTDOOR					€/pc.	
140746-015-12	15	50	10 - 22	4	11,75	

316 Mirror polished						
OUTDOOR					€/pc.	
140746-015-10	15	50	10 - 22	4	15,45	

Zamak						
INDOOR					€/pc.	
100746-...	15	50	10 - 22	4	Q-info	



For round tube



MOD 0746

304 Satin						
INDOOR	D	L1		€/pc.		
SELL OUT 130746-033-12	33,7	10 - 22	4	8,80		
SELL OUT 130746-042-12	42,4	10 - 22	4	8,80		
SELL OUT 130746-048-12	48,3	10 - 22	4	8,80		

316 Satin						
OUTDOOR				€/pc.		
SELL OUT 140746-033-12	33,7	10 - 22	4	11,75		
SELL OUT 140746-042-12	42,4	10 - 22	4	11,75		
SELL OUT 140746-048-12	48,3	10 - 22	4	11,75		
SELL OUT 140746-060-12	60,3	10 - 22	4	11,75		



MOD 0740

304 Satin					
INDOOR			€/pc.		
SELL OUT 130740-12		4	6,70		

316 Satin					
OUTDOOR			€/pc.		
140740-12		4	8,75		

316 Mirror polished					
OUTDOOR			€/pc.		
SELL OUT 140740-10		4	9,70		




MOD 0755

304 Satin					
INDOOR	Ø		€/pc.		
SELL OUT 130755-16	16	4	10,00		

316 Satin					
OUTDOOR			€/pc.		
SELL OUT 140755-12	12	4	15,05		




Q-INFO 316




Mirror polished Satin


Q-INFO MOD 0746




Q-INFO MOD 0755



Q-INFO MOD 0755



Q-INFO Zamak MOD 0746 Finishes




Raw

€/pc. 4,10



Matt chrome

5,85



INDOOR
Stainless steel effect

5,85



32 RAL 9016
Powder coated INDOOR
White, satin, plain

5,65



89 RAL 9005
Powder coated INDOOR
Black, matt, plain

5,65


Q-INFO



MOD 5030 479

Additional rubber inlays for glass adapters

For flat tube



MOD 0747

304 Satin							
INDOOR	H	T	L	L1		€/pc.	
130747-010-12	10	8 - 17,52	50	11 - 22	2	17,70	
130747-020-12	20	8 - 25,52	70	13 - 31	2	22,00	
130747-030-12	30	8 - 25,52	80	13 - 31	2	24,25	
130747-040-12	40	8 - 17,52	80	11 - 22	2	27,65	
130747-050-12	50	8 - 17,52	90	11 - 22	2	31,10	

304 Black Line							
INDOOR	H	T	L	L1		€/pc.	
130747-010-82	10	8 - 17,52	50	11 - 22	2	23,00	
130747-030-82	30	8 - 25,52	80	13 - 31	2	31,55	

NEW
NEW

316 Satin							
OUTDOOR	H	T	L	L1		€/pc.	
140747-010-12	10	8 - 17,52	50	11 - 22	2	23,00	
140747-020-12	20	8 - 25,52	70	13 - 31	2	29,55	
140747-030-12	30	8 - 25,52	80	13 - 31	2	32,25	
140747-040-12	40	8 - 17,52	80	11 - 21	2	36,05	
140747-050-12	50	8 - 17,52	90	11 - 21	2	40,45	

316 Mirror polished							
OUTDOOR	H	T	L	L1		€/pc.	
140747-030-10	30	8 - 25,52	80	13 - 31	2	35,75	

Zamak Raw							
INDOOR	H	T	L	L1		€/pc.	
100747-00	10	8 - 17,52	50	11 - 22	2	9,90	


SELL OUT

Zamak Stainless steel effect							
OUTDOOR	H	T	L	L1		€/pc.	
100747-20	10	8 - 17,52	50	11 - 22	2	17,15	

SELL OUT



For round tube



MOD 1747


304 Satin						
INDOOR	D	L1		€/pc.		
131747-010-42-12	42,4	10 - 20	2	22,10		
131747-010-48-12	48,3	10 - 20	2	22,10		

SELL OUT

316 Satin						
OUTDOOR	D	L1		€/pc.		
141747-010-42-12	42,4	10 - 20	2	28,25		



Q-INFO Zamak



Raw
Stainless steel effect

Q-INFO



.00 finish is ready for powder coating.


Q-INFO 304 316




Mirror polished
Satin
Black, matt, textured

SELL OUT Only while supplies last.

Q-INFO MOD 0747



Q-INFO MOD 1747









6

ACCESSORIES

Q-screw / Q-anchor overview	460
Find the right anchor	461 - 467
Anchors	468 - 471
Screws	472 - 476
Fixing materials	477 - 478
Spare materials for glass clamps / adapters	479
Drilling and tapping	480 - 481
Mounting accessories	482 - 485
Care and maintenance	486
Tools	487 - 489
Symbol index	491

Q-screws / Q-anchors overview

Order with more ease. A summary of pages 468 - 484.

QS	#			€ / ...	QS	#			€ / ...
QS-1	230205-050	50	475	35,00 € / 50 pcs.	QS-205	240670-608	50	476	12,50 € / 50 pcs.
QS-2	240205-050	50	475	52,50 € / 50 pcs.	QS-207	244510-290	10	469	22,30 € / pc.
QS-3	230200-760	50	475	27,50 € / 50 pcs.	QS-208	254510-290	10	469	15,10 € / pc.
QS-4	240200-760	50	475	37,50 € / 50 pcs.	QS-211	244510-212	10	469	27,85 € / pc.
QS-5	230210-025	50	475	5,00 € / 50 pcs.	QS-212	254510-212	10	469	18,60 € / pc.
QS-6	240210-025	50	475	10,00 € / 50 pcs.	QS-213	244260-180	50	472	135,00 € / 50 pcs.
QS-7	230210-038	50	475	7,50 € / 50 pcs.	QS-214	244250-180	50	472	125,00 € / 50 pcs.
QS-8	230230-025	50	475	5,00 € / 50 pcs.	QS-215	240663-224	50	477	7,50 € / 50 pcs.
QS-9	240230-025	50	475	10,00 € / 50 pcs.	QS-216	250663-224	50	477	2,50 € / 50 pcs.
QS-10	230690-516	50	476	7,50 € / 50 pcs.	QS-217	240664-220	50	477	7,50 € / 50 pcs.
QS-11	240690-516	50	476	12,50 € / 50 pcs.	QS-219	240661-235	50	477	62,50 € / 50 pcs.
QS-12	230670-520	50	476	7,50 € / 50 pcs.	QS-221	240662-230	50	477	62,50 € / 50 pcs.
QS-13	240670-520	50	476	17,50 € / 50 pcs.	QS-222	250662-230	50	477	47,50 € / 50 pcs.
QS-14	230670-620	50	476	10,00 € / 50 pcs.	QS-223	240661-230	50	477	57,50 € / 50 pcs.
QS-15	230670-625	50	476	10,00 € / 50 pcs.	QS-224	250661-230	50	477	25,00 € / 50 pcs.
QS-16	240670-625	50	476	27,50 € / 50 pcs.	QS-225	240661-245	50	477	75,00 € / 50 pcs.
QS-17	230670-630	50	476	12,50 € / 50 pcs.	QS-250	250260-008	50	473	40,00 € / 50 pcs.
QS-18	240670-630	50	476	30,00 € / 50 pcs.	QS-251	250260-012	50	473	47,50 € / 50 pcs.
QS-19	230670-825	50	476	30,00 € / 50 pcs.	QS-255	250250-808	50	473	37,50 € / 50 pcs.
QS-20	240670-825	50	476	52,50 € / 50 pcs.	QS-256	250250-812	50	473	50,00 € / 50 pcs.
QS-21	230670-840	50	476	37,50 € / 50 pcs.	QS-258	250250-012	50	473	87,50 € / 50 pcs.
QS-22	240670-840	50	476	75,00 € / 50 pcs.	QS-261	240690-608	50	476	12,50 € / 50 pcs.
QS-23	230680-620	50	476	12,50 € / 50 pcs.	QS-264	230250-608	50	473	85,00 € / 50 pcs.
QS-24	230680-635	50	476	25,00 € / 50 pcs.	QS-265	230250-610	50	473	90,00 € / 50 pcs.
QS-25	230680-660	50	476	32,50 € / 50 pcs.	QS-266	240915-550	50	473	80,00 € / 50 pcs.
QS-26	230680-820	50	476	27,50 € / 50 pcs.	QS-267	240212-438	50	475	7,50 € / 50 pcs.
QS-27	240680-820	50	476	30,00 € / 50 pcs.	QS-268	240212-413	50	475	7,50 € / 50 pcs.
QS-28	250680-820	50	476	25,00 € / 50 pcs.	QS-270	254410-811	10	468	1,00 € / pc.
QS-29	230680-835	50	476	40,00 € / 50 pcs.	QS-271	244410-811	10	468	2,40 € / pc.
QS-30	240680-835	50	476	95,00 € / 50 pcs.	QS-272	254410-113	10	468	1,15 € / pc.
QS-32	244010-212	10	468	7,70 € / pc.	QS-273	244410-113	10	468	2,80 € / pc.
QS-33	254010-212	10	468	4,45 € / pc.	QS-274	254410-215	10	468	1,35 € / pc.
QS-34	244110-875	10	471	2,45 € / pc.	QS-275	244410-215	10	468	4,50 € / pc.
QS-35	254110-875	10	471	0,90 € / pc.	QS-276	254410-217	10	468	1,70 € / pc.
QS-36	254210-212	25	471	4,00 € / pc.	QS-277	244410-217	10	468	5,30 € / pc.
QS-38	230800-616	50	478	77,50 € / 50 pcs.	QS-281	254410-820	10	468	2,10 € / pc.
QS-39	230800-817	50	478	105,00 € / 50 pcs.	QS-282	244410-820	10	468	4,85 € / pc.
QS-40	230800-121	50	478	152,50 € / 50 pcs.	QS-284	254410-226	10	468	2,45 € / pc.
QS-41	240670-616	50	479	12,50 € / 50 pcs.	QS-285	244410-226	10	468	8,00 € / pc.
QS-42	240670-620	50	479	12,50 € / 50 pcs.	QS-286	240665-232	50	472	1,60 € / pc.
QS-43	250670-616	50	479	7,50 € / 50 pcs.	QS-287	240666-816	50	477	5,00 € / 50 pcs.
QS-44	250670-620	50	479	7,50 € / 50 pcs.	QS-288	230491-850	50	474	35,00 € / 50 pcs.
QS-45	240681	50	478	67,50 € / 50 pcs.	QS-289	240651-208	50	477	25,00 € / 50 pcs.
QS-46	250681	50	478	30,00 € / 50 pcs.	QS-290	250251-010	25	473	1,75 € / pc.
QS-47	230681	50	478	40,00 € / 50 pcs.	QS-503	230210-060	50	475	10,00 € / 50 pcs.
QS-48	230670-612	50	476	7,50 € / 50 pcs.	QS-504	240210-060	50	475	17,50 € / 50 pcs.
QS-49	230211-340	50	475	5,00 € / 50 pcs.	QS-505	254510-210	10	469	16,80 € / pc.
QS-50	240210-038	50	475	12,50 € / 50 pcs.	QS-507	254010-217	10	468	4,50 € / pc.
QS-51	200842	50	484	10,00 € / 50 pcs.	QS-512	200203	50	482	10,00 € / 50 pcs.
QS-53	240680-620	50	476	17,50 € / 50 pcs.	QS-513	240650-865	50	477	30,00 € / 50 pcs.
QS-54	230680-645	50	476	30,00 € / 50 pcs.	QS-514	230650-865	50	477	10,00 € / 50 pcs.
QS-55	200851-827	50	474	35,00 € / 50 pcs.	QS-515	240650-108	50	477	40,00 € / 50 pcs.
QS-56	230230-038	50	475	10,00 € / 50 pcs.	QS-516	240650-210	50	477	62,50 € / 50 pcs.
QS-57	240230-038	50	475	17,50 € / 50 pcs.	QS-517	230650-108	50	477	30,00 € / 50 pcs.
QS-58	244110-190	10	471	2,70 € / pc.	QS-518	230650-210	50	477	35,00 € / 50 pcs.
QS-59	254110-190	10	471	1,15 € / pc.	QS-519	244210-212	25	471	13,65 € / pc.
QS-60	244010-217	10	468	18,90 € / pc.	QS-520	244510-180	10	469	15,30 € / pc.
QS-62	244010-880	10	468	6,50 € / pc.	QS-521	254510-180	10	469	11,95 € / pc.
QS-63	254010-880	10	468	2,85 € / pc.	QS-528	254510-875	10	469	9,85 € / pc.
QS-64	244010-185	10	468	7,05 € / pc.	QS-529	244510-875	10	469	13,75 € / pc.
QS-65	254010-185	10	468	3,30 € / pc.	QS-530	240670-135	50	476	90,00 € / 50 pcs.
QS-66	250803-120	50	482	67,50 € / 50 pcs.	QS-531	230670-135	50	476	47,50 € / 50 pcs.
QS-67	230680-140	50	476	60,00 € / 50 pcs.	QS-532	230670-130	50	476	40,00 € / 50 pcs.
QS-69	230803-818	50	482	287,50 € / 50 pcs.	QS-533	240670-130	50	476	82,50 € / 50 pcs.
QS-70	240680-645	50	476	35,00 € / 50 pcs.	QS-549	244010-213	10	468	7,70 € / pc.
QS-71	240680-660	50	476	40,00 € / 50 pcs.	QS-551	230680-240	50	476	87,50 € / 50 pcs.
QS-72	240680-140	50	476	115,00 € / 50 pcs.	QS-555	200841-160	50	474	17,50 € / 50 pcs.
QS-74	240670-240	50	476	122,50 € / 50 pcs.	QS-556	240200-890	50	475	47,50 € / 50 pcs.
QS-80	240800-616	50	478	145,00 € / 50 pcs.	QS-557	244519-290	10	469	24,15 € / pc.
QS-81	240800-817	50	478	210,00 € / 50 pcs.	QS-558	254519-290	10	469	16,35 € / pc.
QS-82	240800-121	50	478	257,50 € / 50 pcs.	QS-559	244519-210	10	469	26,60 € / pc.
QS-83	230690-616	50	476	7,50 € / 50 pcs.	QS-560	244220-285	25	471	9,35 € / pc.
QS-84	240690-616	50	476	17,50 € / 50 pcs.	QS-561	254220-285	25	471	2,10 € / pc.
QS-85	230205-090	50	475	67,50 € / 50 pcs.	QS-562	244220-211	25	471	9,90 € / pc.
QS-86	240205-090	50	475	115,00 € / 50 pcs.	QS-563	254220-211	25	471	2,20 € / pc.
QS-87	200841-635	100	474	5,00 € / 50 pcs.	QS-570	200843-008	25	474	43,75 € / 25 pcs.
QS-89	240670-612	50	476	17,50 € / 50 pcs.	QS-571	254300-110	50	472	1,80 € / pc.
QS-90	240400-505	50	476	5,00 € / 50 pcs.	QS-572	244300-110	50	472	7,50 € / pc.
QS-91	230400-505	50	476	2,50 € / 50 pcs.	QS-573	244300-112	50	472	8,10 € / pc.
QS-92	240400-610	50	476	7,50 € / 50 pcs.	QS-574	254310-110	50	472	1,95 € / pc.
QS-93	240490-506	50	476	7,50 € / 50 pcs.	QS-575	244310-110	50	472	8,10 € / pc.
QS-94	230490-506	50	476	5,00 € / 50 pcs.	QS-576	254310-112	50	472	2,10 € / pc.
QS-200	230240-412	50	475	5,00 € / 50 pcs.	QS-577	244310-112	50	472	8,80 € / pc.
QS-202	230690-510	50	476	7,50 € / 50 pcs.	QS-578	244310-870	50	472	6,55 € / pc.
QS-203	240690-510	50	476	17,50 € / 50 pcs.	QS-579	230805-665	2	473	14,20 € / pc.

FIND THE RIGHT ANCHOR FOR YOUR PROJECT

Please check your local standards on anchors.

















This listing is not precalculated/tested and is advisory only, based on Q-railings program. Other anchors/options are not excluded. Our extra tools (including Q-pac, anchor tool and tables) guide you in selecting the right anchor for your project. In case of doubt contact your sales consultant.

Find all information about Q-pac online:









<https://q-ne.ws/QPac23>









EASY GLASS® SMART / SMART+ / PRIME

Mounting	t (mm)	Anchor	QS	Type	Use		Screw / bolt	QS	Type	Use	
 MOD 8260 / 8410 MOD 8310	7 / 8,5	 Chemical	FOR CONCRETE					FOR STEEL			
			QS-276	QVMU-A M12x175	INDOOR	468		QS-224	M12 x 30	INDOOR	477
			QS-277	QVMU-A M12x175 A4	OUTDOOR	468		+ QS-216	For M12	INDOOR	477
			QS-207	QVMZ-IG 90 M12 A4	OUTDOOR	469		QS-223	M12 x 30	OUTDOOR	477
			+ QS-225	M12 x 45	OUTDOOR	477		+ QS-215	For M12	OUTDOOR	477
		+ QS-215	For M12	OUTDOOR	477	QS-225		M12 x 45	OUTDOOR	477	
		+ QS-215	For M12	OUTDOOR	477	+ QS-215		For M12	OUTDOOR	477	
		 Mechanical	QS-574	QBSZ SU 10x100	INDOOR	472		FOR WOOD			
			QS-575	QBSZ SU 10x100 A4	OUTDOOR	472		QS-258	10 x 120	INDOOR	473
			QS-576	QBSZ SU 10x120	INDOOR	472		QS-290	10 x 100	OUTDOOR	473
			QS-577	QBSZ SU 10x120 A4	OUTDOOR	472					
			QS-560	QSZ 12/10 A4	OUTDOOR	471					
			QS-561	QSZ-S 12/10	INDOOR	471					
			QS-562	QSZ 12/30 A4	OUTDOOR	471					
			QS-563	QSZ-S 12/30	INDOOR	471					
 MOD 8220 / 8420	15 / 20	 Chemical	FOR CONCRETE					FOR STEEL			
			QS-276	QVMU-A M12x175	INDOOR	468		QS-225	M12 x 45	OUTDOOR	477
			QS-277	QVMU-A M12x175 A4	OUTDOOR	468		+ QS-215	For M12	OUTDOOR	477
			QS-207	QVMZ-IG 90 M12 A4	OUTDOOR	469					
			+ QS-225	M12 x 45	OUTDOOR	477		FOR WOOD			
		+ QS-215	For M12	OUTDOOR	477	QS-258		10 x 120	INDOOR	473	
						QS-290		10 x 100	OUTDOOR	473	
		 Mechanical	QS-562	QSZ 12/30 A4	OUTDOOR	471					
			QS-563	QSZ-S 12/30	INDOOR	471					
			QS-576	QBSZ SU 10x120	INDOOR	472					
QS-577	QBSZ SU 10x120 A4		OUTDOOR	472							
 MOD 8280 / 8430 MOD 8330	4 / 5	 Chemical	FOR CONCRETE					FOR STEEL			
			QS-207	QVMZ-IG 90 M12 A4	OUTDOOR	469		QS-224	M12 x 30	INDOOR	477
			+ QS-225	M12 x 45	OUTDOOR	477		+ QS-216	For M12	INDOOR	477
			+ QS-215	For M12	OUTDOOR	477		QS-223	M12 x 30	OUTDOOR	477
								+ QS-215	For M12	OUTDOOR	477
						QS-225		M12 x 45	OUTDOOR	477	
						+ QS-215		For M12	OUTDOOR	477	
		 Mechanical	QS-571	QBSZ SK 10x100	INDOOR	472		FOR WOOD			
			+ QS-286	For QBSZ SK 10	INDOOR	472		QS-258	10 x 120	INDOOR	473
			QS-572	QBSZ SK 10x100 A4	OUTDOOR	472		QS-290	10 x 100	OUTDOOR	473
			+ QS-286	For QBSZ SK 10	OUTDOOR	472					
			QS-573	QBSZ SK 10x120 A4	OUTDOOR	472					
			+ QS-286	For QBSZ SK 10	OUTDOOR	472					
			QS-560	QSZ 12/10 A4	OUTDOOR	471					
			QS-561	QSZ-S 12/10	INDOOR	471					
QS-562	QSZ 12/30 A4		OUTDOOR	471							
QS-563	QSZ-S 12/30		INDOOR	471							
 MOD 8240 / 8440	5 / 5	 Chemical	FOR CONCRETE					FOR STEEL			
			QS-276	QVMU-A M12x175	INDOOR	468		QS-224	M12 x 30	INDOOR	477
			QS-277	QVMU-A M12x175 A4	OUTDOOR	468		+ QS-216	For M12	INDOOR	477
			QS-207	QVMZ-IG 90 M12 A4	OUTDOOR	469		QS-223	M12 x 30	OUTDOOR	477
			+ QS-225	M12 x 45	OUTDOOR	477		+ QS-215	For M12	OUTDOOR	477
		+ QS-215	For M12	OUTDOOR	477	QS-225		M12 x 45	OUTDOOR	477	
						+ QS-215		For M12	OUTDOOR	477	
		 Mechanical	QS-574	QBSZ SU 10x100	INDOOR	472		FOR WOOD			
			QS-575	QBSZ SU 10x100 A4	OUTDOOR	472		QS-258	10 x 120	INDOOR	473
			QS-576	QBSZ SU 10x120	INDOOR	472		QS-290	10 x 100	OUTDOOR	473
			QS-577	QBSZ SU 10x120 A4	OUTDOOR	472					
			QS-560	QSZ 12/10 A4	OUTDOOR	471					
			QS-561	QSZ-S 12/10	INDOOR	471					













EASY GLASS® SLIM

Mounting	t (mm)	Anchor	QS	Type	Use	📄	Screw / bolt	QS	Type	Use	📄	
 MOD 8060	12,5		FOR CONCRETE				INDOOR	471	FOR STEEL			
			QS-36	Q SZ-SK 12/50	OUTDOOR	476			QS-531	M10 x 35	INDOOR	476
			QS-519	Q SZ-SK 12/50 A4	OUTDOOR	476			QS-530	M10 x 35	OUTDOOR	476
			QS-571	Q BSZ SK 10x100	INDOOR	472			FOR WOOD			
			QS-572	Q BSZ SK 10x100 A4	OUTDOOR	472			QS-251	10 x 120	INDOOR	473
QS-573	Q BSZ SK 10x120 A4	OUTDOOR	472									
 MOD 8020	10,5		FOR CONCRETE				INDOOR	468	FOR STEEL			
			QS-276	Q VMU-A M12x175	OUTDOOR	477			QS-223	M12 x 30	OUTDOOR	477
			QS-277	Q VMU-A M12x175 A4	OUTDOOR	468			+ QS-215	For M12	OUTDOOR	477
			QS-207	Q VMZ-IG 90 M12 A4	OUTDOOR	469			QS-225	M12 x 45	OUTDOOR	477
			+ QS-225	M12 x 45	OUTDOOR	477			+ QS-215	For M12	OUTDOOR	477
		QS-215	For M12	OUTDOOR	477	FOR WOOD						
		QS-562	Q SZ 12/30 A4	OUTDOOR	471	QS-258	10 x 120	INDOOR	473			
		QS-563	Q SZ-S 12/30	INDOOR	471	QS-290	10 x 100	OUTDOOR	473			
		QS-576	Q BSZ SU 10x120	INDOOR	472							
		QS-577	Q BSZ SU 10x120 A4	OUTDOOR	472							
 MOD 8080	7		FOR CONCRETE				INDOOR	471	FOR STEEL			
			QS-36	Q SZ-SK 12/50	OUTDOOR	471			QS-74	M12 x 40	OUTDOOR	476
			QS-519	Q SZ-SK 12/50 A4	OUTDOOR	471			FOR WOOD			
			QS-571	Q BSZ SK 10x100	INDOOR	472			QS-250	10 x 80	INDOOR	473
			QS-572	Q BSZ SK 10x100 A4	OUTDOOR	472			QS-251	10 x 120	INDOOR	473
QS-573	Q BSZ SK 10x120 A4	OUTDOOR	472									







EASY GLASS® PRO

Mounting	t (mm)	Anchor	QS	Type	Use	📄	Screw / bolt	QS	Type	Use	📄	
 MOD 8110	7,5		FOR CONCRETE				INDOOR	469	FOR STEEL			
			QS-558	Q VMZ-IG 90 M12	OUTDOOR	469			QS-222	M12 x 30	INDOOR	477
			QS-557	Q VMZ-IG 90 M12 A4	OUTDOOR	469			+ QS-217	For M12	INDOOR	477
			QS-574	Q BSZ SU 10x100	INDOOR	472			QS-221	M12 x 30	OUTDOOR	477
			QS-575	Q BSZ SU 10x100 A4	OUTDOOR	472			+ QS-217	For M12	OUTDOOR	477
		QS-576	Q BSZ SU 10x120	INDOOR	472	FOR WOOD						
		QS-577	Q BSZ SU 10x120 A4	OUTDOOR	472	QS-258	10 x 120	INDOOR	473			
		QS-560	Q SZ 12/10 A4	OUTDOOR	471	QS-290	10 x 100	OUTDOOR	473			
		QS-561	Q SZ-S 12/10	INDOOR	471							
		 MOD 8120	12		FOR CONCRETE				INDOOR	468	FOR STEEL	
QS-276	Q VMU-A M12x175				OUTDOOR	468	QS-219	M12 x 35			OUTDOOR	477
QS-277	Q VMU-A M12x175 A4				OUTDOOR	468	+ QS-215	For M12			OUTDOOR	477
QS-207	Q VMZ-IG 90 M12 A4				OUTDOOR	469	QS-225	M12 x 45			OUTDOOR	477
+ QS-225	M12 x 45				OUTDOOR	477	+ QS-215	For M12			OUTDOOR	477
QS-215	For M12			OUTDOOR	477	FOR WOOD						
QS-562	Q SZ 12/30 A4			OUTDOOR	471	QS-258	10 x 120	INDOOR	473			
QS-563	Q SZ-S 12/30			INDOOR	471	QS-290	10 x 100	OUTDOOR	473			
QS-576	Q BSZ SU 10x120			INDOOR	472							
QS-577	Q BSZ SU 10x120 A4			OUTDOOR	472							
 MOD 8130 / 8150	5,5 / 5,5		FOR CONCRETE				INDOOR	469	FOR STEEL			
			QS-558	Q VMZ-IG 90 M12	OUTDOOR	469			QS-222	M12 x 30	INDOOR	477
			QS-557	Q VMZ-IG 90 M12 A4	OUTDOOR	469			+ QS-217	For M12	INDOOR	477
			QS-560	Q SZ 12/10 A4	OUTDOOR	471			QS-221	M12 x 30	OUTDOOR	477
			QS-561	Q SZ-S 12/10	INDOOR	471			+ QS-217	For M12	OUTDOOR	477
				FOR WOOD								
QS-258	10 x 120	INDOOR	473	QS-290	10 x 100	OUTDOOR	473					
 MOD 8140	4,5		FOR CONCRETE				INDOOR	469	FOR STEEL			
			QS-558	Q VMZ-IG 90 M12	OUTDOOR	469			QS-222	M12 x 30	INDOOR	477
			QS-557	Q VMZ-IG 90 M12 A4	OUTDOOR	469			+ QS-217	For M12	INDOOR	477
			QS-574	Q BSZ SU 10x100	INDOOR	472			QS-551	M12 x 40	INDOOR	476
			QS-575	Q BSZ SU 10x100 A4	OUTDOOR	472			+ QS-217	For M12	INDOOR	477
		QS-576	Q BSZ SU 10x120	INDOOR	472	QS-221	M12 x 30	OUTDOOR	477			
		QS-577	Q BSZ SU 10x120 A4	OUTDOOR	472	+ QS-217	For M12	OUTDOOR	477			
		QS-560	Q SZ 12/10 A4	OUTDOOR	471	FOR WOOD						
		QS-561	Q SZ-S 12/10	INDOOR	471	QS-258	10 x 120	INDOOR	473			
										QS-290	10 x 100	OUTDOOR










EASY GLASS® MAX / STRONG

Mounting	t (mm)	Anchor	QS	Type	Use	📄	Screw / bolt	QS	Type	Use	📄	
 MOD 8510 MOD 8610	9,5		FOR CONCRETE				469		FOR STEEL			
			QS-208	Q VMZ-IG 90 M12	INDOOR	469			QS-224	M12 x 30	INDOOR	477
 MOD 8520	9,5		FOR CONCRETE				468		FOR STEEL			
			QS-276	Q VMU-A M12x175	INDOOR	468			QS-225	M12 x 45	OUTDOOR	477
 MOD 8530 MOD 8630	26,5		FOR CONCRETE				469		FOR STEEL			
			QS-208	Q VMZ-IG 90 M12	INDOOR	469			QS-224	M12 x 30	INDOOR	477
 MOD 8540	8		FOR CONCRETE				468		FOR STEEL			
			QS-276	Q VMU-A M12x175	INDOOR	468			QS-224	M12 x 30	INDOOR	477



EASY GLASS® UP

Mounting	t (mm)	Anchor	QS	Type	Use	📄	Screw / bolt	QS	Type	Use	📄	
 MOD 6610	5,5		FOR CONCRETE				469		FOR STEEL			
			QS-558	Q VMZ-IG 90 M12	INDOOR	469			QS-221	M12 x 30	OUTDOOR	477
 MOD 6620	4,5		FOR CONCRETE				469		FOR STEEL			
			QS-557	Q VMZ-IG 90 M12 A4	OUTDOOR	469			QS-221	M12 x 30	OUTDOOR	477














EASY GLASS® BASE GLASS CLAMPS

Mounting	t (mm)	Anchor	QS	Type	Use	📄	Screw / bolt	QS	Type	Use	📄	
 MOD 6000	12		FOR CONCRETE				468		FOR STEEL			
			QS-276	Q VMU-A M12x175	INDOOR	468			QS-551	M12 x 40	INDOOR	476
 MOD 6400	11,5		FOR CONCRETE				468		FOR STEEL			
			QS-507	Q VMU-A M12x175	INDOOR	468			QS-551	M12 x 40	INDOOR	476
 MOD 6100 / 6200	8 / 8		FOR CONCRETE				469		FOR WOOD			
			QS-207	Q VMZ-IG 90 M12 A4	OUTDOOR	469			QS-250	10 x 80	INDOOR	473





EASY GLASS® AIR

Mounting	t (mm)	Anchor	QS	Type	Use	☰	Screw / bolt	QS	Type	Use	☰	
 MOD 6500	10	Chemical	FOR CONCRETE						FOR STEEL			
			QS-558	Q VMZ-IG 90 M12	INDOOR	469			QS-222	M12 x 30	INDOOR	477
		+ QS-557	Q VMZ-IG 90 M12 A4	OUTDOOR	469	+ QS-217	For M12		INDOOR	477		
						QS-221	M12 x 30		OUTDOOR	477		
							+ QS-217	For M12	OUTDOOR	477		





EASY GLASS® GLASS ADAPTERS

Mounting	t (mm)	Anchor	QS	Type	Use	☰	Screw / bolt	QS	Type	Use	☰		
 MOD 0749	5,5	Chemical	FOR CONCRETE						FOR STEEL				
			QS-521	Q VMZ-IG 80 M10	INDOOR	469			QS-533	M10 x 30	OUTDOOR	476	
		+ QS-532	M10 x 30mm	INDOOR	476	QS-532	M10 x 30		INDOOR	476			
						QS-531	M10 x 35		INDOOR	476			
							+ QS-533	M10 x 30mm	OUTDOOR	476			
								FOR WOOD					
							QS-251	10 x 120	INDOOR	473			
 MOD 0760	11	Chemical	FOR CONCRETE						FOR STEEL				
			QS-507	Q VMZ-A 125 M12-25/170	INDOOR	468			QS-551	M12 x 40	INDOOR	476	
		+ QS-276	Q VMU-A M12x175	INDOOR	468	+ QS-217	For M12		INDOOR	477			
		Mechanical											
			QS-35	Q BZ 8 10-21/75	INDOOR	471							
			QS-563	Q SZ-S 12/30	INDOOR	471							
 MOD 0762	7,5	Chemical	FOR CONCRETE						FOR STEEL				
			QS-63	VMZ-A 50 M8-15/80	INDOOR	468			QS-29	M8 x 35	INDOOR	476	
		+ QS-62	Q VMZ-A 50 M8-15/80 A4	OUTDOOR	468	+ QS-287	For M8		INDOOR	477			
						QS-30	M8 x 35		OUTDOOR	476			
						QS-270	Q VMU-A M8x110		INDOOR	468			
						QS-271	Q VMU-A M8x110 A4		OUTDOOR	468			
		Mechanical											
			QS-34	Q BZ 8 10-21/75 A4	OUTDOOR	471							
			QS-35	Q BZ 8 10-21/75	INDOOR	471							
 MOD 0766	19,5	Chemical	FOR CONCRETE						FOR STEEL				
			QS-528	Q VMZ-IG 75 M8	INDOOR	469			QS-29	M8 x 35	INDOOR	476	
		+ QS-29	M8 x 35mm	INDOOR	476	+ QS-287	For M8		INDOOR	477			
		Mechanical											
			QS-34	Q BZ 8 10-21/75 A4	OUTDOOR	471							
			QS-35	Q BZ 8 10-21/75	INDOOR	471							
 MOD 4762	11	Chemical	FOR CONCRETE						FOR STEEL				
			QS-272	Q VMU-A M10x130	INDOOR	468			QS-67	M10 x 40	INDOOR	476	
		+ QS-273	Q VMU-A M10x130 A4	OUTDOOR	468	QS-72	M10 x 45		OUTDOOR	476			
		Mechanical											
			QS-34	Q BZ 8 10-21/75 A4	OUTDOOR	471							
			QS-35	Q BZ 8 10-21/75	INDOOR	471							
 MOD 0763	9	Chemical	FOR CONCRETE						FOR STEEL				
			QS-276	Q VMU-A M12x175	INDOOR	468			QS-551	M12 x 40	INDOOR	476	
		+ QS-277	Q VMU-A M12x175 A4	OUTDOOR	468	+ QS-217	For M12		INDOOR	477			
						QS-221	M12 x 30		OUTDOOR	477			
									+ QS-217	For M12	OUTDOOR	477	
			Mechanical										
				QS-560	Q SZ 12/10 A4	OUTDOOR	471						
			QS-561	Q SZ-S 12/10	INDOOR	471							
	Optional		QS-34	Q BZ 8 10-21/75 A4	OUTDOOR	471							
			QS-35	Q BZ 8 10-21/75	INDOOR	471							








EASY GLASS® JULIET BALCONIES - EASY GLASS® VIEW

Mounting	t (mm)	Anchor	QS	Type	Use	📄	Screw / bolt	QS	Type	Use	📄	
 MOD 6839 / 6830 NEW MOD 6849	4,5	 Chemical	FOR CONCRETE				OUTDOOR		FOR STEEL			
			QS-529	Q VMZ-IG 75 M8	469	QS-27			M8 x 20	476		
			+ QS-27	M8 x 20	476	QS-30			M8 x 35	476		
					+ QS-287	For M8	477					
		 Other	QS-266	5,5 x 50	473	QS-264	6 x 80	473				
			QS-579	M16 x 65	473							

EASY GLASS® JULIET BALCONIES - MOD 6507-6508

















Mounting	t (mm)	Anchor	QS	Type	Use	📄	Screw / bolt	QS	Type	Use	📄	
 MOD 6507 / 6508	4	 Chemical	FOR CONCRETE				OUTDOOR		FOR STEEL			
			QS-64	Q VMZ-A 60 M10-10/85 A4	468	QS-72			M10 x 45	476		
			QS-273	Q VMU-A M10x130 A4	468							
		 Mechanical	QS-58	Q BZ 10 10-30/90 A4	471							

EASY GLASS® JULIET BALCONIES WITH GLASS ADAPTERS









Mounting	t (mm)	Anchor	QS	Type	Use	📄	Screw / bolt	QS	Type	Use	📄	
 MOD 0749	5,5	 Chemical	FOR CONCRETE				OUTDOOR		FOR STEEL			
			QS-520	Q VMZ-IG 80 M10 A4	469	QS-533			M10 x 30	476		
			+ QS-533	M10 x 30mm	476	QS-530	M10 x 35	476				
 MOD 0763	9	 Chemical	FOR CONCRETE				OUTDOOR		FOR STEEL			
			QS-277	Q VMU-A M12x175 A4	468	QS-221			M12 x 30	477		
			QS-60	Q VMU-A M12x175 A4	468	+ QS-217	For M12	477				
		 Mechanical	QS-560	Q SZ 12/10 A4	471							
			QS-34*	Q BZ 8 10-21/75 A4	471							

*Optional





CHEST RAILS

Mounting	t (mm)	Anchor	QS	Type	Use	📄	Screw / bolt	QS	Type	Use	📄	
 MOD 4828 NEW	7	 Chemical	FOR CONCRETE				OUTDOOR		FOR STEEL			
			QS-529	Q VMZ-IG 75 M8	469	QS-20			M8 x 25	476		
					Other							
		 QS-579	M16 x 65	473	OUTDOOR							
 MOD 0842 MOD 0843 NEW	14,5	 Chemical	FOR CONCRETE				OUTDOOR		FOR STEEL			
			QS-529	Q VMZ-IG 75 M8	469	QS-22			M8 x 40	476		
					Other							
		 QS-579	M16 x 65	473	OUTDOOR							
 MOD 6517 NEW	4	 Chemical	FOR CONCRETE				OUTDOOR		FOR STEEL			
			QS-529	Q VMZ-IG 75 M8	469	QS-27			M8 x 20	476		
					Other							
		 QS-579	M16 x 65	473	OUTDOOR							
 MOD 6518 NEW	4	 Chemical	FOR CONCRETE				OUTDOOR		FOR STEEL			
			QS-529	Q VMZ-IG 75 M8	469	QS-27			M8 x 20	476		
					Other							
		 QS-579	M16 x 65	473	OUTDOOR							






EASY ALU

Mounting	t (mm)	Anchor	QS	Type	Use	📄	Screw / bolt	QS	Type	Use	📄	
Top		Chemical	FOR CONCRETE						FOR WOOD			
 MOD 9026	26		QS-284	Q VMU-A M12 x 265	INDOOR	468		QS-255	8 x 80	INDOOR	473	
			QS-285	Q VMU-A M12 x 265	OUTDOOR	468						
Fascia		Chemical	FOR CONCRETE						FOR WOOD			
 MOD 9028-120-00	8		QS-276	Q VMU-A M12x175	INDOOR	468		QS-255	8 x 80	INDOOR	473	
			QS-277	Q VMU-A M12x175 A4	OUTDOOR	468						
 MOD 9028-120-90	20		QS-574	Q BSZ SU 10x100	INDOOR	472						
			QS-575	Q BSZ SU 10x100 A4	OUTDOOR	472						
			QS-576	Q BSZ SU 10x120	INDOOR	472						
			QS-577	Q BSZ SU 10x120 A4	OUTDOOR	472						


































SQUARE LINE® 40x40

For	t (mm)	Anchor	QS	Type	Use	📄
Top		Chemical	FOR CONCRETE			
 MOD 4921 / 4972	8		QS-65	Q VMZ-A 60 M10-10/85	INDOOR	468
			QS-64	Q VMZ-A 60 M10-10/85 A4	OUTDOOR	468
 MOD 4942 / 4940			Mechanical			
			QS-59	Q BZ 10 10-30/90	INDOOR	471
			QS-58	Q BZ 10 10-30/90 A4	OUTDOOR	471

SQUARE LINE® 60x30

For	t (mm)	Anchor	QS	Type	Use	📄
Top		Chemical	FOR CONCRETE			
 MOD 4901 / 3503	11		QS-559	Q VMZ-IG 105 M12 A4	OUTDOOR	469
			Mechanical			
			QS-577	Q BSZ SU 10x120 A4	OUTDOOR	472
Fascia		Chemical	FOR CONCRETE			
 MOD 4558	11		QS-63	Q VMZ-A 50 M8-15/80	INDOOR	468
			QS-62	Q VMZ-A 50 M8-15/80 A4	OUTDOOR	468

Q-LINE

Mounting	t (mm)	Anchor	QS	Type	Use	Screw / bolt	QS	Type	Use		
Top											
 MOD 3504	10	Chemical	FOR CONCRETE								
			QS-273	Q VMU-A M10 x 130	OUTDOOR	468					
		Mechanical									
			QS-58	Q BZ 10 10-30/90	OUTDOOR	471					
			QS-578	Q BSZ SU 8 x 70 A4	OUTDOOR	472					
Top											
 MOD 0948 MOD 0949	12						FOR STEEL				
								QS-223	M12 x 30	OUTDOOR	477
							+ QS-217	For M12	OUTDOOR	477	
								QS-219	M12 x 35	OUTDOOR	477
							+ QS-217	For M12	OUTDOOR	477	
								QS-225	M12 x 40	OUTDOOR	477
							+ QS-217	For M12	OUTDOOR	477	
Top											
 MOD 0921 / 9921 MOD 0962 / 0940	8	Chemical	FOR CONCRETE								
			QS-65	Q VMZ-A 60 M10-10/85	INDOOR	468					
			QS-64	Q VMZ-A 60 M10-10/85 A4	OUTDOOR	468					
		Mechanical									
			QS-59	Q BZ 10 10-30/90	INDOOR	471					
			QS-58	Q BZ 10 10-30/90 A4	OUTDOOR	471					
Top											
 MOD 0912 / 3502	8	Chemical	FOR CONCRETE								
			QS-63	VMZ-A 50 M8-15/80	INDOOR	468					
			QS-62	Q VMZ-A 50 M8-15/80 A4	OUTDOOR	468					
		Mechanical									
			QS-35	Q BZ 8 10-21/75	INDOOR	471					
			QS-34	Q BZ 8 10-21/75 A4	OUTDOOR	471					
Top											
 MOD 0916 / 0917 / 3505	13,5	Chemical	FOR CONCRETE								
			QS-272	Q VMU-A M10 x 130	INDOOR	468					
			QS-273	Q VMU-A M10 x 130	OUTDOOR	468					
Fascia											
 MOD 3508	10	Chemical	FOR CONCRETE								
			QS-275	Q VMU-A M12 x 155	OUTDOOR	468					
		Mechanical									
			QS-560	Q SZ 12/10 A4	OUTDOOR	471					
			QS-562	Q SZ 12/30 A4	OUTDOOR	471					
							FOR STEEL				
							QS-223	M12 x 30	OUTDOOR	477	
							+ QS-217	For M12	OUTDOOR	477	
								QS-219	M12 x 35	OUTDOOR	477
							+ QS-217	For M12	OUTDOOR	477	
								QS-225	M12 x 40	OUTDOOR	477
							+ QS-217	For M12	OUTDOOR	477	
Fascia											
 MOD 0557 MOD 0555 0551 / 0552	11	Chemical	FOR CONCRETE								
			QS-33	Q VMZ-A 75 M12-25/120	INDOOR	468					
			QS-32	Q VMZ-A 75 M12-25/120 A4	OUTDOOR	468					
Fascia											
 MOD 0558	10,5	Chemical	FOR CONCRETE								
			QS-33	Q VMZ-A 75 M12-25/120	INDOOR	468					
			QS-275	Q VMU-A M12x155	OUTDOOR	468					
Fascia											
 MOD 0556	20	Chemical	FOR CONCRETE								
			QS-505	Q VMZ-IG 105 M12	INDOOR	469		FOR STEEL			
		+ QS-551		M12 x 40	INDOOR	476		QS-551	M12 x 40	INDOOR	476
		+ QS-217		Für M12	INDOOR	477					

Chemical concrete anchors



MOD 4410


Zinc-plated

INDOOR	QS	Type	d		L		€/pc.
254410-811	QS-270	QVMU-A M8x110	M8	Ø 10	110	10	1,00
254410-820	QS-281	QVMU-A M8x205	M8	Ø 10	205	10	2,10
254410-113	QS-272	QVMU-A M10x130	M10	Ø 12	130	10	1,15
254410-215	QS-274	QVMU-A M12x155	M12	Ø 14	155	10	1,35
254410-217	QS-276	QVMU-A M12x175	M12	Ø 14	175	10	1,70
254410-226	QS-284	QVMU-A M12x265	M12	Ø 14	265	10	2,45

316

OUTDOOR

244410-811	QS-271	QVMU-A M8x110	M8	Ø 10	110	10	2,40
244410-820	QS-282	QVMU-A M8x205	M8	Ø 10	205	10	4,85
244410-113	QS-273	QVMU-A M10x130	M10	Ø 12	130	10	2,80
244410-215	QS-275	QVMU-A M12x155	M12	Ø 14	155	10	4,50
244410-217	QS-277	QVMU-A M12x175	M12	Ø 14	175	10	5,30
244410-226	QS-285	QVMU-A M12x265	M12	Ø 14	265	10	8,00



MOD 4010

Zinc-plated

INDOOR	QS	Type		L		€/pc.
254010-880	QS-63	QVMZ-A 50 M8-15/80	Ø 10	80	10	2,85
254010-185	QS-65	QVMZ-A 60 M10-10/85	Ø 12	85	10	3,30
254010-212	QS-33	QVMZ-A 75 M12-25/120	Ø 14	120	10	4,45
254010-217	QS-507	QVMZ-A 125 M12-25/170	Ø 14	170	10	4,50

316


OUTDOOR

244010-880	QS-62	QVMZ-A 50 M8-15/80 A4	Ø 10	80	10	6,50
244010-185	QS-64	QVMZ-A 60 M10-10/85 A4	Ø 12	85	10	7,05
244010-212	QS-32	QVMZ-A 75 M12-25/120 A4	Ø 14	120	10	7,70
244010-213	QS-549	QVMZ-A 75 M12-40/135 A4	Ø 14	135	10	7,70
244010-217	QS-60	QVMZ-A 125 M12-25/170 A4	Ø 14	170	10	18,90




Q-INFO MOD 4410

Assembly instruction Q-anchor VMU-A



Q-INFO MOD 4010

Assembly instruction Q-anchor VMZ-A



Chemical concrete anchors



MOD 4510

Zinc-plated

INDOOR	QS	Type	d		L		€/pc.
254510-875	QS-528	QVMZ-IG 75 M8	M8	Ø 12	78	10	9,85
254510-180	QS-521	QVMZ-IG 80 M10	M10	Ø 14	84	10	11,95
254510-290	QS-208	QVMZ-IG 90 M12	M12	Ø 18	94	10	15,10
254510-210	QS-505	QVMZ-IG 105 M12	M12	Ø 18	109	10	16,80
254510-212	QS-212	QVMZ-IG 125 M12	M12	Ø 18	130	10	18,60



316

OUTDOOR

244510-875	QS-529	QVMZ-IG 75 M8	M8	Ø 12	78	10	13,75
244510-180	QS-520	QVMZ-IG 80 M10 A4	M10	Ø 14	84	10	15,30
244510-290	QS-207	QVMZ-IG 90 M12 A4	M12	Ø 18	94	10	22,30
244510-212	QS-211	QVMZ-IG 125 M12 A4	M12	Ø 18	130	10	27,85

Q-INFO MOD 4510

Assembly instruction Q-anchor VMZ-IG




MOD 4519

316

OUTDOOR

QS	Type			€/pc.	
244519-210	QS-559	QVMZ-IG 105 M12 A4	Ø 18	10	26,60



MOD 4519

Zinc-plated

INDOOR	QS	Type			€/pc.
254519-290	QS-558	QVMZ-IG 90 M12	Ø 18	10	16,35

316


OUTDOOR

244519-290	QS-557	QVMZ-IG 90 M12 A4	Ø 18	10	24,15
------------	--------	-------------------	------	----	-------



Q-INFO MOD 4519

Assembly instruction Q-anchor VMZ-IG



Chemical anchoring accessories



Injection mortar

MOD 4089 / 4090

Accessories

	Q	e			€/pc.
204089-28	Q-104	280 ml	Q-VMU-A	1	23,95
NEW 204089-30	Q-104	300 ml	Q-VMU-A	1	23,95
204090-28	Q-101	280 ml	Q-VMZ	1	37,40
NEW 204090-30	Q-101	300 ml	Q-VMZ	1	37,40



Air pump for cleaning drill holes

MOD 4092

Accessories

	Q		€/pc.
204092	Q-97	1	44,85



Cleaning brush for cleaning drill holes

MOD 4093

Accessories

	Q			€/pc.
204093-010	Q-91	Ø 10	1	13,80
204093-012	Q-92	Ø 12	1	15,60
204093-014	Q-93	Ø 14	1	17,30
204093-018	Q-94	Ø 18	1	19,05
204093-020	Q-95	Ø 20	1	20,70



Mixer for injection mortar

MOD 4091

Accessories

	Q		€/pc.
204091	Q-103	1	2,10



Extension for mixer for injection mortar VMZ 280/300, 200 mm

MOD 4096

Accessories

	Q		€/pc.
204096	Q-88	1	0,80



Extension for cleaning brush with connection thread M6, 150 mm

MOD 4094

Accessories

	Q		€/pc.
204094	Q-89	1	27,75



Mastic gun for injection mortar

MOD 4095

Accessories

	Q		€/pc.
204095	Q-102	1	95,10

Q-INFO | MOD 4089 / 4090

Number of drill hole fillings per cartridge injection mortar

	VMZ-A	QS-32	QS-33	QS-60	QS-62	QS-63	QS-64	QS-65	QS-507	QS-549			
Q-101 (280 ml)	34	34	24	58	58	39	39	24	34				
Q-101 (300 ml)	36	36	25	62	62	41	41	25	36				
	VMZ-IG	QS-207	QS-208	QS-211	QS-212	QS-505	QS-520	QS-521	QS-528	QS-557	QS-558	QS-559	
Q-101 (280 ml)	21	21	16	16	19	27	27	34	21	21	19		
Q-101 (300 ml)	22	22	17	17	20	29	29	36	22	22	20		
	VMU-A	QS-270	QS-271	QS-281	QS-282	QS-272	QS-273	QS-274	QS-275	QS-276	QS-277	QS-284	QS-285
Q-104 (280 ml)	46	46	40	40	32	32	22	22	22	22	19	19	
Q-104 (300 ml)	50	50	42	42	34	34	23	23	23	23	20	20	



Q-101 / Q-104
280 ml
204090-28
204089-28

Q-101 / Q-104
300 ml
204090-30
204089-30

Mechanical concrete anchors



MOD 4110

Zinc-plated

INDOOR	QS	Type	d		L		€/pc.
254110-875	QS-35	Q BZ 8 10-21/75	M8	Ø 8	75	10	0,90
254110-190	QS-59	Q BZ 10 10-30/90	M10	Ø 10	90	10	1,15

316


OUTDOOR

244110-875	QS-34	Q BZ 8 10-21/75 A4	M8	Ø 8	75	10	2,45
244110-190	QS-58	Q BZ 10 10-30/90 A4	M10	Ø 10	90	10	2,70



Q-INFO MOD 4110

Assembly instruction Q-anchor BZ Plus 8 & BZ Plus 10



MOD 4210

Zinc-plated

INDOOR	QS	Type	Ø		L		€/pc.
254210-212	QS-36	Q SZ-SK 12/50	12	Ø 12	120	25	4,00

316


OUTDOOR

244210-212	QS-519	Q SZ-SK 12/50 A4	12	Ø 12	120	25	13,65
------------	--------	------------------	----	------	-----	----	-------



Q-INFO MOD 4210

Assembly instruction Q-anchor SZ-SK 12/50



MOD 4220

Zinc-plated

INDOOR	QS	Type	Ø		L		€/pc.
254220-285	QS-561	Q SZ-S 12/10	12	Ø 12	85	25	2,10
254220-211	QS-563	Q SZ-S 12/30	12	Ø 12	105	25	2,20

316


OUTDOOR

244220-285	QS-560	Q SZ-S 12/10 A4	12	Ø 12	85	25	9,35
244220-211	QS-562	Q SZ-S 12/30 A4	12	Ø 12	105	25	9,90



Q-INFO MOD 4220

Assembly instruction Q-anchor SZ-S 12/10-30



Concrete screws



MOD 4310

Zinc-plated

INDOOR	QS	Type	Ø	Ø	L	Box	€/pc.	
254310-110	QS-574	Q BSZ SU 10x100	10	Ø 10	100	50	1,95	
254310-112	QS-576	Q BSZ SU 10x120	10	Ø 10	120	50	2,10	
316								
OUTDOOR								
244310-110	QS-575	Q BSZ SU 10x100 A4	10	Ø 10	100	50	8,10	
244310-112	QS-577	Q BSZ SU 10x120 A4	10	Ø 10	120	50	8,80	
NEW	244310-870	QS-578	Q-BSZ SU 8x70 A4	8	Ø 8	70	50	6,55



MOD 4300

Zinc-plated

INDOOR	QS	Type	Q	Ø	Ø	L	Box	€/pc.
254300-110	QS-571	Q BSZ SK 10x100	114	10	Ø 10	100	50	1,80
316								
OUTDOOR								
244300-110	QS-572	Q BSZ SK 10x100 A4	114	10	Ø 10	100	50	7,50
244300-112	QS-573	Q BSZ SK 10x120 A4	114	10	Ø 10	120	50	8,10




MOD 0665

316

OUTDOOR	QS	For d	Box	€/pc.
240665-232	QS-286	M12	25	1,60

SCREWS

ACCESSORIES



MOD 4250


316

OUTDOOR	QS	d	Ø	L	Box	€/50 pcs.	
SELL OUT	244250-180	QS-214	7	Ø 10	80	50	125,00





Q-INFO MOD 4310

Assembly instruction Q-anchor Q BSZ SU 10x100 + 10x120 (A4)



Q-INFO MOD 4300

Assembly instruction Q-anchor Q BSZ SK 10x100 + 10x120 (A4)




MOD 4260

316

OUTDOOR	QS	d	Ø	L	Box	€/50 pcs.	
SELL OUT	244260-180	QS-213	7	Ø 10	80	50	135,00



Screws



MOD 0250


Zinc-plated

INDOOR	QS	Q	d	L		€/ 50 pcs.
250250-808	QS-255	Q-113	8	80	50	37,50
250250-812	QS-256	Q-113	8	120	50	50,00
250250-012	QS-258	Q-114	10	120	50	87,50

304

INDOOR

230250-608	QS-264	Q-115	6	80	50	85,00
230250-610	QS-265	Q-115	6	100	50	90,00




MOD 0805

316

OUTDOOR


OUTDOOR	QS	Q	d	Ø	L		€/ pc.
230805-665	QS-579	Q-8	M8	M16	65	2	14,20



MOD 0260

Zinc-plated

INDOOR	QS	Q	d	L		€/ 50 Stk.
250260-008	QS-250	Q-113	10	80	50	40,00
250260-012	QS-251	Q-113	10	120	50	47,50




MOD 0251

Zinc-plated C4


OUTDOOR	QS	d	L		€/ pc.
250251-010	QS-290	10	100	25	1,75



Q-INFO MOD 0250



Q-INFO MOD 0805




MOD 0915

316

OUTDOOR

OUTDOOR	QS		€/ 50 pc.
240915-550	QS-266	50	80,00




Bit, 1/4", 5/16" Drive

MOD 1016


Accessories

Accessories	Q	Ø	AW	L		€/ pc.
201016-230	Q-115	1/4"	30	25	1	6,45
201016-240	Q-113	1/4"	40	26	1	7,30
201016-550	Q-114	5/16"	50	50	1	13,20

Q-INFO MOD 0915



Q-INFO MOD 0805



Plugs



MOD 0841

Accessories		QS	Ø	L		€/50 pcs.
200841-635	QS-87	6	35	100		5,00
200841-160	QS-555	10	60	50		17,50

SELL OUT



MOD 0843

Zinc-plated		QS	For		€/25 pcs.
200843-008	QS-570	M8	25		43,75

IN/OUTDOOR



MOD 0491 - DIN 914 / ISO 4027

304		QS	Q	d	L		€/50 pcs.
230491-850	QS-288	4	M8	50	50		35,00





MOD 0851







Brass		QS		€/50 pcs.
200851-827	QS-55	50		35,00

IN/OUTDOOR







Q-INFO MOD 0841



Q-INFO MOD 0843 / 0491




Q-INFO MOD 0851




SELL OUT Only while supplies last.

Screws




MOD 0200 - DIN 571

304					
INDOOR	QS	d	L		€/ 50 pcs.
230200-760	QS-3	7	60	50	27,50
316					
OUTDOOR					
240200-760	QS-4	7	60	50	37,50
240200-890	QS-556	8	90	50	47,50



MOD 0205


304						
INDOOR	QS	Q	d	L		€/ 50 pcs.
230205-050	QS-1	Q-4	M8 x 12	50	50	35,00
230205-090	QS-85	Q-4	M8 x 33	90	50	67,50
316						
OUTDOOR						
240205-050	QS-2	Q-4	M8 x 12	50	50	52,50
240205-090	QS-86	Q-4	M8 x 33	90	50	115,00



MOD 0210 - DIN 7982 C-H


304				
INDOOR	QS	L		€/ 50 pcs.
230210-025	QS-5	25	50	5,00
230210-038	QS-7	38	50	7,50
230210-060	QS-503	60	50	10,00
316				
OUTDOOR				
240210-025	QS-6	25	50	10,00
240210-038	QS-50	38	50	12,50
240210-060	QS-504	60	50	17,50

SELL OUT




MOD 0211 - DIN 7997

304				
INDOOR	QS	L		€/ 50 pcs.
230211-340	QS-49	40	50	5,00



MOD 0212 - ISO 14586

316					
OUTDOOR	QS	d	L		€/ 50 pcs.
240212-413	QS-268	4,2	13	50	7,50
240212-438	QS-267	4,2	38	50	7,50




MOD 0230 - DIN 7981 C-H

304				
INDOOR	QS	L		€/ 50 pcs.
230230-025	QS-8	25	50	5,00
230230-038	QS-56	38	50	10,00
316				
OUTDOOR				
240230-025	QS-9	25	50	10,00
240230-038	QS-57	38	50	17,50




Screws




MOD 0400 - DIN 916 / ISO 4029

304						€/ 50 pcs.
INDOOR	QS	Q	d	L		
230400-505	QS-91	Q-2,5	M5	5	50	2,50
316						€/ 50 pcs.
INDOOR	QS	Q	d	L		
240400-505	QS-90	Q-2,5	M5	5	50	5,00
240400-610	QS-92	Q-3	M6	10	50	7,50




MOD 0670 - DIN 7991

304						€/ 50 pcs.
INDOOR	QS	Q	d	L		
230670-520	QS-12	Q-3	M5	20	50	7,50
230670-612	QS-48	Q-4	M6	12	50	7,50
230670-620	QS-14	Q-4	M6	20	50	10,00
230670-625	QS-15	Q-4	M6	25	50	10,00
230670-630	QS-17	Q-4	M6	30	50	12,50
230670-825	QS-19	Q-5	M8	25	50	30,00
230670-840	QS-21	Q-5	M8	40	50	37,50
230670-130	QS-532	Q-6	M10	30	50	40,00
230670-135	QS-531	Q-6	M10	35	50	47,50
316						€/ 50 pcs.
INDOOR	QS	Q	d	L		
240670-520	QS-13	Q-3	M5	20	50	17,50
240670-608	QS-205	Q-4	M6	8	50	12,50
240670-612	QS-89	Q-4	M6	12	50	17,50
240670-625	QS-16	Q-4	M6	25	50	27,50
240670-630	QS-18	Q-4	M6	30	50	30,00
240670-825	QS-20	Q-5	M8	25	50	52,50
240670-840	QS-22	Q-5	M8	40	50	75,00
240670-130	QS-533	Q-6	M10	30	50	82,50
240670-135	QS-530	Q-6	M10	35	50	90,00
240670-240	QS-74	Q-8	M12	40	50	122,50




MOD 0690 - ISO 7380

304						€/ 50 pcs.
INDOOR	QS	Q	d	L		
230690-510	QS-202	Q-3	M5	10	50	7,50
230690-516	QS-10	Q-3	M5	16	50	7,50
230690-616	QS-83	Q-4	M6	16	50	7,50
316						€/ 50 pcs.
INDOOR	QS	Q	d	L		
240690-510	QS-203	Q-3	M5	10	50	17,50
240690-516	QS-11	Q-3	M5	16	50	12,50
240690-608	QS-261	Q-4	M6	8	50	12,50
240690-616	QS-84	Q-4	M6	16	50	17,50



MOD 0490 - DIN 914 / ISO 4027

304						€/ 50 pcs.
INDOOR	QS	Q	d	L		
230490-506	QS-94	Q-2,5	M5	6	50	5,00
316						€/ 50 pcs.
INDOOR	QS	Q	d	L		
240490-506	QS-93	Q-2,5	M5	6	50	7,50




MOD 0680 - DIN 912 / ISO 4762

Zinc-plated						€/ 50 pcs.
INDOOR	QS	Q	d	L		
250680-820	QS-28	Q-6	M8	20	50	25,00
304						€/ 50 pcs.
INDOOR	QS	Q	d	L		
230680-620	QS-23	Q-5	M6	20	50	12,50
230680-635	QS-24	Q-5	M6	35	50	25,00
230680-645	QS-54	Q-5	M6	45	50	30,00
230680-660	QS-25	Q-5	M6	60	50	32,50
230680-820	QS-26	Q-6	M8	20	50	27,50
230680-835	QS-29	Q-6	M8	35	50	40,00
230680-140	QS-67	Q-8	M10	40	50	60,00
230680-240	QS-551	-	M12	40	50	87,50
316						€/ 50 pcs.
INDOOR	QS	Q	d	L		
240680-620	QS-53	Q-5	M6	20	50	17,50
240680-645	QS-70	Q-5	M6	45	50	35,00
240680-660	QS-71	Q-5	M6	60	50	40,00
240680-820	QS-27	Q-6	M8	20	50	30,00
240680-835	QS-30	Q-6	M8	35	50	95,00
240680-140	QS-72	Q-8	M10	45	50	115,00

SELT
OUT


Bolts



MOD 0661 - DIN 933

Zinc-plated

INDOOR	QS	d	L		€/ 50 pcs.
250661-230	QS-224	M12	30	50	25,00
316					
OUTDOOR					
240661-230	QS-223	M12	30	50	57,50
240661-235	QS-219	M12	35	50	62,50
240661-245	QS-225	M12	45	50	75,00




MOD 0662 - DIN 7984

Zinc-plated

INDOOR	QS	Q	d	L		€/ 50 pcs.
250662-230	QS-222	Q-8	M12	30	50	47,50
316						
OUTDOOR						
240662-230	QS-221	Q-8	M12	30	50	62,50




Washers



MOD 0663 - DIN 125A / ISO 7089

Zinc-plated


INDOOR	QS	For d		€/ 50 pcs.
250663-224	QS-216	M12	50	2,50
316				
OUTDOOR				
240663-224	QS-215	M12	50	7,50



MOD 0664 - DIN 433 / ISO 7092

316

OUTDOOR	QS	For d		€/ 50 pcs.
240664-220	QS-217	M12	50	7,50




MOD 0666 - DIN 125A / ISO 7089

316

OUTDOOR	QS	For d		€/ 50 pcs.
240666-816	QS-287	M8	50	5,00

(Cap) nuts




MOD 0650 - DIN 1587

304

INDOOR	QS	S	d	D	L		€/ 50 pcs.
230650-865	QS-514	13	M8	12,5	15	50	10,00
230650-108	QS-517	17	M10	16	18	50	30,00
230650-210	QS-518	19	M12	18	22	50	35,00

316

OUTDOOR	QS	S	d	D	L		€/ 50 pcs.
240650-865	QS-513	13	M8	12,5	15	50	30,00
240650-108	QS-515	17	M10	16	18	50	40,00
240650-210	QS-516	19	M12	18	22	50	62,50




MOD 0651 - DIN 934

316

OUTDOOR	QS	S	d	L		€/ 50 pcs.
240651-208	QS-289	19	M12	10	50	25,00

SELL
OUT

Fixing materials for glass clamps



Adjustable screw
+/- 5°

MOD 0681

For all models in zamak


Zinc-plated						
INDOOR	QS	Q	d	L		€/50 pcs.
250681	QS-46	Q-5	M8	20	50	30,00

For all models in 304

304						
INDOOR	QS	Q	d	L		€/50 pcs.
230681	QS-47	Q-5	M8	20	50	40,00

For all models in 316

316						
OUTDOOR	QS	Q	d	L		€/50 pcs.
240681	QS-45	Q-5	M8	20	50	67,50



Hexagon socket head cap screw

MOD 0680 - DIN 912 / ISO 4762

For all models in zamak


Zinc-plated						
INDOOR	QS	Q	d	L		€/50 pcs.
250680-820	QS-28	Q-6	M8	20	50	25,00

For all models in 304

304						
INDOOR	QS	Q	d	L		€/50 pcs.
230680-820	QS-26	Q-6	M8	20	50	27,50

For all models in 316

316						
OUTDOOR	QS	Q	d	L		€/50 pcs.
240680-820	QS-27	Q-6	M8	20	50	30,00




Blind rivet nut with socket head

MOD 0800

304							
INDOOR	QS	Q	d		L		€/50 pcs.
230800-616	QS-38	Q-29	M6	∅ 9,0	16	50	77,50
230800-817	QS-39	Q-29	M8	∅ 11,0	17	50	105,00
230800-121	QS-40	Q-29	M10	∅ 12,0	21	50	152,50

316							
OUTDOOR	QS	Q	d		L		€/50 pcs.
240800-616	QS-80	Q-29	M6	∅ 9,0	16	50	145,00
240800-817	QS-81	Q-29	M8	∅ 11,0	17	50	210,00
240800-121	QS-82	Q-29	M10	∅ 12,0	21	50	257,50



SELL OUT





Security pins for glass clamps and plate adapters

MOD 5015

Accessories						
	For MOD	L		€/pc.		
205015-22	2800, 4200	22	4	1,65		
205015-25	2500, 2600	25	4	1,65		
205015-24	2400, 6000	30	4	1,65		
205015-23	2300	34	4	1,65		



SELL OUT Only while supplies last.



Spare materials for glass clamps



Hexagon socket countersunk head cap screw

MOD 0670 - DIN 7991

For MOD 2100, 2500, 2700, 2800, 4200, 4400, 4600 in zamak

Zinc-plated						
INDOOR	QS	Q	d	L		€/ 50 pcs.
250670-616	QS-43	Q-4	M6	16	50	7,50

For MOD 2400 in zamak

Zinc-plated						
INDOOR	QS	Q	d	L		€/ 50 pcs.
250670-620	QS-44	Q-4	M6	20	50	7,50

For MOD 2100, 2500, 2700, 2800, 4200, 4400, 4600, 5100, 5200 in 304 and 316

316						
OUTDOOR	QS	Q	d	L		€/ 50 pcs.
240670-616	QS-41	Q-4	M6	16	50	12,50

For MOD 2300, 2400, 2600 in 304 and 316

316						
OUTDOOR	QS	Q	d	L		€/ 50 pcs.
240670-620	QS-42	Q-4	M6	20	50	12,50




Nylon cover caps for lateral screws (2 pieces per glass clamp)

MOD 5010


Accessories				
	Colour	For MOD		€/ pc.
205010-00-00	Raw (grey)	2100, 2300, 2400, 2500, 2600, 2700, 4200, 4400, 4600, 5100, 5200	8	0,15
205010-00-17	Chrome plated		8	0,15
205010-00-19	Stainless steel effect		8	0,15
205010-00-31	Black RAL 9005		8	0,15
205010-00-32	White RAL 9016	2800	8	0,15
205010-00-33	Anthracite grey RAL 7016		8	0,15
205010-28-00	Raw (grey)		8	0,15
205010-28-17	Chrome plated	2800	8	0,15
205010-28-19	Stainless steel effect		8	0,15
205010-28-31	Black RAL 9005		8	0,15

Inlays for glass adapters



MOD 5031 / 5032 / 5034 / 5035 / 5039 / 5038 / 5030

Accessories								
		For MOD	D	Ø	H	Pieces per glass adapter	€/ pc.	
205032-47	A	0747 + 0750 + 0751 (Ø 50mm)	48	10	2	1	8	0,80
205031-47	B		1	8	0,80			
205034-030	A	0746 + 0740 + 0754 (Ø 30 mm)	28	8	2	2	8	0,35
205034-025	A	0755 (Ø 25 mm)	24	6	1	1	8	0,35
205035	B		1	8	0,35			
205034-050	A	0148 + 0117 + 9350 (Ø 50 mm)	48	8	2	2	8	0,80
205039	A	0752 + 0753	38	8	2	1	8	0,80
205038	B		1	8	0,80			
NEW 205030-150-01-03	A	0749	45	19	3	1	8	0,55
NEW 205030-150-02-03	B		46	13	3	1	8	0,55




MOD 5030

Accessories			
	For MOD		€/ pc.
205030-150-99-80	0749	4	1,00

NEW

Q-INFO MOD 0670



Drilling and tapping



14-parts drilling and tapping set for stainless steel

MOD 1025

Accessories				
	Q	M		€/set
201025	Q-61	M3 - M12	1	134,05



Thread former for MOD 0805

MOD 1029

Accessories			
	Q		€/pc.
201029	Q-119	1	235,00

NEW



Drilling tool for MOD 0805

MOD 1028

Accessories			
	Q		€/pc.
201028	Q-118	1	122,00

NEW



Drilling template

MOD 1020

Accessories					
	Q	For tube Ø	M		€/pc.
201020-042	Q-74	42,4	M5, M6, M8, M10	1	147,50
201020-048	Q-75	48,3	M5, M6, M8, M10	1	149,95

Complete set



Drilling template, (2x), on guide rail

MOD 1021

Accessories					
	Q	For tube Ø	M		€/set
201021-042	Q-76	42,4	M5, M6, M8, M10	1	306,05
201021-048	Q-77	48,3	M5, M6, M8, M10	1	311,90


SELL OUT



Cutting and drilling oil
Concentrated, without propellant

MOD 1027


Accessories				
	Q	e		€/pc.
201027	Q-64	300 ml	1	14,00



Only while supplies last.

Drilling and tapping

Drilling template for Easy Alu baluster posts



MOD 5961

Accessories		Q		€/pc.
205961		Q-85	1	8,85




Drilling template for glass stopper
MOD 8204, 8304, 8404

MOD 1041

Accessories		Q		€/pc.
201041		Q-117	1	8,85





NEW

Drilling template for cap rails, set



MOD 1022

Accessories		Q		€/set
201022		Q-107/Q-108	1	9,40



Q-82 Q-20 Drilling template



MOD 1023

Accessories				
	Q	For Ø		€/ pc.
201023	Q-82	42,0 + 48,0	1	18,55

MOD 1024

Accessories				
	Q	For Ø		€/ pc.
201024-042	Q-20	42,0	1	7,05




Wood glue
PVAC glue for wooden bonding applications

MOD 1335

Accessories				
	Q	e		€/ pc.
201335	Q-73	250 ml	1	9,65

Connection pins



MOD 3005


316 Raw				
OUTDOOR				
		€/ pc.		
143005	6	0,90		



Drill bit with stopper for wood

MOD 1026

Accessories				
	Q	D		€/ pc.
201026	Q-80	15	1	13,45



Dowels

MOD 0203

Wood				
INDOOR				
	QS		€/ 50 pcs.	
200203	QS-512	50	10,00	



MOD 0803 - DIN 7965

Zinc-plated						
INDOOR						
	QS	d		L		€/ 50 pcs.
250803-120	QS-66	M10	Ø 17	20	50	67,50
304						
INDOOR						
230803-818	QS-69	M8	Ø 14,5	18	50	287,50




Cable tie


MOD 1050

Accessories				
	Q	L		€/ 100 pcs.
201050	Q-50	300	100	5,00


Q-INFO | MOD 1024



Q-INFO | MOD 1023 / 1024



Q-INFO | MOD 0803



Mounting accessories



Q-glue®
Stainless steel - high strength fixative
Consumption per bonding ca. 1 ml

MOD 1331

Accessories		Q	e		€/pc.
201331	Q-21	50 ml	1		29,50

Gluing connections per bottle (50 ml)

Ø 16 mm	Ø 42,4 mm	Ø 48,3 mm	Ø 60,3 mm
150	60	50	40



Acrylic adhesive tape

MOD 1360

Accessories		Q	W	L		€/pc.
201360	Q-53	9	33 m	1		53,80



Transparent acrylic adhesive tape

MOD 1362

Accessories		Q	W	L		€/pc.
201362-012	Q-122	12	33 m	1		86,90

NEW



Q-spray, transparent
For a smooth rubber assembly

MOD 0620

Accessories		Q	e		€/pc.
200620	Q-65	1000 ml	1		10,55



Q-seal
Glass silicone, colour black,
nozzle included

MOD 1340

Accessories		Q	e		€/pc.
201340	Q-24	310 ml = ca. 11,40 m	1		14,00



Double-sided adhesive tape

MOD 1361

Accessories		Q	W	L		€/pc.
201361-012	Q-111	12,7	33 m	1		43,45
201361-016	Q-98	16	33 m	1		52,90
201361-020	Q-99	20	33 m	1		65,80
201361-025	Q-112	25,4	33 m	1		86,90




Application tool for tape

MOD 1040


Accessories			€/pc.
201040		1	6,45

NEW


Q-INFO | MOD 1360 / 1361 / 1362




Q-INFO | MOD 0620




Q-INFO | MOD 1040



Mounting accessories



Shoe shims,
top mount



Shoe shims,
fascia mount

MOD 8216 - Easy Glass® Smart

	Aluminium		Mill finish				€ / 100 pcs.
	W	L	U	X			
168216-001	58	58	16	1	100	100,00	
168216-002	58	58	16	2	100	125,00	
168216-003	58	58	16	3	100	160,00	

MOD 8416 - Easy Glass® Prime

	Aluminium		Mill finish				€ / 100 pcs.
	W	L	U	X			
168416-001	69	69	24	1	100	115,00	
168416-002	69	69	24	2	100	135,00	
168416-003	69	69	24	3	100	175,00	

MOD 8516 - Easy Glass® Max

	Aluminium		Mill finish				€ / 100 pcs.
	W	L	U	X			
168516-001	78	78	24	1	100	135,00	
168516-002	78	78	24	2	100	170,00	
168516-003	78	78	24	3	100	195,00	

MOD 8616 - Easy Glass® Strong

	Aluminium		Mill finish				€ / 100 pcs.
	W	L	U	X			
NEW 168616-001	93	93	24	1	100	205,00	
NEW 168616-002	93	93	24	2	100	285,00	
NEW 168616-003	93	93	24	3	100	370,00	

MOD 8236 - Easy Glass® Smart

	Aluminium		Mill finish				€ / 100 pcs.
	W	L	U	X			
168236-001	58	120	16	1	100	195,00	
168236-002	58	120	16	2	100	250,00	
168236-003	58	120	16	3	100	310,00	

MOD 8336 - Easy Glass® Smart+

	Aluminium		Mill finish				€ / 100 pcs.
	W	L	U	X			
NEW 168336-001	58	122	16	1	100	195,00	
NEW 168336-002	58	122	16	2	100	250,00	
NEW 168336-003	58	122	16	3	100	310,00	

MOD 8436 - Easy Glass® Prime

	Aluminium		Mill finish				€ / 100 pcs.
	W	L	U	X			
168436-001	58	135	16	1	100	220,00	
168436-002	58	135	16	2	100	290,00	
168436-003	58	135	16	3	100	350,00	


MOD 8636 - Easy Glass® Strong

	Aluminium		Mill finish				€ / 100 pcs.
	W	L	U	X			
NEW 168636-001	58	144	16	1	100	400,00	
NEW 168636-002	58	144	16	2	100	555,00	
NEW 168636-003	58	144	16	3	100	720,00	

MOD 6636 - Easy Glass® Up

	Aluminium		Mill finish				€ / 100 pcs.
	W	L	U	X			
166636-001	58	89	16	1	100	130,00	
166636-002	58	89	16	2	100	180,00	
166636-003	58	89	16	3	100	230,00	

Levelling block for Easy Alu



MOD 9027

	Aluminium		Mill finish		€ / pc.
	OUTDOOR	Q			
169027	Q-4		1		7,65




Mounting plates
for Easy Glass®


MOD 1006

	Accessories		€ / set
	Q	Thicknesses	
201006	Q-62	1, 2, 3, 4, 5 mm	103,40


Q-INFO MOD 1006




Q-INFO MOD 8x16



Q-INFO MOD 8x36 / 6636



Q-INFO MOD 9027



Care and maintenance



Q-cleaner
Stainless steel cleaning spray,
concentrated, without propellant

MOD 0601

Accessories				
	Q	e		€/pc.
200601	Q-23	300 ml	1	23,50



Q-ultra-clean
Chemical stainless steel cleaner to
remove heavy dirt and rust stains.

MOD 0610

Accessories				
	Q	e		€/pc.
200610	Q-22	500 ml	1	34,60



Q-protector
Protect aluminium and stainless steel
parts right after installation.

MOD 0602

Accessories				
	Q	e		€/pc.
200602	Q-63	500 ml	1	27,05



Scotch®-Brite
Abrasive pads to remove scratches on
stainless steel products

MOD 0640

Accessories				€/10 pcs.
	Q			
200640	Q-25	10		32,00



Q-glass tex
Glass cloths, 100% viscose, 33x37cm

MOD 0660

Accessories				€/20 pcs.
	Q			
200660	Q-27	20		5,00



Touch-up pencil for scratch repair

MOD 0802

Accessories		Colour	e		€/pc.
	200802-31	Black, RAL 9005	12 ml	1	17,85
	200802-33	Anthracite grey, RAL 7016	12 ml	1	17,85
	200802-34	Telegrey 4, RAL 7047	12 ml	1	17,85

Q-INFO | MOD 0640 / 0610



Q-INFO



Tools



Hexagon screw driver set, 7 pieces

MOD 1010

Accessories

SELL OUT	Q	Q (□)	€ / set
201010	Q-2 Q-2,5 Q-3 Q-4 Q-5 Q-6 Q-8	1	53,55



Hexagon screw driver

MOD 1008

Accessories

SELL OUT	Q	Q (□)	€ / set
201008-10	Q-10	1	17,40



Gripper for blind-rivet-nut

MOD 1031

Accessories

SELL OUT	Q	Ø	€ / pc.
201031	Q-29	M6, M8, M10	461,75



Plastic hammer

MOD 1030

Accessories

Q	€ / pc.
201030 Q-45	21,90



Spirit level for tube, round and square

MOD 1034

Accessories

Q	€ / pc.
201034 Q-46	21,20



C-spanner

MOD 1013

Accessories

Q	Ø	€ / pc.
201013-025 Q-30	25 - 28	13,45
201013-030 Q-31	30 - 32	16,25
201013-050 Q-32	45 - 50	20,35
201013-060 Q-33	58 - 62	27,15
201013-070 Q-51	68 - 75	29,85



Face pin wrench for Ø 3 mm holes, pin 2,9 mm, distance 15 mm

MOD 1032

Accessories

Q	€ / pc.
201032 Q-78	11,55



Circlip pliers for Ø 2 mm holes, pin 4,0 mm, distance 28 mm

Q-lights

MOD 1033

Accessories

Q	€ / pc.
201033 Q-110	24,80



Spirit level for Ø 40, Ø 42,4, Ø 48,3 mm

MOD 1035

Accessories

Q	€ / pc.
201035 Q-72	34,00

SELL OUT Only while supplies last.

Q-INFO MOD 1034



Q-INFO MOD 1035



Q-INFO MOD 1035



Tools



Q-disc® and inlay tool

MOD 1000

Accessories			
	Q		€/ pc.
201000	Q-84	1	23,50



Easy Glass® Multitool

MOD 1001

Accessories			
	Q		€/ pc.
201001	Q-71	1	45,55



Q-glass suction lifter, 2 cups, carrying capacity / lifting direction: 60 kg / parallel

MOD 1060

Accessories			
	Q		€/ pc.
201060	Q-28	1	85,80



Glass fitting aid

MOD 1062

Accessories			
	Q		€/ pc.
201062	Q-56	2	15,45



Plate/glass lifting tool

Spans 0 to 80 mm, max. load per piece 100 kg

MOD 1061

Accessories			
	Q		€/ pc.
201061	Q-55	2	147,75

Q-INFO MOD 1000

- Secure and check alignment
- Revolve
- Adjust
- Secure
- Check the manual for the setting of the wrench
- Q-spray 200620

Q-INFO MOD 1001

- Apply Q-spray
- Insert multitool
- Secure and adjust

Q-INFO MOD 1061

- Attach suction cups
- Align tool
- Secure tool

Q-INFO MOD 1062

- Install fitting aid
- Align and secure

Tools



Fast Fix release tool

MOD 7802

316	Satin			
OUTDOOR		For cable Ø		€/ pc.
207802-003		3,2	1	7,45
207802-004		4,0	1	7,45



Cable cutter

MOD 7800

Accessories				
	Q	For cable Ø		€/ pc.
207800	Q-39	1,5 - 4,0	1	24,45

Stainless steel should be cut with an appropriate saw for efficient work and ideal results. To guarantee this, stainless steel saws have an ultra-strong but slowly rotating motor. The saw's minimal weight makes it the professional 'must have' tool on site.



201070-23
Q-34

Stainless steel saw

Motor 0,5 kW - 230 V, 60 rpm, automatic cooler, 17 kg, sizes 490x425x600 (W x L x H), saw blade not included, for straight cuts




201071
Q-35

Base frame for stainless steel saw



201072
Q-36

Saw blade for stainless steel saw



HSS, 225 x 2,2 x 32, 168 Z



201074
Q-38

Vertically adjustable material support for tube Ø26-168 mm



201073
Q-44

Outer-inner pipe deburrer for tube Ø10-54 mm

MOD 1070 / 1071 / 1072 / 1073 / 1074

Accessories

	Q		€/ pc.
201070-23	Q-34	1	1.489,35
201071	Q-35	1	232,75
201072	Q-36	1	412,60
201073	Q-44	1	153,05
201074	Q-38	1	460,00



LOOKING FOR Q-RAILING PROMOTION ITEMS?










Ask us for the options in displays, promo sets and more.














































Q-railing


SYMBOL INDEX


304	304 Stainless steel	Safety glass	Monolithic	Glass
316	316 Stainless steel	Safety glass	Laminated	
Aluminium	Aluminium	Beech	Oak	Wood
Plastic	Plastic	Kambala	Wood	
Steel	Steel	Satin	Mirror polished	Material surface
Zamak	Zamak	INDOOR		For indoor use
Zinc-plated	Zinc-plated	OUTDOOR		For outdoor use
Brass	Brass			

	Shape/size of tube/cap rail		Drill head size
	Extra product information	 QS-36 471 /  QS-36	Recommended Q-anchor, see page 471
	Glass thickness	 QS-53 476 /  QS-53	Recommended Q-screw, see page 476
	Packaging unit	Q-22	Recommended Q-tool

	New product		CE marking
	Sell-out item (only available until supplies last)		Extra strong
	Prefix options available.		

	Shipping by freight company		AVIS Technique label
	Screw-fastened products (hexagon screwdriver)		Tested at CSTB
	Torque wrench	 	SIA 358:2010 / SIA 261:2014
	Screw-fastened products (wrench)	 	Tested in accordance with EN1991 / EN1990
	C-spanner		Tested in accordance with NEN 2608 (Eurocodes 1990-1999:2011)
	Screwdriver		LGA Typen geprüft label
	AW screwdriver		Static calculation according to DIN 18008
	Product to be driven in (Easy Hit®)		CTE label
	Product to be glued		Tested at Applus
	Use a knife for cutting		Tested in accordance with NTC UNI 11678-2017
	Use a saw for cutting		Tested in accordance with DIN 18008
	Weldable products		Tested at WTCB.be & CSTC.be
	AW drive		Tested in accordance with NBN B03-004
	90° corner not possible		Tested in accordance with Miami Dade County
	Wall distance 85 mm		Tested at International ICC Evaluation Service
	AbP label (Allgemeines bauaufsichtliches Prüfzeugnis)		IK code (Impact resistance level)
	ETB label		Colour rendering index
	AbZ label (Allgemeine bauaufsichtliche Zulassung)		Dali Lighting Control
	Tested in accordance with DIN EN 12600		Minimum bending radius
	Tested in accordance with British Standard 6180		To be installed by a qualified electrician
	Verrotec label		







© 2023 Q-railing
Emmerich am Rhein, Germany

Copyright

The arrangement, catalogue layout, text, text components, tables, pictures, brands, trademarks, logos, graphics and other contents of the catalogue remain the property of Q-railing Europe GmbH & Co. KG, Germany or can be used with the consent of the owners. Subject to global copyright laws. Unless otherwise specified all brands and trademarks used in this catalogue as well as trademark laws, design patents and utility models are the property of Q-railing Europe GmbH & Co. KG, Germany or our partners. In Germany and several other countries penal and civil law prosecution of violations against copyright law, trademark law and other property rights is possible. Should you use, copy, reproduce, change in any way, translate or pass on to a third party or want to pass on specific contents or complete pages, you require our consent which we only grant in writing in advance. Therefore please ask us in advance. Otherwise we reserve the right to take legal measures against you.

PLEASE TAKE INTO CONSIDERATION

Changes in production techniques and deviations in measurements may occur. Actual products may differ very slightly from the photographic illustration. Q-railing can not be responsible for any printing errors.

Q-railing does not accept liability, on whatever legal causes, unless there is legally compelling liability. Any compensation is hereby limited to the product value of the order - no other compensation is offered.

Please note that statutory limitations may vary from country to country. Q-railing does not accept liability for conditions and regulations that may apply to various fabrications.

Our general terms and conditions apply. You can find them at www.q-railing.com.



ORDER




All prices are net prices per piece or per set including packing. VAT is not included.



Order quantities must conform to specified package unit quantities.



Please contact our sales representatives for delivery options and shipment charges.





THE PREMIUM BRAND IN RAILING SYSTEMS



Q-RAILING CATALOGUE 2023, PL-EN • LANGUAGE EN • CURRENCY € • 911002-015-01-01